APPLICA	BLE STAND	DARD					
OPERATING TEMPERATU		E RANGE	_/ 5 °C 11 ±125 °C/N11 € 1\	STORAGE TEMPERATURE RANGE -10 °C TO + 60		(NOTES 2)	
RATING	VOLTA	GE	150 V AC	APPLICABLE CONNECTOR	DF9B-25P-1V(68)	
	CURRENT		0.5 A				
	•		SPECIFICAT	IONS			
17	ГЕМ		TEST METHOD	REQUIREMENTS			АТ
			CONSTRUCT	ION			
GENERAL E	XAMINATION	VISUALLY	AND BY MEASURING INSTRUMENT.	ACCORDING TO DRAW	ING.	X	Х
MARKING		CONFIRM	ED VISUALLY.			X	X
		•	ELECTRIC CHARAC	TERISTICS			
CONTACT F	RESISTANCE	100 m A	(DC OR 1000 Hz).	50 mΩ MAX.		X	T —
RESISTANCE		100 V DC.		500 ΜΩ ΜΙΝ.			-
		250 V AC FOR 1 min.		NO FLASHOVER OR BREAKDOWN.			
			MECHANICAL CHARA	CTERISTICS		X	<u> </u>
MECHANIC	AL	100 TIME	ES INSERTIONS AND EXTRACTIONS.	① CONTACT RESISTAN	NCE: 50 mΩ MAX.	Х	Π
OPERATION	N			② NO DAMAGE, CRACK OR LOOSENESS OF PARTS.			
VIBRATION		FREQUENCY 10 TO 55 Hz, SINGLE AMPLITUDE 0.75 mm, AT 2 h, FOR 3 DIRECTIONS.		① NO ELECTRICAL DISCONTINUITY OF 1 μs. ② NO DAMAGE, CRACK OR LOOSENESS OF PARTS.			_
SHOCK		490 m/s ² DURATION OF PULSE 11 ms AT 3 TIMES FOR 3 DIRECTIONS.		① NO ELECTRICAL DISCONTINUITY OF 1 µs. ② NO DAMAGE, CRACK OR LOOSENESS OF PARTS.			_
			ENVIRONMENTAL CHAP	RACTERISTICS		1	
RAPID CHA	NGE	TEMPERA	TURE -65 $ ightarrow$ 5 TO 35 $ ightarrow$ 125 $ ightarrow$ 5 TO 35 $^{\circ}$ C	① CONTACT RESISTAN	NCE: 50 mΩ MAX.	Х	Ι_
OF TEMPERATURE				 INSULATION RESISTANCE: 500 MΩ MIN. NO DAMAGE, CRACK OR LOOSENESS OF PARTS. 			
		EXPOSED AT 40 ± 2 °C, 90 TO 95 %, 96 h.		① CONTACT RESISTANCE: 50 mΩ MAX.			_
(STEADY STATE)				 INSULATION RESISTANCE: 500 MΩ MIN. NO DAMAGE, CRACK OR LOOSENESS OF PARTS. 			
CORROSION SALT MIST		EXPOSED IN 5 % SALT WATER SPRAY FOR 48 h.		① CONTACT RESISTANCE: 50 mΩ MAX. ② NO HEAVY CORROSION.			_
SULPHUR D	DIOXIDE) IN 10 PPM FOR 96 h. ANDARD:JEIDA-39)	① CONTACT RESISTAN		Х	-
HEAT RESISTANCE OF SOLDERING		[RECOM «SOLDEI MAX 29 «PREHE» 150 TC MAXIM THE S «RECOMM SOLDE SOLDE	MENDED TEMPERATURE PROFILE] RING AREA 50 °C, 220 °C FOR 60 SECONDS MAX. ATING AREA 0 180 °C 90 ~ 120 SECONDS. IUM TWICE ACTION IS ALLOWED UNDER AME CONDITION. ENDED MANUAL SOLDELING CONDITION] ERING IRON TEMPERATURE 380 °C ERING TIME: WITHIN 3 SECONDS.	NO DEFORMATION OF CASE OF EXCESSIVE LOOSENESS OF THE TERMINALS.		X	_
DI		SOLDERING TEMPARATURE: 245±5 °C DURATION OF IMMERSION : SOLDERING FOR 3 SECONDS		A NEW UNIFORM COATING OF SOLDER SHALL COVER MINIMUM OF 95 % OF THE SURFACE BEING IMMERSED.			-

NOTES 1 : INCLUDING THE TEMPERATURE RISE BY CURRENT.
NOTES 2 : STORAGEIS DEFINED AS LONG-TERM STORAGE OF UNUSED PRODUCTS.

APPLY OPERATION TEMPERATURE RANGE TO PRODUCTS MOUNTED ON PCB WITHOUT POWER SUPLLY.

UNLESS OTHERWISE SPECIFIED, REFER TO JIS C 5402.

	COUNT	DESCRIPTION OF REVISIONS	DESIGNED		CHECKED	DATE
⚠						
				APPROVI	ED MO.NAKAMURA	06.01.26
				CHECKE	D TS.MIYAZAKI	06.01.26
				DESIGNE	TY.001	06.01.25
				DRAWN	HK.MURAKAMI	06.01.25
Note	Note QT:Qualification Test AT:Assurance Test X:Applicable Test		DRAWIN	IG NO.	ELC4-084767-06	
		SPECIFICATION SHEET	PART NO.	DF9B-25S-1V (68)		
		HIROSE ELECTRIC CO., LTD.	CODE NO.	CL540-0133-4-68		1 /1