



Electrical Commercial and Industrial

3M™ Cold Shrink Insulator 8428-8, All Solid Dielectric Cables, 1 kV, Standard, 10 per case

3M ID 80611230212 UPC# 00051128537114 3M Product Number 8428-8



This splice meets requirements of ANSI C119-1 and Western Underground Guide 2.14 for secondary splices rated up to 1 kV.



Overview	Documentation																				
<div>Specifications</div> <table><tr><td>Cable Type</td><td>Power Cable</td></tr><tr><td>China RoHS - Below MCV</td><td>Yes</td></tr><tr><td>Conductor Material</td><td>Aluminum, Copper</td></tr><tr><td>Conductor Sizes</td><td>500 kcmil, 600 kcmil, 650 kcmil, 700 kcmil, 750 kcmil, 800 kcmil</td></tr><tr><td>EU RoHS Compliant</td><td>Yes</td></tr><tr><td>Number of Conductors</td><td>1</td></tr><tr><td>Product Type</td><td>Splice</td></tr><tr><td>Shielding Type</td><td>Non-Shielded</td></tr><tr><td>Splice Type</td><td>Cold Shrink</td></tr><tr><td>Voltage</td><td>1 kV</td></tr></table>		Cable Type	Power Cable	China RoHS - Below MCV	Yes	Conductor Material	Aluminum, Copper	Conductor Sizes	500 kcmil, 600 kcmil, 650 kcmil, 700 kcmil, 750 kcmil, 800 kcmil	EU RoHS Compliant	Yes	Number of Conductors	1	Product Type	Splice	Shielding Type	Non-Shielded	Splice Type	Cold Shrink	Voltage	1 kV
Cable Type	Power Cable																				
China RoHS - Below MCV	Yes																				
Conductor Material	Aluminum, Copper																				
Conductor Sizes	500 kcmil, 600 kcmil, 650 kcmil, 700 kcmil, 750 kcmil, 800 kcmil																				
EU RoHS Compliant	Yes																				
Number of Conductors	1																				
Product Type	Splice																				
Shielding Type	Non-Shielded																				
Splice Type	Cold Shrink																				
Voltage	1 kV																				

Manufacturing Origin: USA