

REV	DESCRIPTION	DATE	APPROVED
	SEE SHEET #1.		

T0-5

PART NO.	I.D.	O.D.	THICKNESS	FIG.	T0-5
T0-5	.225 (5.7mm)	.375 (9.5mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130, .150	A	Spacer
T0-6	.250 (6.4mm)	.375 (9.5mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A	I.C. Spacer
T0-9	.300 (7.8mm)	.437 (11.1mm)	.040, .050, .070, .090, .100, .120, .130, .150	A	.300 (7.6mm) L.S.
T0-13	.225 (5.7mm)	.225 (5.7mm)	.040, .050, .060, .070, .090, .100, .120, .130	A	Epoxy Case

T0-18

PART NO.	I.D.	O.D.	CAVITY DIA.	CAVITY DEPTH	THICKNESS	FIG.	T0-18
T0-12	.125 (3.2mm)	.310 (7.9mm)	.215 (5.5mm)	.065 (1.7mm)	.080, .090, .100, .120, .130	B	.250 (6.4mm) L.S.
T0-16	.125 (3.2mm)	.205 (5.2mm)	-	-	.030, .040, .050, .070, .090, .100, .120, .130	A	Epoxy Case
T0-17	.170 (4.3mm)	.250 (6.4mm)	-	-	.030, .040, .050, .070, .090, .100, .120, .130	A	Thin Walls
T0-18	.125 (3.2mm)	.250 (6.4mm)	-	-	.030, .040, .050, .060, .070, .090, .100, .120, .130, .150	A	Standard
T0-20	.125 (3.2mm)	.290 (7.4mm)	.200 (5.1mm)	.065 (1.7mm)	.090, .100, .120, .130, .150	B	.200 (5.1mm) L.S.
T0-27	.125 (3.2mm)	.290 (7.4mm)	-	-	.030, .040, .050, .070, .090, .100, .120, .130	A	Heavy Walls

AXIAL

PART NO.	I.D.	O.D.	THICKNESS	SLOT DEPTH	SLOT WIDTH	FIG.
T0-21	.125 (3.2mm)	.250 (6.4mm)	.090, .100, .120, .130, .150	.045 (1.1mm)	.060 (1.5mm)	C
T0-35	-	.440 (11.2mm)	.120, .130, .140, .150	.065 (1.7mm)	.230 (5.8mm)	C
T0-36	-	.187 (4.7mm)	.060, .070, .080, .090, .100, .130, .150	.040 (1.0mm)	.080 (2.0mm)	C
T0-37	-	.156 (4.0mm)	.050, .070, .090, .100, .120	.025 (.64mm)	.050 (1.3mm)	C

ON-END/CORDWOOD

PART NO.	I.D.	O.D.	CAVITY DIA.	CAVITY DEPTH	THICKNESS	FIG.
T0-7	.075 (1.9mm)	.175 (4.4mm)	-	-	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
T0-8	.062 (1.6mm)	.156 (4.0mm)	-	-	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
T0-10	.040 (1.0mm)	.085 (2.2mm)	-	-	.030, .040, .050, .070	A
T0-11	.045 (1.1mm)	.100 (2.5mm)	-	-	.030, .040, .050, .070	A
T0-26	.070 (1.8mm)	.187 (4.7mm)	-	-	.030, .040, .050, .070	A
T0-40	.045 (1.1mm)	.156 (4.0mm)	-	-	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
T0-64	.045 (1.1mm)	.140 (3.6mm)	-	-	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
T0-65	.075 (1.9mm)	.140 (3.6mm)	-	-	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
T0-67	.045 (1.1mm)	.140 (3.6mm)	.090 (2.3mm)	.025 (.64mm)	.050, .060, .070, .090, .100, .120, .130	B
T0-68	.045 (1.1mm)	.110 (2.8mm)	.075 (1.9mm)	.025 (.64mm)	.040, .050, .060, .070, .090, .100, .120, .130	B

SOLID

PART NO.	I.D.	O.D.	THICKNESS	FIG.
T0-29	-	.156 (4.0mm)	.040, .050, .060, .070, .090, .100, .120, .130	D
T0-31	-	.125 (3.2mm)	.040, .050, .060, .070, .090, .100, .120, .130	D
T0-32	-	.187 (4.7mm)	.040, .050, .060, .070, .090, .100, .120, .130	D
T0-33	-	.250 (6.4mm)	.040, .050, .060, .070, .090, .100, .120, .130	D
T0-34	-	.375 (9.5mm)	.040, .050, .060, .070, .090, .100, .120, .130	D

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		 4 THOMAS, IRVINE, CA.92618 TEL: (949) 961-8808 FAX: (949) 961-8074	
TOLERANCES			
DECIMALS	ANGULAR		
.X ± .1	X' ± 1'		
.XX ± .01			
.XXX ± .005			
DESIGNER DAVID GREEN	DATE 10/15/03	 PART NAME: DISS-O-PADS, WASH-AWAY COMPONENTS & GENERAL PURPOSE SPACERS	
CHECKER M CHEN	DATE 10/15/03		
SIZE A	DWG. NAME	DWG. NO.	REV B
SCALE 1=1	CAGE CODE 32559	SHEET 2 OF 3	

REV	DESCRIPTION	DATE	APPROVED
	SEE SHEET #1.		

GENERAL PURPOSE

PART NO.	I.D.	O.D.	THICKNESS	FIG.
TO-46	.090 (2.3mm)	.250 (6.4mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-19	.250 (6.4mm)	.480 (12.2mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-22	.225 (5.7mm)	.437 (11.1mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-23	.090 (2.3mm)	.310 (7.9mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-24	.090 (2.3mm)	.340 (8.6mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-30	.275 (7.0mm)	.397 (10.0mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-25	.180 (4.6mm)	.480 (12.2mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-28	.172 (4.4mm)	.343 (8.7mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-41	.156 (4.0mm)	.360 (9.1mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A
TO-42	.250 (6.4mm)	.438 (11.1mm)	.030, .040, .050, .060, .070, .090, .100, .120, .130	A

RECTANGULAR & SQUARE

PART NO.	L	W	R	THICKNESS	FIG.	
TO-100	.670 (17.0mm)	.100 (2.5mm)	.031 (.79mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	E	Rectangular
TO-101	.562 (14.3mm)	.185 (4.7mm)	-	.040, .050, .060, .070, .090, .100, .120, .130, .150	E	Rectangular
TO-102	.505 (12.8mm)	.160 (4.1mm)	-	.040, .050, .060, .070, .090, .100, .120, .130, .150	E	Rectangular
TO-116	.666 (16.9mm)	.300 (7.8mm)	.063 (1.6mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	E	Rectangular
TO-117	.666 (16.9mm)	.281 (7.1mm)	.100 (2.54mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	E	Rectangular
TO-118	.705 (17.9mm)	.260 (6.6mm)	.080 (2.0mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	E	Rectangular
TO-120	.085 (2.2mm)	.085 (2.2mm)	-	.040, .050, .060, .070, .090, .100, .120	F	Square
TO-121	.095 (2.4mm)	.095 (2.4mm)	-	.040, .050, .060, .070, .090, .100, .120	F	Square

RADIAL & AXIAL DEVICE

PART NO.	C/C	S	W	L	THICKNESS	FIG.
TO-200	.100 (2.5mm)	.035 (.89mm)	.095 (2.4mm)	.190 (4.8mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	G
TO-201	.150 (3.8mm)	.035 (.89mm)	.095 (2.4mm)	.240 (6.1mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	G
TO-203	.200 (5.1mm)	.035 (.89mm)	.095 (2.4mm)	.290 (7.4mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	G
TO-204	.250 (6.4mm)	.040 (1.0mm)	.145 (3.7mm)	.340 (8.6mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	G
TO-205	.300 (7.8mm)	.040 (1.0mm)	.145 (3.7mm)	.390 (9.9mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	G
TO-206	.400 (10.2mm)	.045 (1.1mm)	.195 (5.0mm)	.490 (12.4mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	G
TO-207	.500 (12.7mm)	.045 (1.1mm)	.195 (5.0mm)	.590 (15.0mm)	.040, .050, .060, .070, .090, .100, .120, .130, .150	G

UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES		 4 THOMAS, IRVINE, CA.92618 TEL: (949) 961-8808 FAX: (949) 961-8074	
TOLERANCES			
DECIMALS	ANGULAR		
.X ± .1	X' ± 1'		
.XX ± .01			
.XXX ± .005			
DESIGNER DAVID GREEN	DATE 10/15/03	PART NAME: DISS-O-PADS, WASH-AWAY COMPONENTS & GENERAL PURPOSE SPACERS SIZE A DWG. NAME TO-XXX-XXX DWG. NO. B	
CHECKER M CHEN	DATE 10/15/03		
SCALE 1=1		CAGE CODE 32559	SHEET 3 OF 3