






Recommended Double-D Panel Cutout



Recommended Round Panel Cutout



Sealed with Sealing Compound, provides IP67 even when uncovered (For potted version only)



- Notes:**
- Electrical Specifications:
    - Meets EIA/TIA-568-B.2 Cat.5e Specification
    - Contact Resistance: 20 mOhm max.
    - Insulation Resistance: 500MOhm min. @ 100 VDC
    - Current Rating: 1.2A max. @ 25°C
    - Working Voltage: 100 VDC
    - DWV: 1000 VDC/60s Contact to Contact, 1500 VDC/60s Contact to Metal Shell
    - Operating Temperature: -40°C to +85°C
  - Material and Finish:
    - Receptacle Housing (with Flange) & Cover: Zinc Die-Cast, Finish: Nickel Plated
    - Cover Gasket: Silcon, Color: White
    - Ball Chain Assembly, Copper Alloy and Stainless steel, Nickel Plated
    - RJ45 Jack Metal Shell: Copper Alloy, Nickel Plated
    - RJ45 Jack Plastic Housing: Glass filled PBT UL94 V-0, Color: Black
    - RJ45 Jack Contacts: Phosphor Bronze, Finish: 50u" Gold min. over Nickel
    - Terminal Block Insulator: Polyamide, UL94 V-0 Rated
    - Terminal: Brass, Tin Plated
    - Gage Clamp: Brass, Tin Plated
    - M2 Screw: Steel, Zinc Plated
    - Panel Gasket: NBR, Color: Black
    - M3 Mounting Hardware: Stainless Steel
    - Includes 4 x (Screw + Nut + Flat Washer + Spring Lock Washer)
  - Connector can be front or rear mounted to a maximum panel thickness of 3.2mm.
  - IP67 rated when covered or fully mated with the appropriate mating connector
  - Hardware shipped unassembled
  - Recommended mounting torque is 12 to 14 lb-inch

Directive 2002/95/EC RoHS Compliant

Description	Part Number
Nickel Plated Zinc Die-Cast with Cat5e RJ45 Jack with Terminal Block + Cover	17-111194
Potted Nickel Plated Zinc Die-Cast with Cat5e RJ45 Jack with Terminal Block + Cover	17-111204

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY MANNER AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC CORPORATION <b>DO NOT ALTER CAD DRAWING BY HAND</b>	Customer:		Tolerance Unless otherwise specified			Scale:	Dim. in mm	
	Name	Title	Approval Date	0 PLC ±0.30 1 PLC ±0.20 2 PLC ±0.10 3 PLC ±0.05 ANGLES ±1°		Autodesk Inventor		
				2012	Date	Name	Material: See Notes	
				Draw.	Nov. 22	Vincent Ke	Cat. 5e RJ45 + Terminal Block Receptacle (with Flange) + Cover Kit	
			Appd.	Nov. 22	J. Chaudry	Nickel Plated Zinc Die-Cast Version		
							Drawing No.: 17K1A385	DIN A3
							Part No.: SEE PART NUMBER TABLE	Sheet 1/1

