

2546.0

SKS 2,5

SKS 2,5



Crimp lug, Pin shape acc. to DIN 46231, Length: 24 mm, Max. wire cross-section: 2.5 mm², Colour: Blue

Business data

Product description	Crimp
Connector shape	Pen shape acc. to DIN 46231
Product-compliant (according to DIN)	✓
Packaging unit	100
Quantity unit	PC
Weight per piece (not including packaging)	0.82
Weight per piece (including packaging)	0.83
Unit of weight	G
Customs number	85369010
Country of origin	TW

2546.0

SKS 2,5

SKS 2,5

Technical Data

Dimensions

Length	24 mm
Length of pin	10.5 mm
Width of pin	1.9 mm
Diameter of feed-in funnel	4.5 mm
Size DIN	2.5

Connection data

Wire cross-section, min.	1.5 mm ²
Wire cross-section, max.	2.5 mm ²
Wire cross-section AWG, min.	16
Wire cross-section AWG, max.	14

Materials

Connector material	Copper
Surface	Tin-plated
insul.	Expanded PA insulation
Working temperature, min.	-55 °C
Working temperature, max.	105 °C

Further technical data

Insulation available	✓
Soldered	✓

2546.0

SKS 2,5

SKS 2,5

Approvals

Standards and regulations

Standards / specifications

DIN EN 13599
