


28154.6
PVC-PTS 50X30 GR
PVC-PTS 50X30 GR



Device and installation marker, Length: 30 mm, Width: 40 mm, Colour: grey

Business data

Product description	Device and installation marker
Packaging unit	150
Quantity unit	PC
Number of markers per card	6
Weight per piece (not including packaging)	1.71
Weight per piece (including packaging)	1.71
Unit of weight	G
Customs number	39204910
Country of origin	IT

28154.6

PVC-PTS 50X30 GR

PVC-PTS 50X30 GR

Technical Data

Dimensions

Length	30 mm
Width	40 mm
Hole diameter	22.5 mm

Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Processing temperature, min.	10 °C
Processing temperature, max.	40 °C
Silicone-free	✓

Further technical data

Mounting	Unter Bedienelement
Software code	1000

28154.6

PVC-PTS 50X30 GR

PVC-PTS 50X30 GR

Accessories

Printer



Thermal transfer printer

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28000.0	TTPCard	4044211207397	1 PC

Inlays



Printer inlay

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28041.0	CCI-PC/PVC/PVCF	4044211208097	1 PC