

28181.6

PVC-TAA 17X35 K GR

PVC-TAA 17X35 K GR



Device and installation marker, Length: 35 mm, Width: 17 mm, Colour: grey

Business data

Product description	Device and installation marker
For manufacturer type	ABB SNK LH-R1
Packaging unit	180
Quantity unit	PC
Number of markers per card	18
Weight per piece (not including packaging)	1.04
Weight per piece (including packaging)	1.04
Unit of weight	G
Customs number	39199080
Country of origin	IT

28181.6

PVC-TAA 17X35 K GR

PVC-TAA 17X35 K GR

Technical Data

Dimensions

Length	35 mm
Width	17 mm

Materials

Marker material	PVC
Flammability class UL 94	V-0
Working temperature, min.	-30 °C
Working temperature, max.	60 °C
Processing temperature, min.	10 °C
Processing temperature, max.	40 °C
Silicone-free	✓

Further technical data

Mounting	Self-adhesive
Software code	711

28181.6

PVC-TAA 17X35 K GR

PVC-TAA 17X35 K GR

Accessories

Printer



Thermal transfer printer

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28000.0	TTPCard	4044211207397	1 PC

Inlays



Printer inlay

In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28041.0	CCI-PC/PVC/PVCF	4044211208097	1 PC