

28182.7

PVC-TAA 17X44 K WH

PVC-TAA 17X44 K WH

---



Device and installation marker, Length: 44 mm, Width: 17 mm, Colour: White

## Business data

---

Product description	Device and installation marker
Packaging unit	120
Quantity unit	PC
Number of markers per card	12
Weight per piece (not including packaging)	1.6
Weight per piece (including packaging)	1.6
Unit of weight	G
Customs number	39199080
Country of origin	IT

---

28182.7

PVC-TAA 17X44 K WH

PVC-TAA 17X44 K WH

## Technical Data

---

### Dimensions

---

Length	44 mm
--------	-------

Width	17 mm
-------	-------

---

### Materials

---

Marker material	PVC
-----------------	-----

Flammability class UL 94	V-0
--------------------------	-----

Working temperature, min.	-30 °C
---------------------------	--------

Working temperature, max.	60 °C
---------------------------	-------

Processing temperature, min.	10 °C
------------------------------	-------

Processing temperature, max.	40 °C
------------------------------	-------

Silicone-free	✓
---------------	---

---

### Further technical data

---

Mounting	Self-adhesive
----------	---------------

Software code	717
---------------	-----

---

28182.7

PVC-TAA 17X44 K WH

PVC-TAA 17X44 K WH

## Accessories

---

## Printer

---



Thermal transfer printer

## In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28000.0	TTPCard	4044211207397	1 PC

## Inlays

---



Printer inlay

## In general

Order number	Article designation	GTIN (EAN)	Packaging unit
28041.0	CCI-PC/PVC/PVCF	4044211208097	1 PC