

## Miscellaneous Suppression Cores (2643167851)



Part Number: 2643167851

43 FULL FLAT CABLE CORE

### Explanation of Part Numbers:

- Digits 1 & 2 = Product Class
- Digits 3 & 4 = Material Grade

Fair- Rite has tooled several special core geometries in the 43 & 77 material for suppression of conducted EMI.

**For any non- catalog suppression core design feel free to contact our customer service or application group for feasibility and availability.**


[Catalog Drawing](#)

[3D Model](#)

The “C” dimension, the core length, can be modified to suit specific applications.

Weight: (g)

Dim	mm	mm tol	nominal inch	inch misc.
A	38.85	—	1.53	—
B	26.15	—	1.03	—
C	28.6	—	1.126	—
D	26	±0.60	1.024	—
E	12.95	±0.25	0.51	—




### Chart Legend

+ Test frequency

•Figures 3 & 4 tested in pairs

Typical Impedance (Ω)	
10 MHz	71
25 MHz <sup>+</sup>	102
100 MHz <sup>+</sup>	152
250 MHz	213

These suppression cores are controlled for impedance only. The minimum impedance is typically the listed impedance less 20%. Single turns tests are performed on the E4991A / HP4291B Impedance Analyzer with the shortest practical wire length.



[CSV Download](#)

Fair- Rite Products Corp. • One Commercial Row, Wallkill, New York 12589-0288  
888-324-7748 • 845-895-2055 • Fax: 845-895-2629 • ferrites@fair- rite.com • www.fair- rite.com