

## Specification Sheet

Part Number: 133-00995



HC Clamp Bundle Separator, Two Hole, PA66HIRGF13, Blue, 500/pkg

|                |           |
|----------------|-----------|
| Article Number | 133-00995 |
|----------------|-----------|

|      |      |
|------|------|
| Type | HC2C |
|------|------|

|       |           |
|-------|-----------|
| Color | Blue (BU) |
|-------|-----------|

|                     |  |
|---------------------|--|
| Features & Benefits | <ul style="list-style-type: none"><li>• Separates and secures bundles avoiding abrasion</li><li>• Designed to handle both convoluted tubing and bundles not covered in convoluted tubing</li><li>• Come in a variety of sizes and colors to be easily identified</li></ul> |
|---------------------|--|

|              |     |
|--------------|-----|
| Quantity Per | bag |
|--------------|-----|

|                     |   |
|---------------------|---|
| Product Description | <p>HC Clamps separate multiple bundles and secure them to brackets or frame rails. Each mount has two pawls for easy pre-installation on a threaded fastener prior to securing with a mechanical fastener. HC Clamps have ribs that make them ideal for convoluted tubing, but they can also be used to separate separate bundles that aren't protected with convoluted tubing.</p> |
|---------------------|---|

|  |   |
|--|---|
| <b>Short Description</b>                       | HC Clamp Bundle Separator, Two Hole, PA66HIRGF13, Blue, 500/pkg |
| <b>Global Part Name</b>                        | HC2C-PA66HIRGF13-BU   |
| <b>Length L (Imperial)</b>                     | 2.747   |
| <b>Length L (Metric)</b>                       | 67.77   |
| <b>Width W (Imperial)</b>                      | 1.1   |
| <b>Width W (Metric)</b>                        | 27.94   |
| <b>Bundle Diameter Min (Imperial)</b>          | 0.685   |
| <b>Bundle Diameter Min (Metric)</b>            | 17.4  |
| <b>Bundle Diameter Max (Imperial)</b>          | 0.96  |
| <b>Bundle Diameter Max (Metric)</b>            | 24.39   |
| <b>Bundle Diameter 1st Loop Max (Imperial)</b> | 0.685   |
| <b>Bundle Diameter 1st Loop Max (Metric)</b>   | 17.4  |
| <b>Bundle Diameter 2nd Loop Max (Imperial)</b> | 0.96  |
| <b>Bundle Diameter 2nd Loop Max (Metric)</b>   | 24.39   |
| <b>Height H (Imperial)</b>                     | 1.38  |

|  |   |
|--|---|
| <b>Height H (Metric)</b>                     | 34.94   |
| <b>Mounting Hole Diameter D (Imperial)</b>   | 0.32  |
| <b>Mounting Hole Diameter D (Metric)</b>     | 8.12 mm   |
| <b>Mounting Hole Diameter D Max (Metric)</b> | 8.12  |
| <b>Material</b>                              | Polyamide 6.6, high impact modified, 13% glass-fiber reinforced (PA66HIRGF13) |
| <b>Material Shortcut</b>                     | PA66HIRGF13   |
| <b>Operating Temperature (Metric)</b>        | -40°F to +257°F (-40°C to +125°C)   |
| <b>ROHS Complaint</b>                        | Yes   |
| <b>Package Quantity(Imperial)</b>            | 500   |
| <b>Package Quantity (Metric)</b>             | 500   |
| <b>Customs Number</b>                        | 3926909988  |