

Specification Sheet

Part Number: 151-00080



Standoff Bundling Clip, 1.7" Long, .25"–.28" Panel Thickness, PA66HS, Black, 500/pkg

Article Number	151-00080
Type	COW30DP7
Color	Black (BK)
Features & Benefits	• Clip can be installed by hand – no need for hardware or tools. • Design provides low insertion and high extraction force, for simple, secure performance. • Clip keeps bundle away from areas that could cause damage due to rubbing.
Quantity Per	bag

Product Description	Bundling clips are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties. The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters. Standard bundling clips are available as well as standoff and stud mount versions.	
Short Description	Standoff Bundling Clip, 1.7" Long, .25"–.28" Panel Thickness, PA66HS, Black, 500/pkg	
Global Part Name	COW30DP7-PA66HS-BK	
Length L (Imperial)	1.7	
Length L (Metric)	43.18	
Offset Length(Imperial)	1.18	
Offset Length(Metric)	30.0	
Fixation Method	Fir Tree	
Width W (Imperial)	1.7	
Width W (Metric)	42.0	
Height H (Imperial)	0.26	
Height H (Metric)	6.6	
Panel Thickness Min(Imperial)	0.03	
Panel Thickness Max(Imperial)	0.18	

Panel Thickness Min (Metric)	0.8
Panel Thickness Max (Metric)	4.5
Mounting Hole Diameter D (Imperial)	0.25 - 0.28 " 0.24 - 0.26
Mounting Hole Diameter D (Metric)	6.1 - 6.6 mm (hexagonal) 6.3 - 7.0 mm
Mounting Hole Diameter D Min (Imperial)	0.25
Mounting Hole Diameter D Max (Imperial)	0.28
Mounting Hole Diameter D Max (Metric)	7.0
Material	Polyamide 6.6 heat stabilized (PA66HS)
Material Shortcut	PA66HS
Flammability	UL 94 V2
Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	500

Package Quantity (Metric)	500
Customs Number	3926909988
Content Unit(BMEcat)	pcs.
Weight (Metric)	2.35