

Specification Sheet

Part Number: 155-30902



Standoff Bundling Clip, 2.2" Long, Panel Thickness .02"—.03", PA66HIRHS, Black, 500/box

Article Number	155-30902
Type	SOC4MFT6
Color	Black (BK)
Features & Benefits	• Clip can be installed by hand – no need for hardware or tools. • Design provides low insertion and high extraction force, for simple, secure performance. • Clip keeps bundle away from areas that could cause damage due to rubbing.
Quantity Per	bag

Product Description	Bundling clips are designed to provide simple and easy methods of securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using bundle or cable ties. The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters. Standard bundling clips are available as well as standoff and stud mount versions.	
Short Description	Standoff Bundling Clip, 2.2" Long, Panel Thickness .02"—.03", PA66HIRHS, Black, 500/box	
Global Part Name	SOC4MFT6-PA66HIRHS-BK	
Length L (Imperial)	2.2	
Length L (Metric)	55.0	
Offset Length(Imperial)	0.79	
Offset Length(Metric)	20.0	
Fixation Method	Fir Tree	
Width W (Metric)	20.0	
Height H (Imperial)	0.54	
Height H (Metric)	13.7	
Panel Thickness Min(Imperial)	0.03	
Panel Thickness Max(Imperial)	0.2	
Panel Thickness Min (Metric)	0.7	

Panel Thickness Max (Metric)	5.1
Mounting Hole Diameter D (Imperial)	0.25 - 0.28
Mounting Hole Diameter D (Metric)	6.5 - 7.0 mm
Mounting Hole Diameter D Min (Imperial)	0.283
Mounting Hole Diameter D Max (Imperial)	0.28
Mounting Hole Diameter D Max (Metric)	7.0
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	500
Package Quantity (Metric)	500

Customs Number	3926909988
-----------------------	------------

Content Unit(BMEcat)	pcs.
-----------------------------	------

Weight (Metric)	1.6
------------------------	-----