

Specification Sheet

Part Number: 170-21000



Helagaine Braided Sleeving, 10 mm Dia, PA66, GY, 328ft/Reel

Article Number	170-21000
Type	HEGPA6610
Color	Gray (GY)
Features & Benefits	• Nylon monofilament construction weave offers a tight braid that provides full coverage but will not rot or retain moisture. • Material performs well in wet applications and where abiding substrate has a smooth surface.
Quantity Per	metre
Product Description	Helagaine Nylon Polyamide Expandable Braided Sleeving is a pliable yet durable sleeve that protects against cuts, abrasion and excessive wear caused by repetitive motion.
Short Description	Helagaine Braided Sleeving, 10 mm Dia, PA66, GY, 328ft/Reel

Global Part Name	HEGPA6610-PA66-GY
-------------------------	-------------------

Length L (Imperial)	328.0
----------------------------	-------

Length L (Metric)	100.0
--------------------------	-------

Bundle Diameter Min (Imperial)	0.28
---------------------------------------	------

Bundle Diameter Min (Metric)	7
-------------------------------------	---

Bundle Diameter Max (Imperial)	0.47
---------------------------------------	------

Bundle Diameter Max (Metric)	12
-------------------------------------	----

Diameter D (imperial)	0.39
------------------------------	------

Diameter D (metric)	9.9
----------------------------	-----

Nominal Diameter (Imperial)	0.38
------------------------------------	------

Nominal Diameter (Metric)	10
----------------------------------	----

Material	Polyamide 6.6 (PA66)
-----------------	----------------------

Material Shortcut	PA66
--------------------------	------

Flammability	UL 94 V2 FMVSS 302
---------------------	--------------------

Halogen free	Yes
Operating Temperature (Metric)	-76°F to +302°F (-60°C to +150°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Certification/Specification WEB	RST LAB DIN EN [45545-2] (02/2016)
Package Quantity(Imperial)	328
Package Quantity (Metric)	100
Customs Number	5808100000
Content Unit(BMEcat)	metre
Weight (Metric)	0.95
Weight (Imperial)	2.09