

Specification Sheet

Part Number: 173-00800



Electromagnetic Protection Braided Sleeving, 8 mm Dia, PET;TNCU, TCBK, 328ft/Reel

Article Number 173-00800

Type HEGEMIP08

Color Tin-coloured and Black (TCBK)

Features & Benefits

• Unique blend of polyester and tin plated copper fibers offers

electromagnetic protection as well as secure cable bundling

Quantity Per metre

_			_	_				
ם	rn	a	Inct	Des	2 C Fi	ınt	10	n
	ıv	u	uCL	DC	36II	IDL	ıv	

Made of tin-plated copper and polyester threads, Helagaine HEGEMIP braided sleeving offers electromagnetic protection as well as secure cable bundling. The patented material mix offers very good inside and outside abrasion resistance. Also it makes the sleeve expandable and easy to apply. In contrast to purely copper braids, the HEGEMIP sleeve can be bent and twisted and still return to their original form to protect the cable perfectly. The copper wires are protected by the polyester yarn. Therefore breaks and fractures of the metal are prevented, even by bending the sleeve at a 90°-angle. As a result, HEGEMIP braided sleeving is particularly suitable for applications where there is movement and restricted space The inner tube makes insertion of cables easier and protects the sleeves from deformation during transportation.

Short Description

Electromagnetic Protection Braided Sleeving, 8 mm Dia, PET;TNCU, TCBK, 328ft/Reel

Global Part Name

HEGEMIP08-PET/SNCU-SR

Length L (Imperial)

328.0

Length L (Metric)

100.0

Bundle Diameter Min (Imperial)

0.32

Bundle Diameter Min (Metric)

8

Bundle Diameter Max (Imperial)

0.45

Bundle Diameter Max (Metric)

11

Diameter D (imperial)

0.31

Diameter D (metric)

8

Nominal Diameter (Imperial)	0.31			
Nominal Diameter (Metric)	8			
Material	Polyester, halogen free (PET) Tin-plated copper (SNCU)			
Material Shortcut	SNCU PET			
Flammability	FMVSS 302 UL 94 V2			
Halogen free	Yes			
Operating Temperature (Metric)	-40°F to +302°F (-40°C to +150°C)			
Reach Complaint(Article 33)	Yes			
ROHS Complaint	Yes			
Package Quantity(Imperial)	328			
Package Quantity (Metric)	100			
Customs Number	5808100000			
Content Unit(BMEcat)	metre			
Weight (Metric)	3.6			

