

Specification Sheet

Part Number: 596-21251



Thermal Transfer Labels, .5" x .75", 6 Across, Polyethylene, White, 10,000/roll

Article Number	596-21251
Type	TAG21T6
Color	White (WH)
Features & Benefits	• Polyethylene is conformable to adhere to a wide variety of curved and compound surfaces. • The adhesive sticks to itself and can be used for flag wrap applications. • The smooth, printable surface allows for high-quality imaging for text and graphics.
Quantity Per	roll
Product Description	HellermannTyton's polyethylene labels are smooth and conformable to most surfaces. The material's ability to withstand areas where oil and moisture are present is an important feature. Bonds well to low surface energy plastics such as polypropylene and nylon. A low cost alternative to cloth style labels.

Short Description	Thermal Transfer Labels, .5" x .75", 6 Across, Polyethylene, White, 10,000/roll
Global Part Name	TAG21T6-PE-WH
Width W (Imperial)	0.50
Width W (Metric)	12.7
Thickness T (Metric)	64.0
Height H (Imperial)	0.75
Height H (Metric)	19.05
Width of Liner (Metric)	82.55
Width of Liner (imperial)	3.25
Material	Polyethylene (PE)
Material Shortcut	PE
Adhesive	Acrylic
Halogen free	No
Adhesive Operating Temperature	-40°F to +248°F (-40°C to +120°C)

Operating Temperature (Metric)	-40°F to +176°F (-40°C to +80°C)
---------------------------------------	----------------------------------

Reach Complaint(Article 33)	Yes
------------------------------------	-----

ROHS Complaint	Yes
-----------------------	-----

Use Conditions	For Indoor Use Only
-----------------------	---------------------

Package Quantity(Imperial)	10000
-----------------------------------	-------

Package Quantity (Metric)	10000
----------------------------------	-------

Customs Number	3919102055
-----------------------	------------

Labels per Column	1
--------------------------	---

Labels per Row	6
-----------------------	---

Weight (Metric)	0.68
------------------------	------

Weight (Imperial)	1.48
--------------------------	------