

Specification Sheet

Part Number: FEWM6



Article Number	904-00717
Type	FEWM6
Color	Black (BK)
Features & Benefits	• Durable stainless steel construction for long life. • Cable management spools for effective slack management. • Bend radius control to minimize hand and wrist strain. • Smooth grommet entry to protect cables from damage. • Locking tab for added security. • Meet ANSI/TIA/EIA 568-C standards.
Quantity Per	box

Product Description	HellermannTyton wall mount fiber enclosures provide a secure termination solution for applications requiring fully enclosed and/or lockable enclosures. Wall mount enclosures accommodate up to 144 fibers, mount easily and provide easy cable routing access behind the enclosure. Choose from enclosure options to accommodate 1, 2 or 4 standard LGX adapter panels.
Short Description	Wall Mount Fiber Enclosure, Unloaded, accepts 1 Adapter Panel, Black, 1/pkg
Global Part Name	FEWM6-MET-BK
Technical Description	Wall Mount Fiber Enclosure - Unloaded, accepts 1 Adapter Panel, Black
Port Count	24 6 12
Length L (Imperial)	1.5
Length L (Metric)	38.1
Variant	Wall mount
Width W (Imperial)	6.5
Width W (Metric)	165.1
Height H (Imperial)	7.0
Height H (Metric)	177.8

Material	Metal (MET)
-----------------	-------------

Material Shortcut	MET
--------------------------	-----

Package Quantity(Imperial)	1
-----------------------------------	---

Package Quantity (Metric)	1
----------------------------------	---

Customs Number	8538907080
-----------------------	------------