

Specification Sheet

Part Number: FSU16-E



HelaGuard Metallic Conduit End Cap Insert, Flexible 0.38" (16mm) Dia, NPB Metal, 10/pkg

Article Number	166-90843
-----------------------	-----------

Type	FSU16-E
-------------	---------

Color	Metal (ML)
--------------	------------

Features & Benefits	• Single-part insert creates smooth entry / exit point for wire and cables.
--------------------------------	---

Quantity Per	pack
---------------------	------

Product Description	Nickel-plated brass end cap insert creates a smooth bore exit, protecting cables from damage. Twist-in ferrule serves as grounding core for spiral-constructed metallic conduit. Use with FSU, LFHU, FPU, SSU and FU-X series metallic conduit.
----------------------------	---

Short Description	HelaGuard Metallic Conduit End Cap Insert, Flexible 0.38" (16mm) Dia, NPB Metal, 10/pkg
Global Part Name	FSU16-E-GS-SR
Length L (Imperial)	0.84
Length L (Metric)	21.3
Height H (Imperial)	0.79
Height H (Metric)	20.0
Nominal Diameter (Imperial)	0.38
Nominal Diameter (Metric)	16
Material	Galvanised Steel (GS)
Material Shortcut	GS
Operating Temperature (Metric)	-148°F to +572°F (-100°C to +300°C)
Package Quantity(Imperial)	10
Package Quantity (Metric)	10

Customs Number

7415290000

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)