

Specification Sheet

Part Number: GT.50X65P2



Grip Tie Strap, 6.0" x .5", PA6/PP, Green, 10/pkg

|                     |                                                                                                                                                                                                                                                              |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Article Number      | 854-44348                                                                                                                                                                                                                                                    |
| Type                | GT.50X6                                                                                                                                                                                                                                                      |
| Color               | Green (GN)                                                                                                                                                                                                                                                   |
| Features & Benefits | <ul style="list-style-type: none"><li>• Features quick release for repetitive access to cable and wire.</li><li>• Can be opened and closed numerous times without failure.</li><li>• Adjustable so one size can accommodate multiple bundle sizes.</li></ul> |
| Quantity Per        | bag                                                                                                                                                                                                                                                          |

|                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Product Description</b>                 | The Grip Tie is a low-profile, one-piece fastening device. Constructed of a hook and loop design, laminated back to back, the Grip Tie features quick release for repetitive access to cable and wire. Reusable, adjustable, releasable, and easy to install, it can be successfully opened and closed numerous times. Grip Ties are available in a variety of colors and are versatile enough for applications ranging from network installations to bundling power cords. |
| <b>Short Description</b>                   | Grip Tie Strap, 6.0" x .5", PA6/PP, Green, 10/pkg                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Global Part Name</b>                    | GT.50X6                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <b>Minimum Tensile Strength (Imperial)</b> | 40.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Minimum Tensile Strength (Metric)</b>   | 177.93                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| <b>Length L (Imperial)</b>                 | 6.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Length L (Metric)</b>                   | 152.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <b>Width W (Imperial)</b>                  | 0.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Width W (Metric)</b>                    | 12.7                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Bundle Diameter Min (Imperial)</b>      | 25.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Bundle Diameter Min (Metric)</b>        | 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Bundle Diameter Max (Imperial)</b>      | 1.0                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Bundle Diameter Max (Metric)</b>        | 25.4                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

|                 |                                     |
|-----------------|-------------------------------------|
| <b>Material</b> | Polyethylene (PE) Polyamide 6 (PA6) |
|-----------------|-------------------------------------|

|                          |        |
|--------------------------|--------|
| <b>Material Shortcut</b> | PE PA6 |
|--------------------------|--------|

|                           |     |
|---------------------------|-----|
| <b>UL Recognized (US)</b> | Yes |
|---------------------------|-----|

|                                      |     |
|--------------------------------------|-----|
| <b>UL Recognized (US and Canada)</b> | Yes |
|--------------------------------------|-----|

|                                   |    |
|-----------------------------------|----|
| <b>Package Quantity(Imperial)</b> | 10 |
|-----------------------------------|----|

|                                  |    |
|----------------------------------|----|
| <b>Package Quantity (Metric)</b> | 10 |
|----------------------------------|----|

|                       |            |
|-----------------------|------------|
| <b>Customs Number</b> | 3926909988 |
|-----------------------|------------|