

## Specification Sheet

Part Number: MBT8H-S



Stainless Steel Tie, 7.9" Long, 450lb Tensile Strength, SS304, Metal, 50/pkg

**Article Number** 111-94088

**Type** MBT8HS

**Color** Metal (ML)

**Features & Benefits**

- 304 grade stainless steel offers excellent resistance to corrosion, weather and chemical resistance.
- Self locking, ball bearing mechanism assures high tensile strength and easy insertion.
- Fully enclosed head does not allow dirt or grit to interfere with locking mechanism.
- High tensile strength for dependability and safety on heavy duty applications.

**Quantity Per** bag

<b>Product Description</b>	HellermannTyton's stainless steel ties are designed with a ball bearing locking mechanism to assure high tensile strength and easy insertion when securing hoses, cables, pipes and more. Available in 304 or 316 grades of stainless steel, providing protection when used in corrosive environments, fire resistance and temperature extremes.
<b>Short Description</b>	Stainless Steel Tie, 7.9" Long, 450lb Tensile Strength, SS304, Metal, 50/pkg
<b>Global Part Name</b>	MBT8HS-SS304-SR
<b>Minimum Tensile Strength (Imperial)</b>	450.0
<b>Minimum Tensile Strength (Metric)</b>	2000.0
<b>Length L (Imperial)</b>	7.9
<b>Length L (Metric)</b>	201.0
<b>Identification Plate Position</b>	none
<b>Releasable Closure</b>	No
<b>Tie Closure</b>	ball bearing lock
<b>Variant</b>	No Serration
<b>Width W (Imperial)</b>	0.31
<b>Width W (Metric)</b>	7.9
<b>Bundle Diameter Min (Imperial)</b>	0.67

<b>Bundle Diameter Min (Metric)</b>	17.0
<b>Bundle Diameter Max (Imperial)</b>	2.0
<b>Bundle Diameter Max (Metric)</b>	50.0
<b>Thickness T (Imperial)</b>	0.01
<b>Thickness T (Metric)</b>	0.3
<b>Material</b>	Stainless Steel (SS304)
<b>Material Shortcut</b>	SS304
<b>Flammability</b>	Non-Burning
<b>Halogen free</b>	Yes
<b>Operating Temperature (Metric)</b>	-112°F to +1000°F (-80°C to +538°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	50
<b>Package Quantity (Metric)</b>	50

**Customs Number** 7326908695

**Content Unit(BMEcat)** pcs.

**Weight (Metric)** 4.76