

## Specification Sheet

Part Number: NC3.50



Nail Clip, 0.14" Cable Diameter, PP;ST, Black, 100/pkg

|                |           |
|----------------|-----------|
| Article Number | 148-00005 |
|----------------|-----------|

|      |       |
|------|-------|
| Type | NC3.5 |
|------|-------|

|       |            |
|-------|------------|
| Color | Black (BK) |
|-------|------------|

|                     |                                                                                                                                                                                                                       |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Features & Benefits | <ul style="list-style-type: none"><li>• Hardened steel nail allows easy installation into wood, masonry joints, cinder block and mortar.</li><li>• No sharp edges reduce risk of cutting cables or sheaths.</li></ul> |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|              |     |
|--------------|-----|
| Quantity Per | box |
|--------------|-----|

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product Description | <p>HellermannTyton nail clips are easy to use and highly reliable. Tough, precision engineered Nail Clips hold wire and cable securely in place. The nail is made of hardened steel for driving into wood, masonry joints, cinder block, and mortar. The nail clips do not have sharp edges, which reduces the chance of cutting cable jackets or sheaths, causing signal loss. Available in white or black.</p> |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                       |                                                        |
|---------------------------------------|--------------------------------------------------------|
| <b>Short Description</b>              | Nail Clip, 0.14" Cable Diameter, PP;ST, Black, 100/pkg |
| <b>Global Part Name</b>               | NC3.5-PE/ST-BK                                         |
| <b>Length L (Imperial)</b>            | 0.63                                                   |
| <b>Length L (Metric)</b>              | 16.0                                                   |
| <b>Width W (Imperial)</b>             | 0.18                                                   |
| <b>Width W (Metric)</b>               | 4.6                                                    |
| <b>Height H (Imperial)</b>            | 0.18                                                   |
| <b>Height H (Metric)</b>              | 4.6                                                    |
| <b>Nominal Diameter (Imperial)</b>    | 0.13                                                   |
| <b>Nominal Diameter (Metric)</b>      | 3.5                                                    |
| <b>Material</b>                       | Steel (ST) Polyethylene (PE)                           |
| <b>Material Shortcut</b>              | PE ST                                                  |
| <b>Flammability</b>                   | UL 94 HB                                               |
| <b>Operating Temperature (Metric)</b> | -40°F to +239°F (-40°C to +115°C)                      |

|                       |     |
|-----------------------|-----|
| <b>ROHS Complaint</b> | Yes |
|-----------------------|-----|

|                                   |     |
|-----------------------------------|-----|
| <b>Package Quantity(Imperial)</b> | 100 |
|-----------------------------------|-----|

|                                  |     |
|----------------------------------|-----|
| <b>Package Quantity (Metric)</b> | 100 |
|----------------------------------|-----|

|                       |            |
|-----------------------|------------|
| <b>Customs Number</b> | 3925900000 |
|-----------------------|------------|