

Specification Sheet

Part Number: PC15FT7



Fir Tree Mount Tube Clip Mounting Hole Dia .25" Panel Thickness .12" PA66HIRHSUV, Black 1000/box

Article Number	151-14303
Type	PC15FT7
Color	Black (BK)
Features & Benefits	• Clip is designed for fixation and bundling of tubes and pipes.
Quantity Per	bag
Product Description	Designed to offer a durable single-hole mounting, this tube clip allows the installer to insert the fir tree with minimal force while providing a secure hold.
Short Description	Fir Tree Mount Tube Clip Mounting Hole Dia .25" Panel Thickness .12" PA66HIRHSUV, Black 1000/box

Global Part Name	PC15FT7-PA66HIRHSUV-BK
------------------	------------------------

Length L (Imperial)	0.62
---------------------	------

Length L (Metric)	15.75
-------------------	-------

Fixation Method	Fir Tree
-----------------	----------

Width W (Imperial)	0.85
--------------------	------

Width W (Metric)	21.6
------------------	------

Bundle Diameter Max (Imperial)	0.62
--------------------------------	------

Bundle Diameter Max (Metric)	15.7
------------------------------	------

Height H (Imperial)	1.5
---------------------	-----

Height H (Metric)	38.1
-------------------	------

Panel Thickness Min(Imperial)	0.04
-------------------------------	------

Panel Thickness Max(Imperial)	0.31
-------------------------------	------

Panel Thickness Min (Metric)	1.0
------------------------------	-----

Panel Thickness Max (Metric)	6.0
------------------------------	-----

Mounting Hole Diameter D (Imperial)	0.25 - 0.27
-------------------------------------	-------------

Mounting Hole Diameter D (Metric)	6.4 - 6.8 mm
-----------------------------------	--------------

Mounting Hole Diameter D Min (Imperial) 0.25

Mounting Hole Diameter D Max (Imperial) 0.27

Mounting Hole Diameter D Max (Metric) 6.8

Disc Diameter(Metric) 21.6

Disc Diameter (Imperial) 0.9

Material Polyamide 6.6 high impact modified, heat and UV stabilized
(PA66HIRHSUV)

Material Shortcut PA66HIRHSUV

Flammability UL 94 HB

Operating Temperature (Metric) -40°F to +221°F (-40°C to +105°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

Package Quantity(Imperial) 1000

Package Quantity (Metric) 1000

Customs Number 3926909988

