HellermannTyton

Specification Sheet

Part Number: RJ45FC6-W



Category 6 Modular Keystone Jack, Plenum Rated, White, 1/pkg

Article Number 852-25081

Type RJ45FC6-W

Color White (WH)

Features & Benefits

• Category 6 jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity. • Standard keystone style interface provides flexibility in connecting components.

- Unique strain relief design secures cable terminations. Configured to both TIA 568A and 568B wiring schemes for installation versatility.
- Suitable for air handling spaces, ideal for installation of WAPs and IP devices.

Quantity Per bag

	-
Product	Description
1 I Oddot	Description

HellermannTyton's GigaBand flush Category 6 modular jack is designed to "future-proof" installations. Its patented design uses innovative crosstalk-cancellation technology. The performance of the GigaBand system provides significant margin over TIA Category 6 (ANSI/TIA-568-C.1) and ISO Class E (ISO/IEC-11801, 2nd edition) requirements. The GigaBand system will easily support applications such as Gigabit Ethernet. ETL tested and approved for Category 6 component compliance.

Short Description

Category 6 Modular Keystone Jack, Plenum Rated, White, 1/pkg

Global Part Name

RJ45FC6-W

Technical Description

The performance of the Cat6 system provides significant margin over TIA Cat6 and ISO/IEC 11801 requirements.

Port Count

1

Width W (Imperial)

10.75

Width W (Metric)

19.0

Height H (Imperial)

10.91

Height H (Metric)

23.0

Depth D (imperial)

1.65

Depth D (metric)

42.0

UL Listed (USYesPackage Quantity(Imperial)1Package Quantity (Metric)1Customs Number8536695050Weight (Metric)0.010

© 2020 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions