

Specification Sheet

Part Number: TELS-27



Extended-Length Tie, POM, Black, 10-27" straps and 10 heads/Kit

Article Number	111-32110
Type	TELS-27
Color	Black (BK)
Features & Benefits	• Continuous strap and separate heads allow for any bundle diameter, eliminating waste. • Smooth strap prevents cable damage. • UV resistant materials contain an inhibitor which prolongs the life of the tie in outdoor environments.
Quantity Per	pack

Product Description	Extended Length Ties provide a high tensile strength strapping system consisting of a continuous strap and separate locking head making it suitable for any bundle diameter, eliminating waste. The smooth strap and specially designed heads with stainless steel pawls provide a strong grip on cables and wires without damage during vibration or in extreme environments. Spacers are available for dual bundle applications.
Short Description	Extended-Length Tie, POM, Black, 10-27" straps and 10 heads/Kit
Global Part Name	TELS-27-POM-BK
Minimum Tensile Strength (Imperial)	250.0
Minimum Tensile Strength (Metric)	1115.0
Length L (Imperial)	27.0
Length L (Metric)	686.0
Fixation Method	2 piece
Identification Plate Position	none
Releasable Closure	No
Tie Closure	steel pawl
Variant	Extended Length
Width W (Imperial)	0.5
Width W (Metric)	12.7

Thickness T (Imperial)	0.06
Thickness T (Metric)	1.52
Height H (Imperial)	.49
Height H (Metric)	12.40
Material	Polyacetal (POM)
Material Shortcut	POM
Material Cable Tie	Polyacetal (POM)
Material Head	Polyacetal (POM)
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +194°F (-40°C to +90°C)
ROHS Complaint	Yes
Package Quantity(Imperial)	10
Package Quantity (Metric)	10
Customs Number	3926909988

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)