



Specifications

Ordering and Compliance

Ordering and spec information

Intel® Xeon® Gold 6226R Processor (22M Cache, 2.90 GHz) FC-LGA14B, Tray

Spec Code	SRGZC
Ordering Code	CD8069504449000
Shipping Media	TRAY
Stepping	B1
Recommended Customer Price	\$1300.00

Boxed Intel® Xeon® Gold 6226R Processor (22M Cache, 2.90 GHz) FC-LGA14B

Spec Code	SRGZC
Ordering Code	BX806956226R
Shipping Media	ВОХ
Stepping	B1
Recommended Customer Price	\$1306.00

Trade compliance information

ECCN CCATS	USA (English) \$\bigoplus \text{5A992C} \\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(US HTS	8542310001
PCN/MDDS Information	

SRGZC

(999PKK)	PCN	MDDS
999VLV)	PCN	MDDS

Compatible Products

Drivers and Software

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.

See http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html? wapkw=hyper+threading for more information including details on which processors support Inter HT feel nology.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/content/www/us/en/processors/processor-numbers.html for details.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

Company Information	
Our Commitment	
Communities	
Investor Relations	
Contact Us	
Newsroom	
Jobs	
£	
f	
in	
©	
© Intel Corporation	Terms of Use
© Intel Corporation	Terms of Ose
*Trademarks	Privacy
Cookies	Supply Chain Transparency



USA (English) 🚇 🚨 🔾





