



Intel® Xeon® Gold 6230T Processor

27.5M Cache, 2.10 GHz

Specifications

Ordering and Compliance

Ordering and spec information

Intel® Xeon® Gold 6230T Processor (27.5M Cache, 2.10 GHz) FC-LGA14B, Tray

<input type="text" value="Spec Code"/>	SRFPS
<input type="text" value="Ordering Code"/>	CD8069504283704
<input type="text" value="Shipping Media"/>	TRAY
<input type="text" value="Stepping"/>	B1
<input type="text" value="Recommended Customer Price"/>	\$1988.00

Trade compliance information

<input type="text" value="ECCN"/>	5A992C
<input type="text" value="CCATS"/>	G077159
<input type="text" value="US HTS"/>	8542310001

PCN/MDDS Information

SRFPS

--



PCN

USA (English) | MDDS

Compatible Products

Downloads and Software

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

See <http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html?wapkw=hyper+threading>

for more information including details on which processors support Intel® HT Technology.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See <http://www.intel.com/content/www/us/en/processors/processor-numbers.html> for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

Company Information

 Commitment

Communities


Investor Relations

Contact Us

Newsroom

Jobs

USA (English)   



© Intel Corporation

Terms of Use

*Trademarks

Privacy

Cookies

Supply Chain Transparency

Site Map