Add to Compare

Search specifications

(intel) XEON Inside

Specifications

Ordering and Compliance

Product Images

Downloads and Software

Supplemental Information Memory Specifications Processor Graphics Expansion Options Package Specifications Advanced Technologies Security & Reliability

Essentials Performance

Intel® Xeon® Processor E3-1505L v6

8M Cache, 2.20 GHz

Support Home > Product Specifications > Processors

	Essentials	Export specifications
	Product Collection	Intel® Xeon® Processor E3 v6 Family
ı	Code Name	Products formerly Kaby Lake
	Vertical Segment	Embedded
	Processor Number	E3-1505LV6
	Status	Launched
	Launch Date 🕐	Q1'17
	Lithography 🕐	14 nm
	Recommended Cu	stomer Price 🕐
	Use Conditions ?	Industrial Commercial Temp, Embedded Broad Market Commercial Temp, PC/Client/Tablet

Performance

# of Cores 👔	4
# of Threads (?	8
Processor Base Frequency 🕐	2.20 GHz
Max Turbo Frequency 🕐	3.00 GHz
Cache 🕐	8 MB
TDP 🕐	25 W

Supplemental Information

Embedded Options Available 👔	Yes
Datasheet	View now

Memory Specifications

Max Memory Size (dependent on memory type) 👔	64 GB
Memory Types 👔	DDR4-2400
Max # of Memory Channels 🕐	2
Max Memory Bandwidth 🕐	34.1 GB/s
ECC Memory Supported ‡ 👔	Yes

Processor Graphics

Processor	Graphics [‡]	?
-----------	-----------------------	---

Graphics Base Frequency 🕐	350 MHz
Graphics Max Dynamic Frequency 👔	1.00 GHz
Graphics Output 🕜	eDP/DP/HDMI/DVI
4K Support 🕐	Yes, at 60Hz
Max Resolution (HDMI 1.4)‡ 👔	4096x2304@30Hz
Max Resolution (DP)‡ ?	4096x2304@60Hz
Max Resolution (eDP - Integrated Flat Panel) \ddagger (?)	4096x2304@60Hz
Max Resolution (VGA)‡ 🕐	N/A
DirectX* Support (?)	12
OpenGL* Support 🕐	4.4
Intel® Quick Sync Video 👔	Yes
Intel® InTru™ 3D Technology 🕜	Yes
Intel® Clear Video HD Technology (Yes
Intel® Clear Video Technology 🕜	Yes
# of Displays Supported [‡]	3
Device ID	0x591D

Expansion Options

PCI Express Revision 👔	3.0
PCI Express Configurations ‡ ?	Up to 1x16, 2x8, 1x8+2x4
Max # of PCI Express Lanes 👔	16

Package Specifications

Sockets Supported 🕐	FCBGA1440
Max CPU Configuration	1
TJUNCTION (?)	100°C
Package Size	42mm x 28mm

Advanced Technologies

Intel® Turbo Boost Technology ‡ (?	2.0
Intel® vPro™ Platform Eligibility ‡ 👔	Yes
Intel® Hyper-Threading Technology ‡ 👔	Yes
Intel® Virtualization Technology (VT-x) ‡ 👔	Yes
Intel® Virtualization Technology for Directed I/O (VT-d)	‡ ? Yes
Intel $^{\circ}$ VT-x with Extended Page Tables (EPT) ‡ 👔	Yes
Intel® TSX-NI ?	Yes
Intel® 64‡ 🕐	Yes
Instruction Set 🕐	64-bit
Instruction Set Extensions (?)	Intel® SSE4.1, Intel® SSE4.2, Intel® AVX2
Idle States 🕐	Yes
Enhanced Intel SpeedStep® Technology 👔	Yes

Т	Thermal Monitoring Technologies 👔	Yes
I	Intel® Identity Protection Technology ‡ 👔	Yes
h	ntel® Smart Response Technology 🕜	Yes
S	Security & Reliability	
h	Intel® AES New Instructions	Yes
S	Secure Key 👔	Yes
h	Intel® Software Guard Extensions (Intel® SGX) 👔	Yes
h	Intel® Memory Protection Extensions (Intel® MPX) 👔	Yes
Ir	Intel® Trusted Execution Technology ‡ 👔	Yes


Yes

Yes

More support options for Intel[®] Xeon[®] Processor E3-1505L v6 (8M Cache, 2.20 GHz)

Execute Disable Bit ‡ 🕐

Intel[®] OS Guard



All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

[‡] This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

See http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html? wapkw=hyper+threading for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers, typically represent 1,000-unit purchase quantities, and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/content/www/us/en/processors/processor-numbers.html for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.



Company Information	Our Commitment	Communities	Investor Relations	Contact Us
Newsroom Jobs				
f 🍠 in				
© Intel Corporation Terms of Us	e *Trademarks Priva	cy Cookies Sur	only Chain Transparency Sit	e Man