



Search



## Compare

1

## Specifications

## Ordering / sSpecs / Steppings

## Ordering and Spec Information

## Trade Compliance Information

ECCN	CCATS	US HTS
5A992C	G077159	8542310000-HYBRD

## Ordering and Spec Information

Spec Code	Ordering Code	Step	RCP
Intel® Xeon® Processor E5-2448L v2 (25M Cache, 1.80 GHz) FC-LGA12A, Tray			
SR1A3	CM8063401293802	M1	\$1424.00

"Intel classifications" consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company may be the exporter of record, and as such, your company is responsible for determining the correct classification of any item at the time of export.

<sup>1</sup>“Announced” SKUs are not yet available. Please refer to the Launch Date for market availability.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

See <http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html?wapkw=hyper+threading> for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See [www.intel.com/technology/turboboost/](http://www.intel.com/technology/turboboost/) for more information.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

For benchmarking data see <http://www.intel.com/performance>.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See <http://www.intel.com/content/www/us/en/processors/processor-numbers.html> for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.

Send us your feedback!

## About

## Company Information

Investor Relations


## Contact Us

[Newsroom](#)

## Site Map

Jobs

Support

[Support Home](#)[Download Center](#)[Product Specifications \(ARK\)](#)[Legal](#)[Terms of Use](#)[\\*Trademarks](#)[Privacy](#)[Cookies](#)[Social](#)[!\[\]\(6a9b39b98eb945faa14c645ec99e4eaa\_img.jpg\) Intel Communities](#)[!\[\]\(9c2e8d1b5bd77cb5c9f83b7a9cff79fd\_img.jpg\) Intel on Twitter](#)[!\[\]\(e3275251d0893157c3584e20c81dc3ba\_img.jpg\) Intel on Facebook](#)[!\[\]\(f60b7a900783ac3fd531bfd9c111be6d\_img.jpg\) Intel on LinkedIn](#)[!\[\]\(f1c5da15572e3e09d343161be98f508d\_img.jpg\) Intel on Instagram](#)[!\[\]\(235bfe13ebf007ce2eea9e689707fac7\_img.jpg\) Intel on YouTube](#) © Intel Corporation