



Intel® Celeron® Processor G1620

2M Cache, 2.70 GHz

☐ Add to Compare

Specifications

Essentials

Performance

Supplemental Information

Memory Specifications

Processor Graphics

Expansion Options

Package Specifications

Advanced Technologies

Security & Reliability

Ordering and Compliance

Compatible Products

Downloads and Software

Essentials

⬇ Export specifications

Product Collection	Intel® Celeron® Processor G Series
Code Name	Products formerly Ivy Bridge
Vertical Segment	Desktop
Processor Number	G1620
Status	Launched
Launch Date	Q1'13
Lithography	22 nm
Recommended Customer Price	-

Performance

# of Cores	2
# of Threads	2
Processor Base Frequency	2.70 GHz
Cache	2 MB SmartCache
Bus Speed	5 GT/s DMI
TDP	55 W

Supplemental Information




Embedded Options Available	Yes
Datasheet	View now

Memory Specifications



Max Memory Size (dependent on memory type)	32 GB
Memory Types	DDR3 1333
Max # of Memory Channels	2
Max Memory Bandwidth	21 GB/s
ECC Memory Supported [‡]	Yes

Processor Graphics



Processor Graphics [‡]	Intel® HD Graphics for 3rd Generation Intel® Processors
Graphics Base Frequency	650 MHz
Graphics Max Dynamic Frequency	1.05 GHz

Intel® Quick Sync Video 	No
Intel® InTru™ 3D Technology 	No
Intel® Clear Video HD Technology 	No
# of Displays Supported [‡]	3















Expansion Options

Scalability	1S Only
PCI Express Revision 	2.0
PCI Express Configurations [‡] 	up to 1x16, 2x8, 1x8 & 2x4






Package Specifications

Sockets Supported 	FCLGA1155
Max CPU Configuration	1
Thermal Solution Specification 	2011C
Package Size	37.5mm x 37.5mm
Low Halogen Options Available	See MDDS

Advanced Technologies

Intel® Optane™ Memory Supported [‡] 	No
Intel® Turbo Boost Technology [‡] 	No
Intel® vPro™ Technology [‡] 	No
Intel® Hyper-Threading Technology [‡] 	No
Intel® Virtualization Technology (VT-x) [‡] 	Yes
Intel® Virtualization Technology for Directed I/O (VT-d) [‡] 	No
Intel® VT-x with Extended Page Tables (EPT) [‡] 	Yes
Intel® 64 [‡] 	Yes
Instruction Set 	64-bit
Instruction Set Extensions 	SSE4.1/4.2
Intel® My WiFi Technology 	No
Idle States 	Yes
Enhanced Intel SpeedStep® Technology 	Yes
Thermal Monitoring Technologies 	Yes

Security & Reliability

Intel® AES New Instructions 	No
Secure Key 	No
Intel® Trusted Execution Technology [‡] 	No
Execute Disable Bit [‡] 	Yes
Anti-Theft Technology 	No



Product Support



Downloads and Software



Support Community



Warranty and Replacement



Need more help?

Contact support



Give Feedback

All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

"Announced" SKUs are not yet available. Please refer to the Launch Date for market availability.

Some products can support AES New Instructions with a Processor Configuration update, in particular, i7-2630QM/i7-2635QM, i7-2670QM/i7-2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. Please contact OEM for the BIOS that includes the latest Processor configuration update.

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

"Conflict free" and "conflict-free" means "DRC conflict free", which is defined by the U.S. Securities and Exchange Commission rules to mean products that do not contain conflict minerals (tin, tantalum, tungsten and/or gold) that directly or indirectly finance or benefit armed groups in the Democratic Republic of the Congo (DRC) or adjoining countries. Intel also uses the term "conflict-free" in a broader sense to refer to suppliers, supply chains, smelters and refiners whose sources of conflict minerals do not finance conflict in the DRC or adjoining countries. Intel processors manufactured before January 1, 2013 are not confirmed conflict free. The conflict free designation refers only to product manufactured after that date. For Intel Boxed Processors, the conflict free designation refers to the processor only, not to any additional included accessories, such as heatsinks/coolers.

See <http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html?wapkw=hyper+threading> for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers, typically represent 1,000-unit purchase quantities, and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

For benchmarking data see <http://www.intel.com/performance>.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See <http://www.intel.com/content/www/us/en/processors/processor-numbers.html> for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.

[Company Information](#) [Our Commitment](#) [Communities](#) [Investor Relations](#) [Contact Us](#)

[Newsroom](#) [Jobs](#)



