Support Home > Product Specifications > Processors



Add to Compare





Intel[®] Core[™] i5-8600K Processor

9M Cache, up to 4.30 GHz

Specifications

Essentials

Performance

Supplemental Information

Memory Specifications

Processor Graphics

Expansion Options

Package Specifications

Advanced Technologies

Security & Reliability

Ordering and Compliance

Compatible Products

Downloads and Software

Essentials	Export specification
Product Collection	8th Generation Intel® Core™ i5 Processors
Code Name	Products formerly Coffee Lake
Vertical Segment	Desktop
Processor Number	i5-8600K
Status	Launched
Launch Date 💽	Q4'17
Lithography 🕐	14 nm
Recommended Customer Price ?	-
Performance	
# of Cores ?	6
# of Threads ?	6
Processor Base Frequency ?	3.60 GHz
Max Turbo Frequency 🕐	4.30 GHz
Cache ?	9 MB
Bus Speed ?	8 GT/s DMI3
TDP ?	95 W
Supplemental Information	
Embedded Options Available ?	No
Datasheet	View now
Memory Specifications	
Max Memory Size (dependent on memory type) 👔	64 GB
Memory Types ?	DDR4-2666
Max # of Memory Channels ?	2
Max Memory Bandwidth ?	41.6 GB/s
ECC Memory Supported ‡ ?	No
Processor Graphics	
Processor Graphics ‡ ?	Intel® UHD Graphics 630
Traphics Base Frequency 🔞	350 MHz

Graphics Max Dynamic Frequency ?	1.15 GHz
Graphics Video Max Memory 🕜	64 GB
4K Support 🔞	Yes, at 60Hz
Max Resolution (HDMI 1.4)‡ 🕐	4096x2304@24Hz
Max Resolution (DP)‡ 🔞	4096x2304@60Hz
Max Resolution (eDP - Integrated Flat Panel)‡ 👔	4096x2304@60Hz
DirectX* Support 🔞	12
OpenGL* Support ?	4.5
Intel® Quick Sync Video 🕐	Yes
Intel® InTru™ 3D Technology ③	Yes
Intel® Clear Video HD Technology 🔞	Yes
Intel® Clear Video Technology	Yes
# of Displays Supported [‡]	3
Device ID	0x3E92
Expansion Options	
Scalability	1S Only
PCI Express Revision 🔞	3.0
PCI Express Configurations ‡ 🔞	Up to 1x16, 2x8, 1x8+2x4
1 St Express Configurations	Op to 1x10, 2x0, 1x0 2x1
Max # of PCI Express Lanes ?	16
	16
Max # of PCI Express Lanes ? Package Specifications	FCLGA1151
Max # of PCI Express Lanes ? Package Specifications Sockets Supported ?	FCLGA1151
Max # of PCI Express Lanes ? Package Specifications Sockets Supported ? Max CPU Configuration	FCLGA1151 1 PCG 2015D (130W)
Max # of PCI Express Lanes ? Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ?	FCLGA1151 1 PCG 2015D (130W)
Max # of PCI Express Lanes ? Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ?	FCLGA1151 PCG 2015D (130W 100°C
Max # of PCI Express Lanes ? Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size	FCLGA1151 PCG 2015D (130W) 100°C 37.5mm x 37.5mm
Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size Low Halogen Options Available	FCLGA1151 PCG 2015D (130W) 100°C 37.5mm x 37.5mm See MDDS
Max # of PCI Express Lanes ? Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size Low Halogen Options Available Advanced Technologies	FCLGA1151 PCG 2015D (130W) 100°C 37.5mm x 37.5mm See MDDS
Max # of PCI Express Lanes ? Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size Low Halogen Options Available Advanced Technologies Intel® Optane™ Memory Supported ‡ ?	FCLGA1151 PCG 2015D (130W) 100°C 37.5mm x 37.5mm See MDDS
Max # of PCI Express Lanes ? Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size Low Halogen Options Available Advanced Technologies Intel® Optane™ Memory Supported ‡ ? Intel® Turbo Boost Technology ‡ ?	FCLGA1151 1 PCG 2015D (130W) 100°C 37.5mm x 37.5mm See MDDS Yes 2.0 Yes
Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size Low Halogen Options Available Advanced Technologies Intel® Optane™ Memory Supported ‡ ? Intel® Turbo Boost Technology ‡ ? Intel® vPro™ Technology ‡ ?	FCLGA1151 1 PCG 2015D (130W) 100°C 37.5mm x 37.5mm See MDDS Yes 2.0 Yes
Package Specifications Sockets Supported ② Max CPU Configuration Thermal Solution Specification ② TJUNCTION ② Package Size Low Halogen Options Available Advanced Technologies Intel® Optane™ Memory Supported ‡ ③ Intel® Turbo Boost Technology ‡ ② Intel® vPro™ Technology ‡ ② Intel® Hyper-Threading Technology ‡ ②	FCLGA1151 1 PCG 2015D (130W) 100°C 37.5mm x 37.5mm See MDDS Yes 2.0 Yes
Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size Low Halogen Options Available Advanced Technologies Intel® Optane™ Memory Supported † ? Intel® Turbo Boost Technology † ? Intel® vPro™ Technology † ? Intel® Hyper-Threading Technology † ? Intel® Virtualization Technology (VT-x) † ?	FCLGA1151 100°C 37.5mm x 37.5mm See MDDS Yes No Yes
Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size Low Halogen Options Available Advanced Technologies Intel® Optane™ Memory Supported ‡ ? Intel® Turbo Boost Technology ‡ ? Intel® vPro™ Technology ‡ ? Intel® Hyper-Threading Technology † ? Intel® Virtualization Technology for Directed I/O (VT-d) † ?	FCLGA1151 100°C 37.5mm x 37.5mm See MDDS Yes 2.0 Yes Yes Yes
Package Specifications Sockets Supported ? Max CPU Configuration Thermal Solution Specification ? TJUNCTION ? Package Size Low Halogen Options Available Advanced Technologies Intel® Optane™ Memory Supported ‡ ? Intel® Turbo Boost Technology ‡ ? Intel® vPro™ Technology ‡ ? Intel® Hyper-Threading Technology † ? Intel® Virtualization Technology for Directed I/O (VT-d) ‡ ? Intel® Virtualization Technology for Directed I/O (VT-d) ‡ ? Intel® VT-x with Extended Page Tables (EPT) ‡ ?	

Idle States ?	Yes
Enhanced Intel SpeedStep® Technology 🕡	Yes
Thermal Monitoring Technologies (?)	Yes
Intel® Identity Protection Technology ‡ ?	Yes
Intel® Stable Image Platform Program (SIPP) 🕡	Yes
Security & Reliability	
Intel® AES New Instructions ?	Yes
Secure Key ?	Yes
Intel® Software Guard Extensions (Intel® SGX) ?	Yes
Intel® Memory Protection Extensions (Intel® MPX) ?	Yes
Intel® OS Guard	Yes
Intel® Trusted Execution Technology ‡ 😯	Yes
Execute Disable Bit ‡ ?	Yes
Execute bisable bit	

More support options for Intel[®] Core[™] i5-8600K Processor (9M Cache, up to 4.30 GHz)





Downloads and Software



Support Community



Warranty and Replacement



Need more help?

Contact support



All information provided is subject to change at any time, without notice. Intel may make changes to manufacturing life cycle, specifications, and product descriptions at any time, without notice. The information herein is provided "as-is" and Intel does not make any representations or warranties whatsoever regarding accuracy of the information, nor on the product features, availability, functionality, or compatibility of the products listed. Please contact system vendor for more information on specific products or systems.

Intel classifications are for informational purposes only and consist of Export Control Classification Numbers (ECCN) and Harmonized Tariff Schedule (HTS) numbers. Any use made of Intel classifications are without recourse to Intel and shall not be construed as a representation or warranty regarding the proper ECCN or HTS. Your company as an importer and/or exporter is responsible for determining the correct classification of your transaction.

Refer to Datasheet for formal definitions of product properties and features.

"Announced" SKUs are not vet available. Please refer to the Launch Date for market availability.

 $Some\ products\ can \ support\ AES\ New\ Instructions\ with\ a\ Processor\ Configuration\ update,\ in\ particular,\ i7-2630QM/i7-2635QM,\ i7-2670QM/i7-2630QM/i7-2635QM,\ i7-2670QM/i7-2630QM/i7-2635QM,\ i7-2670QM/i7-2635QM,\ i8-2670QM/i7-2635QM,\ i8-2670QM,\ i8-2$ $2675QM, i5-2430M/i5-2435M, i5-2410M/i5-2415M. \ Please contact \ OEM for the BIOS that includes the latest Processor configuration update.$

‡ This feature may not be available on all computing systems. Please check with the system vendor to determine if your system delivers this feature, or reference the system specifications (motherboard, processor, chipset, power supply, HDD, graphics controller, memory, BIOS, drivers, virtual machine monitor-VMM, platform software, and/or operating system) for feature compatibility. Functionality, performance, and other benefits of this feature may vary depending on system configuration.

"Conflict free" and "conflict-free" means "DRC conflict free", which is defined by the U.S. Securities and Exchange Commission rules to mean products that do not contain conflict minerals (tin, tantalum, tungsten and/or gold) that directly or indirectly finance or benefit armed groups in the Democratic Republic of the Congo (DRC) or adjoining countries. Intel also uses the term "conflict-free" in a broader sense to refer to suppliers, supply chains, smelters and refiners whose sources of conflict minerals do not finance conflict in the DRC or adjoining countries. Intel processors manufactured before January 1, 2013 are not confirmed conflict free. The conflict free designation refers only to product manufactured after that date. For Intel Boxed Downloaded from Arrow.com. Arrow.com.

See http://www.intel.com/content/www/us/en/architecture-and-technology/hyper-threading/hyper-threading-technology.html? wapkw=hyper+threading for more information including details on which processors support Intel® HT Technology.

Max Turbo Frequency refers to the maximum single-core processor frequency that can be achieved with Intel® Turbo Boost Technology. See www.intel.com/technology/turboboost/ for more information.

The Recommended Customer Price ("RCP") is pricing guidance for Intel products. Prices are for direct Intel customers, typically represent 1,000-unit purchase quantities, and are subject to change without notice. Taxes and shipping, etc. not included. Prices may vary for other package types and shipment quantities, and special promotional arrangements may apply. If sold in bulk, price represents individual unit. Listing of these RCP does not constitute a formal pricing offer from Intel. Please work with your appropriate Intel representative to obtain a formal price quotation.

System and Maximum TDP is based on worst case scenarios. Actual TDP may be lower if not all I/Os for chipsets are used.

Low Halogen: Applies only to brominated and chlorinated flame retardants (BFRs/CFRs) and PVC in the final product. Intel components as well as purchased components on the finished assembly meet JS-709 requirements, and the PCB / substrate meet IEC 61249-2-21 requirements. The replacement of halogenated flame retardants and/or PVC may not be better for the environment.

For benchmarking data see http://www.intel.com/performance.

Intel processor numbers are not a measure of performance. Processor numbers differentiate features within each processor family, not across different processor families. See http://www.intel.com/content/www/us/en/processors/processor-numbers.html for details.

Processors that support 64-bit computing on Intel® architecture require an Intel 64 architecture-enabled BIOS.



Company Information Our Commitment Communities Investor Relations Contact Us

Newsroom Jobs











© Intel Corporation | Terms of Use | *Trademarks | Privacy | Cookies | Supply Chain Transparency | Site Map