

PRODUCTS

Rocker switches

Pushbutton switches

Toggle switches

Slide switches

Rotary switches

Foot switches

Tact and key switches

Snap-action switches

Micro-signal switches

ECO switches

Sensors

Systems and modules

Accessories

General information

Catalog request /
download

PRODUCTS ▶ SLIDE SWITCHES

Slide switches

SERIES 4021 - DOUBLE AND FOUR-POLE SLIDE SWITCHES - TO 10 A 125 V OR 5 A 250 V AC (AS VOLTAGE SELECTOR SWITCH)

[◀ Show previous product](#)
[Show next product ▶](#)

4021.4620

[Drawing](#)


Similar to original
product

[→ Print data sheet](#)
Product number 4021.4620

Actuator color / printing

Miscellaneous

slide with actuating slot / 5 A or 10 A only as voltage selector switch

Switching function

Changeover switch (DPDT)

Number of poles

2-pole

connections

PCB terminal

Mechanical life endurance

1E4

Rating IEC

10 A 250 V AC 1E4

Contact resistance (new condition)

< 100 (1 A 12 V DC) mOhm

Insulation resistance (new condition)

> 100 (500 V DC) MOhm

Proof tracking

250 PTI

Protection type

Connection IP 40

Ambient temperature

-20 °C ... +80 °C

Ambient temperature

-20 °C

Flammability

UL 94 V-2

Glow wire test temperature

850 °C

Actuators and additional actuators

PA, red

Housing description

PA, black, PA glass fiber-reinforced, natural

Connection surface

external connection silver plated

Contact material

CuSn silver plated

Contact distance

≥ 3 mm

Plug force of the terminals

≤ 60 N

Approval marks

ENEC 15 / cULus

Shop / Stock version


We reserve the right to make technical modifications and improvements to our products. Data in the catalog (e.g. dimensions, photos, diagrams) are not binding. Specifications, samples and installation drawings with tolerance data will gladly be provided on request.