

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0011184817

Status:

Active

Overview:

Application Tooling

Description:

Cut-off Punch

Documents:

RoHS Certificate of Compliance (PDF)

General	
Product Family	Application Tooling
Series	207126
Comments	See Tooling Specification (PDF) Above
Function	Cutter
Geographic Area	Global
Level of Automation	Semi-Automatic
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	N/A
Tool Type	Applicator
UPC	800753897182
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.
Physical	
Net Weight	16.420/g
Material Info	
Engineering Number	60800A113

EU ELV	
Not Relevant	
EU RoHS	China RoHS
Not Reviewed	
REACH SVHC	
Not Reviewed	
Halogen-Free	
Status	
Not Relevant	
For more information, please visit Contact US	
China ROHS	Not Relevant
ELV	Not Relevant
RoHS Phthalates	Not Reviewed

Search Parts in this Series

207126 Series

Application Tooling Description	FAQ Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2061132
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2062132
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag	2065148
.062 Male Term PC Tail 30 au	2066125
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated	2066135

Brass Contact, 24-30
AWG, Bag
1.57mm Diameter, 2066139
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Selective Gold
(Au) Plated Brass
Contact, 24-30 AWG,
Bag
1.57mm Diameter, 2066144
Standard .062" Pin
and Socket Crimp
Terminal, Series
1854, Male, with
Selective Gold
(Au) Plated Brass
Contact, Tin (Sn)
Plated Crimp Area,
24-30 AWG, Bag
1.57mm Diameter, 2068103
Standard .062" Pin
and Socket PC Tail
Terminal, Series
1778, Male, with Tin
(Sn) Plated Brass
Contact, Bag
062 Male Term Tin 2068104
PCTail Chn
Claspcon Crimp 2081104
Terminal Socket, Tin
(Sn) Plated Brass
Contact, 24-30 AWG,
Bag
.084" UNPLATED 2081211
TERMINAL 8980V01
.084" PC TAIL TERM2081212
- 999 8980R11
.084" PC TAIL TERM2081214
- 999 8980R13
2.096MM DIA 2081266
TERMINAL
2.096MM DIA 2081268
TERMINAL
42023-2A0,Ter Male 2082011
2.13 Chn Unplate
2.36mm Diameter, 2092133
Standard .093" Pin
and Socket PC Tail
Terminal, Series
1376, Male, with Tin/
Lead (Sn/Pb) Plated
Contact, With Detent,
Bag Packaged
2.36mm Diameter, 2092134
Standard .093" Pin
and Socket PC Tail
Terminal, Series
1376, Male, with Tin
(Sn) Plated Contact,
Without Detent, Bag
Packaged
2.36mm Diameter, 2095132
Standard .093" Pin

and Socket PC Tail
Terminal, Series
1377, Female, with
Gold (Au) Plated
Contact, Bag
2.36mm Diameter, 2096132
Standard .093"
Pin and Socket
PC Tail Terminal,
Series 1376, Male,
with Gold (Au)
Plated Contact,
Without Detent, Bag
Packaged
Mini-Fit Jr. 3044052
Receptacle Housing,
Single Row, 5
Circuits, UL 94V-2,
Natural
1.57mm Diameter 3061023
Standard .062"
Pin and Socket
Receptacle Housing,
2 Circuits, without
Mounting Ears,
Natural
1.57mm Diameter 3061031
Standard .062"
Pin and Socket
Receptacle Housing,
3 Circuits, with
Standard Mounting
Ears
1.57mm Diameter 3061038
Standard .062"
Pin and Socket
Receptacle Housing,
3 Circuits, with Pre-
bent Mounting Ears,
Natural
1.57mm Diameter 3061041
Standard .062"
Pin and Socket
Receptacle Housing,
4 Circuits, with
Standard Mounting
Ears
1.57mm Diameter 3061042
Standard .062"
Pin and Socket
Receptacle Housing,
4 Circuits, without
Mounting Ears,
Natural
1.57mm Diameter 3061044
Standard .062"
Pin and Socket
Receptacle Housing,
Dual Row, without
Mounting Ears, PA
Polyamide Nylon 6/6,
UL 94V-2, 4 Circuits,
Natural
1.57mm Diameter 3061062
Standard .062"

	Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3061092</u> Standard .062"
	Pin and Socket Receptacle Housing, 9 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3061121</u> Standard .062"
	Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural 1.57mm Diameter <u>3061122</u> Standard .062"
	Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062011</u> Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural
	1.57mm Diameter <u>3062024</u> Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre- bent Mounting Ears, Natural
	1.57mm Diameter <u>3062031</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural
	1.57mm Diameter <u>3062033</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural
	1.57mm Diameter <u>3062041</u> Standard .062" Pin and Socket Plug Housing, 4 Circuits, with Standard Mounting Ears
	1.57mm Diameter <u>3062042</u> Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural

	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	<u>3062044</u>
	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural	<u>3062061</u>
	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural	<u>3062092</u>
	1.57mm Diameter Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black	<u>3066062</u>
	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black	<u>3067023</u>
	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Black	<u>3067044</u>
	1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black	<u>3067061</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural	<u>3091011</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Natural	<u>3091027</u>
	2.36mm Diameter Standard Receptacle Housing, 3 Circuit, Natural	<u>3091030</u>
	2.36mm Diameter Standard .093"	<u>3091031</u>

Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter	<u>3091041</u>
Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural 2.36mm Diameter	<u>3091042</u>
Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural 2.36mm Diameter	<u>3091061</u>
Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural 2.36mm Diameter	<u>3091063</u>
Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp 2.36mm Diameter	<u>3091064</u>
Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural 2.36mm Diameter	<u>3091091</u>
Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural 2.36mm Diameter	<u>3091092</u>
Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, with Panel Mount Ears, without Passive Lock Ramp 2.36mm Diameter	<u>3091093</u>
Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp 2.36mm Diameter	<u>3091121</u>
Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable,	

without Passive Locking Ramps	
2.36mm Diameter	<u>3091126</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
12 Circuits, 3 Rows,	
Natural	
2.36mm Diameter	<u>3091151</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
15 Circuits, 3 Rows,	
with Pre-Bent	
Mounting Ears,	
without Lock Ramps	
2.36mm Diameter	<u>3091152</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
15 Circuits, 3 Rows,	
without Mounting	
Ears, without Lock	
Ramps	
2.36mm Diameter	<u>3091153</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
15 Circuits, 3 Rows,	
with Pre-bent	
Mounting Ears, with	
Lock Ramps	
2.36mm Diameter	<u>3091157</u>
Standard .093"	
Pin and Socket	
Receptacle Housing,	
15 Circuits, 3 Rows,	
without Mounting	
Ears, with Lock	
Ramps	
2.36mm Diameter	<u>3091161</u>
Standard .093"	
Pin and Socket	
Receptacle Housing	
without Mounting	
Ears, Positive Lock,	
2 Circuits	
2.36mm Diameter	<u>3092011</u>
Standard .093" Pin	
and Socket Plug	
Housing, 1 Circuit,	
Friction Lock, Natural	
2.36mm Diameter	<u>3092022</u>
Standard .093" Pin	
and Socket Plug	
Housing, 2 Circuits,	
without Mounting	
Ears, Natural	
2.36mm Diameter	<u>3092031</u>
Standard .093" Pin	
and Socket Plug	
Housing, 3 Circuits,	
Single Row, Natural	
2.36mm Diameter	<u>3092032</u>
Standard .093" Pin	

	and Socket Plug Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter	<u>3092041</u>
	Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row 2.36mm Diameter	<u>3092062</u>
	Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row 2.36mm Diameter	<u>3092121</u>
	Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows 2.36mm Diameter	<u>3092151</u>
	Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows 2.36mm Diameter	<u>3092159</u>
	Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre- Bent Mounting Ears, without Pull Tabs, with Lock Windows 2.36mm Diameter	<u>3092161</u>
	Standard .093" Pin and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits 2.36mm Diameter	<u>3097022</u>
	Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black 2.36mm Diameter	<u>3097024</u>
	Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red 2.36mm Diameter	<u>3097032</u>
	Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black 3.18mm Diameter,	<u>3121022</u>
	HCS125, Pin and Socket Receptacle Housing, 2 Circuits, Single Row, with and without Panel Mount Ears	

	3.18mm Diameter, 3121026 HCS125, Pin and Socket Receptacle Housing, Single Row, 2 Circuits, Natural (Translucent)
	3.18mm Diameter, 3121046 HCS125, Pin and Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent)
	3.18mm Diameter, 3122022 HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears
	3.18mm Diameter, 3122025 HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 2 Circuits, Natural (Translucent)
	3.18mm Diameter, 3122026 HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 2 Circuits, Natural (Translucent)
	3.18mm Diameter, 3122035 HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2
	3.18mm Diameter, 3122036 HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2
	3.18mm Diameter, 3122045 HCS125, Pin and Socket Plug Housing, Single Row, with Panel Mount Ears, 4 Circuits, Natural (Translucent)
	3.18mm Diameter, 3122046 HCS125, Pin and Socket Plug Housing, Single Row, without Panel Mount Ears, 4

Circuits, Natural
(Translucent)
Flat Blade Appliance 6021103
Motor Switch Crimp
Housing, 10 Circuits
Flat Blade Appliance 6022030
Water Valve Crimp
Housing, 3 Circuit,
Natural
Flat Blade Appliance 6023104
Dryer Motor Crimp
Housing, 10 Circuit
KK 254 Cat Ear 8500032
Crimp Terminal
4809, 22-30 AWG,
Hot Tin Dip, Bag
KK 396 Crimp 8500108
Terminal 2578, 22-26
AWG, Bag, Brass,
2.540µm Tin (Sn)
KK 156 TERMINAL 8500112
CRIMP 22-26 AWG
TIN
KK 254 Crimp 8500114
Terminal, 22-30
AWG, Bag, Hot Tin
(Sn) Dip Plating
KK 396 Crimp 8500134
Terminal 2578,
22-26 AWG, Bag,
Phosphor Bronze,
2.540µm Tin(Sn)
KK 254 Crimp 8500136
Terminal 4809, 22-30
AWG, Tin, Bag
KK 254 Crimp 8500160
Terminal, 22-30
AWG, Bag, Tin (Sn)
Plating, Nickel (Ni)
Under Plating
KK Trifurcon Crimp 8500185
Terminal 7258, 22-26
AWG, Bag, Brass Tin
(Sn)
KK 156 TERM 8500283
CRP 22-26 AWG
TRIFURCON TIN
KK 254 Crimp 8520123
Terminal 6459,
22-30 AWG, Bag,
Phosphor Bronze Tin
(Sn)
KK Trifurcon Crimp 8520125
Terminal 7258,
22-26 AWG, Bag,
Phosphor Bronze Tin
(Sn)
KK CRIMP TERM 8530812
UNPLT LSE
PB2478999L
KK 254 Crimp 8550102
Terminal, 22-30
AWG, Bag, Selective
Gold (Au), Nickel (Ni)
Under Plating

KK 396 Crimp	<u>8550106</u>
Terminal 2578, 22-26	
AWG, Bag, Brass,	
0.38µm Selective	
Gold(Au)	
KK 254 Crimp	<u>8550110</u>
Terminal 4809, 22-30	
AWG, Selective Gold	
(Au), Reel	
KK 254 Crimp	<u>8550111</u>
Terminal 4809, 22-30	
AWG, Selective Gold	
(Au), Bag	
KK 396 Crimp	<u>8550123</u>
Terminal 2578, 22-26	
AWG, Reel, Brass,	
0.76µm Select Gold	
(Au) over Gold Flash	
KK High Pressure	<u>8550129</u>
Crimp Terminal	
7879, 22-30 AWG,	
Bag Selective Gold	
(Au)	
KK 254 Crimp	<u>8550131</u>
Terminal, 22-30	
AWG, Bag, Selective	
Gold (Au), Nickel (Ni)	
Under Plating	
KK 396 Crimp	<u>8550137</u>
Terminal 2578, 22-26	
AWG, Left Payoff	
Reel, Brass, 0.76µm	
Select Gold (Au)	
over Gold Flash	
KK 396 Crimp	<u>8560108</u>
Terminal 2578, 22-26	
AWG, Bag, Brass,	
0.51µm Select Gold	
(Au) over Gold Flash	
KK 254 Crimp	<u>8560110</u>
Terminal, 22-30	
AWG, Bag, Gold	
(Au), Nickel (Ni)	
Under Plating	
KK 254 Crimp	<u>8560115</u>
Terminal 4809, 22-30	
AWG, Selective Gold	
(Au), Bag	
KK Trifurcon Crimp	<u>8560124</u>
Terminal 7258,	
22-26 AWG, Bag,	
Phosphor Bronze	
Gold(Au)	
KK 396 Crimp	<u>8580126</u>
Terminal 2578,	
22-26 AWG, Bag,	
Phosphor Bronze,	
0.51µm Selective	
Gold (Au)	
KK 396 Crimp	<u>8600003</u>
Terminal 2578,	
22-26 AWG, Reel,	
Phosphor Bronze,	
3.810µm Tin (Sn)	

KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 3.810µm Tin (Sn)	<u>8600004</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.76µm Select Gold (Au) over Gold Flash	<u>8650110</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)	<u>8650117</u>
KK Trifurcon Crimp Terminal 7258, 22-26 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650122</u>
KK 254 Cat Ear Crimp Terminal 41572, Bag Tin (Sn)	<u>8650805</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650812</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Gold (Au)	<u>8650814</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650816</u>
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Bag, Phosphor Bronze, Tin (Sn) Plating	<u>8700049</u>
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Bag, Brass, Tin (Sn) over Copper Plating	<u>8700069</u>
2.50mm Pitch Mini-Latch Crimp Terminal, Male, Brass, Bag	<u>8700103</u>
.062DIA CRIMP REC.	<u>8701011</u>
.062DIA CRIMP PIN 2.50mm Pitch	<u>8701013</u> <u>8701040</u>
Mini-SPOX Crimp Terminal, 22-28 AWG, Bag	
2.5 Low Profile Crimp Rec Chain W/ Plt	<u>8701047</u>
3.96mm Pitch KK Crimp Housing, Edge Card Connector,	<u>9011036</u>

Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits KK 396 PC Board	<u>9481024</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits KK 396 PC Board	<u>9481034</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits KK 396 PC Board	<u>9481044</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits KK 396 PC Board	<u>9481054</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits KK 396 PC Board	<u>9481064</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits KK 396 PC Board	<u>9481074</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits KK 396 PC Board	<u>9481084</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits KK 396 PC Board	<u>9481094</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits KK 396 PC Board	<u>9481104</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits KK 396 PC Board	<u>9481105</u>
Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits KK 396 PC Board	<u>9481114</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits KK 396 PC Board	<u>9481124</u>
Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits	

KK 396 PC Board	<u>9481134</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 13 Circuits	
KK 396 PC Board	<u>9481144</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 14 Circuits	
KK 396 PC Board	<u>9481154</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
KK 396 PC Board	<u>9483024</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483025</u>
Connector, Right	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483026</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483034</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483035</u>
Connector, Right	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483036</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483044</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 4 Circuits	
KK 396 PC Board	<u>9483045</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 4 Circuits	
KK 396 PC Board	<u>9483046</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 4 Circuits	
KK 396 PC Board	<u>9483054</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 5 Circuits	

KK 396 PC Board	<u>9483055</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 5 Circuits	
KK 396 PC Board	<u>9483056</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 5 Circuits	
KK 396 PC Board	<u>9483064</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483065</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483066</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483074</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483075</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483076</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483084</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483085</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483086</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483094</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 9 Circuits	
KK 396 PC Board	<u>9483095</u>
Connector, Right-Angle, Polyester	
Connector, Gold (Au)	
Selective, 9 Circuits	

KK 396 PC Board	<u>9483096</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 9 Circuits	
KK 396 PC Board	<u>9483105</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	
KK 396 PC Board	<u>9483106</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	
KK 396 PC Board	<u>9483114</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483115</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483116</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483124</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 12 Circuits	
KK 396 PC Board	<u>9483125</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 12 Circuits	
KK 396 PC Board	<u>9483126</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 12 Circuits	
KK 396 PC Board	<u>9483134</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483135</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483144</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 14 Circuits	
KK 396 PC Board	<u>9483145</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 14 Circuits	

	KK 396 PC Board	<u>9483146</u>
	Connector, Top	
	Entry, Polyester	
	Connector, Gold (Au)	
	Selective, 14 Circuits	
	KK 396 PC Board	<u>9483154</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, Gold (Au)	
	Selective, 15 Circuits	
	KK 396 PC Board	<u>9483155</u>
	Connector, Right-	
	Angle, Polyester	
	Connector, Gold (Au)	
	Selective, 15 Circuits	
	KK 396 PC Board	<u>9483156</u>
	Connector, Top	
	Entry, Polyester	
	Connector, Gold (Au)	
	Selective, 15 Circuits	
	KK 396 PC Board	<u>9484028</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 2 Circuits	
	KK 396 PC Board	<u>9484029</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 2 Circuits	
	KK 396 PC Board	<u>9484038</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 3 Circuits	
	KK 396 PC Board	<u>9484039</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 3 Circuits	
	KK 396 PC Board	<u>9484048</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 4 Circuits	
	KK 396 PC Board	<u>9484049</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 4 Circuits	
	KK 396 PC Board	<u>9484058</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 5 Circuits	
	KK 396 PC Board	<u>9484059</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 5 Circuits	
	KK 396 PC Board	<u>9484068</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 6 Circuits	

	KK 396 PC Board	<u>9484069</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 6 Circuits	
	KK 396 PC Board	<u>9484078</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 7 Circuits	
	KK 396 PC Board	<u>9484079</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 7 Circuits	
	KK 396 PC Board	<u>9484088</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 8 Circuits	
	KK 396 PC Board	<u>9484089</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 8 Circuits	
	KK 396 PC Board	<u>9484098</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 9 Circuits	
	KK 396 PC Board	<u>9484099</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 9 Circuits	
	KK 396 PC Board	<u>9484108</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 10 Circuits	
	KK 396 PC Board	<u>9484109</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 10 Circuits	
	KK 396 PC Board	<u>9484118</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 11 Circuits	
	KK 396 PC Board	<u>9484119</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 11 Circuits	
	KK 396 PC Board	<u>9484128</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 12 Circuits	
	KK 396 PC Board	<u>9484129</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 12 Circuits	

KK 396 PC Board	<u>9484138</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 13 Circuits	
KK 396 PC Board	<u>9484139</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 13 Circuits	
KK 396 PC Board	<u>9484148</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 14 Circuits	
KK 396 PC Board	<u>9484149</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 14 Circuits	
KK 396 PC Board	<u>9484158</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
KK 396 PC Board	<u>9484159</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
KK 156 PC Board	<u>9485088</u>
Connector, Top	
Entry, Polyester	
Connector, Tin (Sn),	
8 Circuits	
3.96mm Pitch SPOX	<u>9501021</u>
Crimp Housing,	
Female, with Friction	
Ramp, 2 Circuits,	
Natural	
3.96mm Pitch SPOX	<u>9501023</u>
Crimp Housing,	
Female, with Friction	
Ramp and Void, 2	
Circuits, Natural	
3.96mm Pitch SPOX	<u>9501031</u>
Crimp Housing,	
Female, with Friction	
Ramp, 3 Circuits,	
Natural	
3.96mm Pitch SPOX	<u>9501033</u>
Crimp Housing,	
Female, with Friction	
Ramp and Void, 3	
Circuits, Natural	
3.96mm Pitch SPOX	<u>9501043</u>
Crimp Housing,	
Female, with Friction	
Ramp and Void, 4	
Circuits, Natural	
3.96mm Pitch SPOX	<u>9501051</u>
Crimp Housing,	
Female, with Friction	
Ramp, 5 Circuits,	
Natural	

3.96mm Pitch SPOX [9501053](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural

3.96mm Pitch SPOX [9501061](#)
Crimp Housing,
Female, with Friction
Ramp, 6 Circuits,
Natural

3.96mm Pitch SPOX [9501063](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural

3.96mm Pitch SPOX [9501071](#)
Crimp Housing,
Female, with Friction
Ramp, 7 Circuits,
Natural

3.96mm Pitch SPOX [9501073](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 7
Circuits, Natural

3.96mm Pitch SPOX [9501083](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 8
Circuits, Natural

3.96mm Pitch SPOX [9501091](#)
Crimp Housing,
Female, with Friction
Ramp, 9 Circuits,
Natural

3.96mm Pitch SPOX [9501101](#)
Crimp Housing,
Female, with Friction
Ramp, 10 Circuits,
Natural

3.96mm Pitch SPOX [9501103](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 10
Circuits, Natural

3.96mm Pitch SPOX [9501111](#)
Crimp Housing,
Female, with Friction
Ramp, 11 Circuits,
Natural

3.96mm Pitch SPOX [9501113](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 11
Circuits, Natural

3.96mm Pitch SPOX [9501121](#)
Crimp Housing,
Female, with Friction
Ramp, 12 Circuits,
Natural

KK 3.96mm Crimp [9503021](#)
Terminal Housing,
Friction Ramp, 2
Circuits, Natural

	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Natural	<u>9503031</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural	<u>9503041</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	<u>9503051</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	<u>9503061</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	<u>9503081</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural	<u>9503121</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural	<u>9503131</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural	<u>9503141</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 Circuits, Natural	<u>9503151</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 16 Circuits, Natural	<u>9503161</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 19 Circuits, Natural	<u>9503191</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 21 Circuits, Natural	<u>9503211</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 22 Circuits, Natural	<u>9503221</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 24 Circuits, Natural	<u>9503241</u>
	KK 3.96mm Crimp Terminal Housing, 2 Circuits, Natural	<u>9507021</u>
	KK 3.96mm Crimp Terminal Housing, 3 Circuits, Natural	<u>9507031</u>
	KK 3.96mm Crimp Terminal Housing, 5 Circuits, Natural	<u>9507051</u>

KK 3.96mm Crimp	<u>9507081</u>
Terminal Housing, 8	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507111</u>
Terminal Housing, 11	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507121</u>
Terminal Housing, 12	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507141</u>
Terminal Housing, 14	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507161</u>
Terminal Housing, 16	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507191</u>
Terminal Housing, 19	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507201</u>
Terminal Housing, 20	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507221</u>
Terminal Housing, 22	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508021</u>
Terminal Housing,	
Friction Ramp, 2	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508023</u>
Terminal Housing,	
Friction Ramp, 2	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508033</u>
Terminal Housing,	
Friction Ramp, 3	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508043</u>
Terminal Housing,	
Friction Ramp, 4	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508050</u>
Terminal Housing, 5	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508051</u>
Terminal Housing,	
Friction Ramp, 5	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508053</u>
Terminal Housing,	
Friction Ramp, 5	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508060</u>
Terminal Housing, 6	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508061</u>
Terminal Housing,	
Friction Ramp, 6	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508063</u>
Terminal Housing,	
Friction Ramp, 6	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508071</u>
Terminal Housing,	

	Friction Ramp, 7 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural KK 3.96mm Crimp Terminal Housing, 9 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Natural KK 3.96mm Crimp Terminal Housing, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 3 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 4 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 6 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 7 Circuits	<u>9508081</u> <u>9508083</u> <u>9508090</u> <u>9508091</u> <u>9508103</u> <u>9508111</u> <u>9508113</u> <u>9508120</u> <u>9508123</u> <u>9508143</u> <u>9652028</u> <u>9652038</u> <u>9652048</u> <u>9652068</u> <u>9652078</u>
--	---	--

	SPOX and KK	<u>9652088</u>
	396 Wire-to-Board Header, Vertical, with Friction Lock, 8 Circuits	
	KK 3.96mm Crimp	<u>9930200</u>
	Terminal Housing, Friction Ramp, 2 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9930400</u>
	Terminal Housing, Friction Ramp, 4 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9930500</u>
	Terminal Housing, Friction Ramp, 5 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9930600</u>
	Terminal Housing, Friction Ramp, 6 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9930700</u>
	Terminal Housing, Friction Ramp, 7 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9930800</u>
	Terminal Housing, Friction Ramp, 8 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9930900</u>
	Terminal Housing, Friction Ramp, 9 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9931000</u>
	Terminal Housing, Friction Ramp, 10 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9931200</u>
	Terminal Housing, Friction Ramp, 12 Circuits, Glow-Wire Capable	
	KK 3.96mm Crimp	<u>9931300</u>
	Terminal Housing, Friction Ramp, 13 Circuits, Glow-Wire Capable	
	15 PIN MICRO- D FEMAL ASSY	<u>10008503</u>
	M8351309B11	
	5.08mm Pitch KK	<u>10011024</u>
	Crimp Terminal Housing, 2 Circuits, Natural	
	5.08mm Pitch KK	<u>10011034</u>
	Crimp Terminal	

	Housing, 3 Circuits, Natural	
	5.08mm Pitch KK	<u>10011064</u>
	Crimp Terminal	
	Housing, 6 Circuits, Natural	
	5.08mm Pitch KK	<u>10011074</u>
	Crimp Terminal	
	Housing, 7 Circuits, Natural	
	5.08mm Pitch KK	<u>10011114</u>
	Crimp Terminal	
	Housing, 11 Circuits, Natural	
	5.08mm Pitch KK	<u>10011124</u>
	Crimp Terminal	
	Housing, 12 Circuits, Natural	
	5.08mm Pitch SPOX	<u>10013026</u>
	Crimp Terminal	
	Housing, 2 Circuits, Natural	
	5.08mm Pitch SPOX	<u>10013036</u>
	Crimp Terminal	
	Housing, 3 Circuits, Natural	
	5.08mm Pitch SPOX	<u>10013046</u>
	Crimp Terminal	
	Housing, 4 Circuits, Natural	
	5.08mm Pitch SPOX	<u>10013056</u>
	Crimp Terminal	
	Housing, 5 Circuits, Natural	
	5.08mm Pitch SPOX	<u>10013066</u>
	Crimp Terminal	
	Housing, 6 Circuits, Natural	
	5.08mm Pitch SPOX	<u>10013076</u>
	Crimp Terminal	
	Housing, 7 Circuits, Natural	
	5.08mm Pitch SPOX	<u>10013086</u>
	Crimp Terminal	
	Housing, 8 Circuits, Natural	
	5.08mm Pitch SPOX	<u>10013096</u>
	Crimp Terminal	
	Housing, 9 Circuits, Natural	
	KK PC Board	<u>10021022</u>
	Connector, Bottom	
	Entry Mount Style B, 1.00µm Tin (Sn), 2 Circuits	
	KK PC Board	<u>10021032</u>
	Connector, Bottom	
	Entry Mount Style B, 1.00µm Tin (Sn), 3 Circuits	
	KK PC Board	<u>10021042</u>
	Connector, Bottom	
	Entry Mount Style B, 1.00µm Tin (Sn), 4 Circuits	

	KK PC Board	<u>10021052</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 5	
	Circuits	
	KK PC Board	<u>10021062</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 6	
	Circuits	
	KK PC Board	<u>10021072</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 7	
	Circuits	
	KK PC Board	<u>10021082</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 8	
	Circuits	
	KK PC Board	<u>10021092</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 9	
	Circuits	
	KK PC Board	<u>10021102</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 10	
	Circuits	
	KK PC Board	<u>10021112</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 11	
	Circuits	
	KK PC Board	<u>10021122</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 12	
	Circuits	
	5.08mm Pitch KK	<u>10061045</u>
	Header, Right	
	Angle, Square Pin,	
	4 Circuits, Tin (Sn)	
	Plating	
	KK Header, Right	<u>10061055</u>
	Angle, Square Pin,	
	5 Circuits, Tin (Sn)	
	Plating	
	KK Header, Vertical,	<u>10081021</u>
	Round Pin, 2	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	19.05mm	
	KK Header, Vertical,	<u>10081022</u>
	Round Pin, 2	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	23.80mm	
	KK Header, Vertical,	<u>10081029</u>
	Round Pin, 2	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	20.32mm	

KK Header, Vertical, [10081031](#)
Round Pin, 3
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081039](#)
Round Pin, 3
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081041](#)
Round Pin, 4
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081049](#)
Round Pin, 4
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081051](#)
Round Pin, 5
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081061](#)
Round Pin, 6
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081069](#)
Round Pin, 6
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081071](#)
Round Pin, 7
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081081](#)
Round Pin, 8
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081089](#)
Round Pin, 8
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081091](#)
Round Pin, 9
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081101](#)
Round Pin, 10
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081102](#)
Round Pin, 10
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm

KK Header, Vertical, 10081111
Round Pin, 11
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, 10081112
Round Pin, 11
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, 10081121
Round Pin, 12
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, 10085021
with Polarizing
Backwall, 2 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085031
with Polarizing
Backwall, 3 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085041
with Polarizing
Backwall, 4 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085051
with Polarizing
Backwall, 5 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085061
with Polarizing
Backwall, 6 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085071
with Polarizing
Backwall, 7 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085081
with Polarizing
Backwall, 8 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085091
with Polarizing
Backwall, 9 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085101
with Polarizing
Backwall, 10 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085111
with Polarizing
Backwall, 11 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085121
with Polarizing
Backwall, 12 Circuits,
Tin (Sn) Plating
KK PC Board 10101021
Connector, Right-
Angle Mount Style A,
1.00µm Tin (Sn), 2
Circuits

KK PC Board	<u>10101023</u>
Connector, Top	
Entry Mount Style C,	
1.00µm Tin (Sn), 2	
Circuits	
KK PC Board	<u>10101031</u>
Connector, Right-	
Angle Mount Style A,	
1.00µm Tin (Sn), 3	
Circuits	
KK PC Board	<u>10101033</u>
Connector, Top	
Entry Mount Style C,	
1.00µm Tin (Sn), 3	
Circuits	
KK PC Board	<u>10101041</u>
Connector, Right-	
Angle Mount Style A,	
1.00µm Tin (Sn), 4	
Circuits	
KK PC Board	<u>10101043</u>
Connector, Top	
Entry Mount Style C,	
1.00µm Tin (Sn), 4	
Circuits	
KK PC Board	<u>10101051</u>
Connector, Right-	
Angle Mount Style A,	
1.00µm Tin (Sn), 5	
Circuits	
KK PC Board	<u>10101053</u>
Connector, Top	
Entry Mount Style C,	
1.00µm Tin (Sn), 5	
Circuits	
KK PC Board	<u>10101061</u>
Connector, Right-	
Angle Mount Style A,	
1.00µm Tin (Sn), 6	
Circuits	
KK PC Board	<u>10101063</u>
Connector, Top	
Entry Mount Style C,	
1.00µm Tin (Sn), 6	
Circuits	
KK PC Board	<u>10101071</u>
Connector, Right-	
Angle Mount Style A,	
1.00µm Tin (Sn), 7	
Circuits	
KK PC Board	<u>10101073</u>
Connector, Top	
Entry Mount Style C,	
1.00µm Tin (Sn), 7	
Circuits	
KK PC Board	<u>10101081</u>
Connector, Right-	
Angle Mount Style A,	
1.00µm Tin (Sn), 8	
Circuits	
KK PC Board	<u>10101083</u>
Connector, Top	
Entry Mount Style C,	
1.00µm Tin (Sn), 8	
Circuits	

KK PC Board	<u>10101091</u>
Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 9 Circuits	
KK PC Board	<u>10101093</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 9 Circuits	
KK PC Board	<u>10101101</u>
Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 10 Circuits	
KK PC Board	<u>10101103</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 10 Circuits	
KK PC Board	<u>10101111</u>
Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 11 Circuits	
KK PC Board	<u>10101113</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 11 Circuits	
KK PC Board	<u>10101121</u>
Connector, Right-Angle Mount Style A, 1.00µm Tin (Sn), 12 Circuits	
KK PC Board	<u>10101123</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 12 Circuits	
KK 254 Crimp Housing, High Pressure, 2 Circuits, Natural	<u>10112023</u>
KK 254 Crimp Housing, High Pressure, 4 Circuits, Natural	<u>10112043</u>
KK 254 Crimp Housing, High Pressure, 8 Circuits, Natural	<u>10112083</u>
KK 254 Crimp Housing, High Pressure, 9 Circuits, Natural	<u>10112093</u>
KK 254 Crimp Housing, High Pressure, 10 Circuits, Natural	<u>10112103</u>
KK 254 Crimp Housing, High Pressure, 11 Circuit	<u>10112113</u>
KK 254 Crimp Housing, High	<u>10112163</u>

Pressure, 16
Circuits, Natural
5.08mm Pitch SPOX [10221022](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 2
Circuits
5.00/7.50mm Pitch [10311028](#)
SPOX Header,
Vertical, with Friction
Lock, 2 Circuits
5.00/7.50mm Pitch [10311038](#)
SPOX Header,
Vertical, with Friction
Lock, 3 Circuits
5.00/7.50mm Pitch [10311048](#)
SPOX Header,
Vertical, with Friction
Lock, 4 Circuits
5.00/7.50mm Pitch [10311058](#)
SPOX Header,
Vertical, with Friction
Lock, 5 Circuits
5.00/7.50mm Pitch [10311068](#)
SPOX Header,
Vertical, with Friction
Lock, 6 Circuits
5.08mm Pitch SPOX [10321021](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 2
Circuits
5.08mm Pitch SPOX [10321031](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 3
Circuits
5.08mm Pitch SPOX [10321041](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 4
Circuits
5.08mm Pitch SPOX [10321051](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 5
Circuits
5.08mm Pitch SPOX [10321061](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 6
Circuits
5.08mm Pitch SPOX [10321071](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 7
Circuits
5.08mm Pitch SPOX [10321091](#)
Wire-to-Board
Header, Vertical,
with Friction Lock, 9
Circuits
5.08mm Pitch SPOX [10631029](#)
Wire-to-Board
Header, Vertical,

Friction Lock, with
Void, 2 Circuits
5.00mm Pitch SPOX [10633024](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 2
Circuits, Natural
5.00mm Pitch SPOX [10633034](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 3
Circuits, Natural
5.00mm Pitch SPOX [10633044](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 4
Circuits, Natural
5.00mm Pitch SPOX [10633054](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural
5.00mm Pitch SPOX [10633064](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural
7.92mm Pitch SPOX [10634037](#)
Header, Vertical,
with Friction Lock, 3
Circuits
7.92mm Pitch SPOX [10634047](#)
Header, Vertical,
with Friction Lock, 4
Circuits
6.35mm Pitch MLX [10844020](#)
Power Connector
Header, Vertical,
2 Circuits, PA
Polyamide Nylon
6/6 94V-2, Tin (Sn)
Plating, White
6.35mm Pitch MLX [10844022](#)
Power Connector,
2.13mm Contact
Diameter, Vertical,
PA Polyamide
(Nylon) 6/6, Tin (Sn),
White, 2 Circuits
2.13mm Diameter [10844025](#)
MLX Power
Connector Header,
Vertical, 2 Circuits,
Polyester 94V-0,
0.76µm Gold (Au)
Selective Plating,
Brick Red
6.35mm Pitch MLX [10844030](#)
Power Connector
Header, Vertical,
3 Circuits, PA
Polyamide Nylon
6/6 94V-2, Tin (Sn)
Plating, White

	6.35mm Pitch MLX 10844032 Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 3 Circuits
	6.35mm Pitch MLX 10844037 Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 3 Circuits
	6.35mm Pitch MLX 10844040 Power Connector Header, Vertical, 4 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White
	6.35mm Pitch MLX 10844042 Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 4 Circuits
	2.13mm Diameter 10844045 MLX Power Connector Header, Vertical, 4 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, Brick Red
	6.35mm Pitch MLX 10844047 Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Gold (Au) Selective, Brick Red, 4 Circuits
	6.35mm Pitch MLX 10844060 Power Connector Header, Vertical, 6 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White
	6.35mm Pitch MLX 10844062 Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 6 Circuits
	6.35mm Pitch MLX 10844090 Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White

	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 9 Circuits 2.13mm Diameter MLX Power Connector Header, Vertical, 9 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm Gold (Au) Selective Plating, White	<u>10844092</u>
	6.35mm Pitch MLX Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	<u>10844094</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 12 Circuits 2.13mm Diameter MLX Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm Gold (Au) Selective Plating, White	<u>10844120</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 12 Circuits 2.13mm Diameter MLX Power Connector Header, Vertical, 12 Circuits, PA Polyamide Nylon 6/6 94V-2, 0.76µm Gold (Au) Selective Plating, White	<u>10844122</u>
	6.35mm Pitch MLX Power Connector Header, Vertical, 15 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	<u>10844124</u>
	6.35mm Pitch MLX Power Connector Header, Vertical, 15 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	<u>10844125</u>
	6.35mm Pitch MLX Power Connector Header, Vertical, 15 Circuits, PA Polyamide Nylon 6/6 94V-2, Tin (Sn) Plating, White	<u>10844150</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 15 Circuits 2.13mm Diameter MLX Power Connector Header, Vertical, 15 Circuits, Polyester 94V-0, 0.76µm Gold (Au)	<u>10844152</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PA Polyamide (Nylon) 6/6, Tin (Sn), White, 15 Circuits 2.13mm Diameter MLX Power Connector Header, Vertical, 15 Circuits, Polyester 94V-0, 0.76µm Gold (Au)	<u>10844155</u>

	Selective Plating, Brick Red	
	6.35mm Pitch MLX	<u>10845020</u>
	Power Connector Header, Vertical, 2 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	
	6.35mm Pitch MLX	<u>10845021</u>
	Power Connector, 2.13mm Contact Diameter, Vertical, Polyester 94V-0, White/Natural, 2 Circuits	
	2.13mm Diameter	<u>10845022</u>
	MLX Power Connector Header, Vertical, 2 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	
	6.35mm Pitch MLX	<u>10845030</u>
	Power Connector Header, Vertical, 3 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	
	6.35mm Pitch MLX	<u>10845031</u>
	Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 3 Circuits	
	2.13mm Diameter	<u>10845032</u>
	MLX Power Connector Header, Vertical, 3 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	
	6.35mm Pitch MLX	<u>10845040</u>
	Power Connector Header, Vertical, 4 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	
	6.35mm Pitch MLX	<u>10845041</u>
	Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 4 Circuits	
	2.13mm Diameter	<u>10845042</u>
	MLX Power Connector Header, Vertical, 4 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	

	6.35mm Pitch MLX Power Connector Header, Vertical, 6 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845060</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 6 Circuits	<u>10845061</u>
	6.35mm Pitch MLX Power Connector Header, Vertical, 9 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845090</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 9 Circuits	<u>10845091</u>
	6.35mm Pitch MLX Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845120</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 12 Circuits	<u>10845121</u>
	2.13mm Diameter MLX Power Connector Header, Vertical, 12 Circuits, Polyester 94V-0, 0.76µm Gold (Au) Selective Plating, White	<u>10845122</u>
	6.35mm Pitch MLX Power Connector Header, Vertical, 15 Circuits, Polyester 94V-0, Tin (Sn) Plating, White	<u>10845150</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester, Tin (Sn), White, 15 Circuits	<u>10845151</u>
	6.35mm Pitch MLX Power Connector, 2.13mm Contact Diameter, Vertical, PCT Polyester,	<u>10845153</u>

Gold (Au) Selective,
White, 15 Circuits
2.54mm Pitch C-Grid [10879805](#)
Breakaway Header,
Dual Row, Vertical,
High Temperature,
80 Circuits, 0.76µm
Gold (Au) Selective
Plating, Tin(Sn) PC
Tail Plating, 2.72mm
PC Tail
2.54mm Pitch C-Grid [10883041](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
4 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883042](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
4 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883061](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
6 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883062](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
6 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883081](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
8 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883101](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
10 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883102](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
10 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883121](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
12 Circuits, 6.10mm

Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883141](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
14 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883142](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
14 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883161](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
16 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883162](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
16 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883201](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
20 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883222](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
22 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883241](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
24 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883242](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
24 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating
2.54mm Pitch C-Grid [10883261](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
26 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883262](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
26 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883281](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
28 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883282](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
28 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883301](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
30 Circuits, 6.10mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10883302](#)
Breakaway Header,
High Profile, Dual
Row, Right Angle,
30 Circuits, 8.13mm
Mating Pin Length,
Tin (Sn) Plating

2.54mm Pitch C-Grid [10894042](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating

2.54mm Pitch C-Grid [10894043](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating

2.54mm Pitch C-Grid [10894046](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating

2.54mm Pitch C-Grid [10894047](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
4 Circuits, 8.13mm
Mating Pin Length,

0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894062](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894063](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894066](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894067](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
6 Circuits, 8.13mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894082](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894083](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894086](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894087](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
8 Circuits, 8.13mm
Mating Pin Length,

0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894102](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894103](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894106](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894107](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
10 Circuits, 8.13mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894122](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894123](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894126](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894127](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
12 Circuits, 8.13mm
Mating Pin Length,

0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894142](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894143](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894146](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894147](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
14 Circuits, 8.13mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894162](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 6.10mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894163](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 8.13mm
Mating Pin Length,
0.38μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894166](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 6.10mm
Mating Pin Length,
0.76μm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894167](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
16 Circuits, 8.13mm
Mating Pin Length,

0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894202](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
20 Circuits, 6.10mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894203](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
20 Circuits, 8.13mm
Mating Pin Length,
0.38µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894206](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
20 Circuits, 6.10mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating
2.54mm Pitch C-Grid [10894207](#)
Breakaway Header,
High Profile, Dual
Row, Right-Angle,
20 Circuits, 8.13mm
Mating Pin Length,
0.76µm Gold (Au)
Selective Plating