

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0011402118

Status:

Active

Overview:

Application Tooling

Description:

Terminator Die

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family

Series

Function

Geographic Area

Level of Automation

More Detailed Tech Information

Overview

Product Name

Tool Type

UPC

Warranty Disclaimer

Application Tooling

207122

Crimp

Global

Semi-Automatic

applicationtooling@molex.com

Application Tooling

N/A

Terminator Die

800753904187

CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info


Engineering Number

T8351B

Reference - Drawing Numbers

Application Tooling Documents

T8351B, TM-638000029-001, TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029RU-001, TM-638000029SK-001, TM-638000029SP-001, TM-638000029TH-001, TM-638000029TW-001, TM-638000029VN-001, TM-638500090, TM-638500090SP



Series image - Reference only

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

207122 Series

Use With

Molex TM-42 Press 690025001 and Base Unit 11193001 for the 3BF Press

Application Tooling Description	FAQ Product #
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag	2061103
1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag	2061132
1.57mm Diameter, Standard .062" Pin and Socket Crimp	2062103

	Terminal, Series 1560, Male, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2062132 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2065102 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.76µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065103 Standard .062" Pin and Socket Crimp Terminal, Female, with 0.38µm Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065104 Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Loose in Bag Packaged 1.57mm Diameter, 2065109 Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag 1.57mm Diameter, 2065135 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag 1.57mm Diameter, 2065139 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag
--	---

	1.57mm Diameter, 2065148 Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag
	1.57mm Diameter, 2066102 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with .76µm Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged
	1.57mm Diameter, 2066103 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Gold (Au) Plated Brass Contact, 18-24 AWG, Bag
	1.57mm Diameter, 2066104 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective 1.27µm Select Gold (Au) Plated Brass Contact, 18-24 AWG, Bag Packaged
	1.57mm Diameter, 2066119 Standard .062" Pin and Socket Crimp Terminal, Series 1560, Male, with Selective Gold (Au) Plated Brass Contact, Tin/Lead Plated Crimp Area, 18-24 AWG, Bag
	1.57mm Diameter, 2066122 Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Selective Gold (Au) Plated Brass Contact, Bag
	.062 Male Term PC 2066125 Tail 30 au
	1.57mm Diameter, 2066135 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Gold (Au) Plated Brass Contact, 24-30 AWG, Bag

	1.57mm Diameter, 2066139 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag
	1.57mm Diameter, 2066144 Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag
	1.57mm Diameter, 2067103 Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged
	1.57mm Diameter, 2067104 Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged
	1.57mm Diameter, 2068103 Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag
	062 Male Term Tin 2068104 PCTail Chn
	MLX Crimp Terminal 2081002 42024, 14-20 AWG, Bag Tin (Sn)
	MLX Crimp Terminal 2081004 42024, 14-20 AWG, Bag Tin (Sn)
	Claspcon Crimp 2081102 Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag
	Claspcon Crimp 2081103 Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel
	Claspcon Crimp 2081104 Terminal Socket, Tin (Sn) Plated Brass

Contact, 24-30 AWG,
Bag
.084" UNPLATED 2081211
TERMINAL 8980V01
.084" PC TAIL TERM2081212
- 999 8980R11
.084" PC TAIL TERM2081214
- 999 8980R13
2.096MM DIA 2081266
TERMINAL
2.096MM DIA 2081268
TERMINAL
2.13mm DIA PC 2081309
TAIL TERM PhBr
2.54SnLF
2.096MM DIA 2081363
TERMINAL PhBr
2.54SnLF
2.096MM DIA 2081365
TERMINAL PhBr
2.54SnLF
MLX Crimp Terminal 2082004
42023, 14-20 AWG,
Bag Tin (Sn)
MLX Crimp Terminal 2082006
42023, 14-20 AWG,
Bag Tin (Sn)
MLX Crimp Terminal 2082008
42023, 14-20 AWG,
Bag Selective Gold
(Au)
42023-2A0,Ter Male 2082011
2.13 Chn Unplate
Claspcon Crimp 2085101
Terminal Socket, Tin
(Sn) Plated Brass
Contact, 16-24 AWG,
Reel
2.36mm Diameter, 2091104
Standard .093" Pin
and Socket Crimp
Terminal, Series
1189, Female, with
Tin (Sn) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter 2091118
Standard .093"
Crimp Terminal,
Dimpled Female,
18-22 AWG, Bag
2.36mm Diameter, 2091119
Standard .093" Pin
and Socket Crimp
Terminal, Series
1381, Female, with
Tin (Sn) Plated Brass
Contact, 18-22 AWG,
Bag
2.36mm Diameter, 2091123
Standard .093" Pin
and Socket Crimp
Terminal, Series
2273, Female, with
Tin (Sn) Plated

Contact, Low
Engagement Force,
18-22 AWG, Bag
2.36mm Diameter, [2091134](#)
Standard .093" Pin
and Socket PC Tail
Terminal, Series
1377, Female, with
Tin (Sn) Plated
Contact, Bag
2.36mm Diameter, [2091155](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
41483, Female, with
Tin (Sn) Plated Brass
Contact, 14-18 AWG
with Large Insulation
Diameter, Chain
2.36mm Diameter, [2091206](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
4550, Female, with
Tin (Sn) Plated
Phosphor Bronze
Contact, 14-20 AWG,
Bag
2.36mm Diameter, [2092133](#)
Standard .093" Pin
and Socket PC Tail
Terminal, Series
1376, Male, with Tin/
Lead (Sn/Pb) Plated
Contact, With Detent,
Bag Packaged
2.36mm Diameter, [2092134](#)
Standard .093" Pin
and Socket PC Tail
Terminal, Series
1376, Male, with Tin
(Sn) Plated Contact,
Without Detent, Bag
Packaged
2.36mm Diameter, [2092167](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
4549, Male, with
Tin (Sn) Plated
Phosphor Bronze
Contact, 14-20 AWG,
Bag Packaged
2.36mm Diameter, [2092171](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with Tin
(Sn) Plated Brass
Contact, 14-18 AWG,
Large Insulation
Crimp, Bag
2.36mm Diameter, [2095101](#)
Standard .093" Pin
and Socket Crimp

	Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Chain 2.36mm Diameter, 2095106 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 2095111 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Selective Gold (Au) Plated Brass Contact, 14-20 AWG, Bag 2.36mm Diameter, 2095132 Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Gold (Au) Plated Contact, Bag 2.36mm Diameter, 2095133 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Selective Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2095142 Standard .093" Pin and Socket Crimp Terminal, Series 1381, Female, with Gold (Au) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, 2095170 Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Gold (Au) Plated Phosphor Bronze Contact, 14-20 AWG, Bag 2.36mm Diameter, 2096102 Standard .093" Pin and Socket Crimp Terminal, Series 1189, Female, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel 2.36mm Diameter, 2096106 Standard .093" Pin
--	--

and Socket Crimp
Terminal, Series
1190, Male, with
Gold (Au) Plated
Brass Contact, 14-20
AWG, Bag
2.36mm Diameter, [2096110](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1190, Male, with
Selective Gold
(Au) Plated Brass
Contact, 14-20 AWG,
Bag
2.36mm Diameter, [2096123](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Gold (Au) Plated
Brass Contact, 18-22
AWG, Bag
2.36mm Diameter, [2096126](#)
Standard .093" Pin
and Socket Crimp
Terminal, Series
1380, Male, with
Selective Gold
(Au) Plated Brass
Contact, 18-22 AWG,
Bag
2.36mm Diameter, [2096132](#)
Standard .093"
Pin and Socket
PC Tail Terminal,
Series 1376, Male,
with Gold (Au)
Plated Contact,
Without Detent, Bag
Packaged
2.36mm Diameter, [2098104](#)
Standard .093" Pin
and Socket Crimp
Grounding Terminal,
Series 1973, Male,
with Tin (Sn) Plated
Brass Contact, 18-22
AWG, Bag
2.36mm Diameter, [2098109](#)
Standard .093" Pin
and Socket Crimp
Grounding Terminal,
Series 1973, Male,
with Tin (Sn) Plated
Brass Contact, 14-18
AWG, Bag
Mini-Fit Jr. [3044052](#)
Receptacle Housing,
Single Row, 5
Circuits, UL 94V-2,
Natural
1.57mm Diameter [3061011](#)
Standard .062"
Pin and Socket

Receptacle Housing,
1 Circuits, Natural
1.57mm Diameter 3061022
Standard .062"
Pin and Socket
Receptacle Housing,
2 Circuits, with Pre-
bent Mounting Ears,
Natural
1.57mm Diameter 3061023
Standard .062"
Pin and Socket
Receptacle Housing,
2 Circuits, without
Mounting Ears,
Natural
1.57mm Diameter 3061031
Standard .062"
Pin and Socket
Receptacle Housing,
3 Circuits, with
Standard Mounting
Ears
1.57mm Diameter 3061032
Standard .062"
Pin and Socket
Receptacle Housing,
3 Circuits, without
Mounting Ears,
Natural
1.57mm Diameter 3061038
Standard .062"
Pin and Socket
Receptacle Housing,
3 Circuits, with Pre-
bent Mounting Ears,
Natural
1.57mm Diameter 3061041
Standard .062"
Pin and Socket
Receptacle Housing,
4 Circuits, with
Standard Mounting
Ears
1.57mm Diameter 3061042
Standard .062"
Pin and Socket
Receptacle Housing,
4 Circuits, without
Mounting Ears,
Natural
1.57mm Diameter 3061044
Standard .062"
Pin and Socket
Receptacle Housing,
Dual Row, without
Mounting Ears, PA
Polyamide Nylon 6/6,
UL 94V-2, 4 Circuits,
Natural
1.57mm Diameter 3061062
Standard .062"
Pin and Socket
Receptacle Housing,
6 Circuits, without

	Mounting Ears, Natural 1.57mm Diameter <u>3061092</u> Standard .062" Pin and Socket Receptacle Housing, 9 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3061121</u> Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, with Standard Mounting Ears, Natural 1.57mm Diameter <u>3061122</u> Standard .062" Pin and Socket Receptacle Housing, 12 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062011</u> Standard .062" Pin and Socket Plug Housing, 1 Circuits, Natural 1.57mm Diameter <u>3062023</u> Standard .062" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062024</u> Standard .062" Pin and Socket Plug Housing, 2 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3062031</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural 1.57mm Diameter <u>3062032</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, without Mounting Ears, Natural 1.57mm Diameter <u>3062033</u> Standard .062" Pin and Socket Plug Housing, 3 Circuits, with Pre- bent Mounting Ears, Natural 1.57mm Diameter <u>3062041</u> Standard .062" Pin and Socket Plug Housing, 4 Circuits,	
--	--	--

	with Standard Mounting Ears	
	1.57mm Diameter	<u>3062042</u>
	Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural	
	1.57mm Diameter	<u>3062044</u>
	Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural	
	1.57mm Diameter	<u>3062061</u>
	Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural	
	1.57mm Diameter	<u>3062092</u>
	Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural	
	1.57mm Diameter	<u>3062121</u>
	Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre-bent Mounting Ears, Natural	
	1.57mm Diameter	<u>3062122</u>
	Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural	
	1.57mm Diameter	<u>3066023</u>
	Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black	
	1.57mm Diameter	<u>3066062</u>
	Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black	
	1.57mm Diameter	<u>3067023</u>
	Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black	
	1.57mm Diameter	<u>3067044</u>
	Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide	

Nylon 6/6, UL 94V-2, 4 Circuits, Black 1.57mm Diameter Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black	<u>3067061</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural	<u>3091011</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural	<u>3091022</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Natural	<u>3091027</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Natural	<u>3091030</u>
Standard Receptacle Housing, 3 Circuit, Natural	
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	<u>3091031</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	<u>3091032</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	<u>3091033</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Free-Hanging, without Passive Lock Ramps, Natural	<u>3091041</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Single Row, Natural	<u>3091049</u>
2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	

	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	<u>3091062</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, without Panel Mount Ears, without Friction Lock Ramp	<u>3091063</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 6 Circuits, Dual Row, Natural	<u>3091064</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural	<u>3091081</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	<u>3091091</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, without Panel Mount Ears, without Passive Lock Ramp	<u>3091093</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housings, 9 Circuits, 3 Rows, Natural	<u>3091094</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Panel Mountable, without Passive Locking Ramps	<u>3091121</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing, 12 Circuits, 3 Rows, Natural	<u>3091125</u>
	2.36mm Diameter Standard .093" Pin and Socket Receptacle Housing,	<u>3091126</u>

	12 Circuits, 3 Rows, Natural 2.36mm Diameter <u>3091151</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-Bent Mounting Ears, without Lock Ramps
	2.36mm Diameter <u>3091152</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, without Lock Ramps
	2.36mm Diameter <u>3091153</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, with Pre-bent Mounting Ears, with Lock Ramps
	2.36mm Diameter <u>3091157</u> Standard .093" Pin and Socket Receptacle Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Lock Ramps
	2.36mm Diameter <u>3091161</u> Standard .093" Pin and Socket Receptacle Housing without Mounting Ears, Positive Lock, 2 Circuits
	2.36mm Diameter <u>3092011</u> Standard .093" Pin and Socket Plug Housing, 1 Circuit, Friction Lock, Natural
	2.36mm Diameter <u>3092021</u> Standard .093" Pin and Socket Plug Housing, 2 Circuits, with Standard Mounting Ears, Natural
	2.36mm Diameter <u>3092022</u> Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural
	2.36mm Diameter <u>3092031</u> Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural

2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Natural	<u>3092032</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	<u>3092041</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Single Row	<u>3092042</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural	<u>3092049</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	<u>3092061</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 6 Circuits, Dual Row	<u>3092062</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housings, 9 Circuits, 3 Rows	<u>3092092</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	<u>3092121</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 12 Circuits, 3 Rows	<u>3092122</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows	<u>3092151</u>
2.36mm Diameter Standard .093" Pin and Socket Plug Housing, 15 Circuits, 3 Rows, with Pre- Bent Mounting Ears, without Pull Tabs, with Lock Windows	<u>3092159</u>
2.36mm Diameter Standard .093" Pin	<u>3092161</u>

	and Socket Plug Housing without Mounting Ears, Positive Lock, 2 Circuits 2.36mm Diameter <u>3096021</u> Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre- bent Mounting Ears, with Ramps, Black 2.36mm Diameter <u>3097022</u> Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Black 2.36mm Diameter <u>3097024</u> Standard .093" Pin and Socket Plug Housing, 2 Circuits, without Mounting Ears, Red 2.36mm Diameter <u>3097032</u> Standard .093" Pin and Socket Plug Housing, 3 Circuits, Single Row, Black 3.18mm Diameter, <u>3121022</u> HCS125, Pin and Socket Receptacle Housing, 2 Circuits, Single Row, with and without Panel Mount Ears 3.18mm Diameter, <u>3121026</u> HCS125, Pin and Socket Receptacle Housing, Single Row, 2 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3121036</u> HCS125, Pin and Socket Receptacle Housing, Single Row, without Panel Mount Ears, 3 Circuits, Natural, Nylon 94V-2 3.18mm Diameter, <u>3121046</u> HCS125, Pin and Socket Receptacle Housing, Single Row, 4 Circuits, Natural (Translucent) 3.18mm Diameter, <u>3122022</u> HCS125, Pin and Socket Plug Housing, 2 Circuits, Single Row, with and without Panel Mount Ears 3.18mm Diameter, <u>3122025</u> HCS125, Pin
--	--

and Socket Plug
Housing, Single
Row, with Panel
Mount Ears, 2
Circuits, Natural
(Translucent)
3.18mm Diameter, [3122026](#)
HCS125, Pin
and Socket Plug
Housing, Single
Row, without Panel
Mount Ears, 2
Circuits, Natural
(Translucent)
3.18mm Diameter, [3122035](#)
HCS125, Pin
and Socket Plug
Housing, Single
Row, with Panel
Mount Ears, 3
Circuits, Natural,
Nylon 94V-2
3.18mm Diameter, [3122036](#)
HCS125, Pin
and Socket Plug
Housing, Single
Row, without Panel
Mount Ears, 3
Circuits, Natural,
Nylon 94V-2
3.18mm Diameter, [3122045](#)
HCS125, Pin
and Socket Plug
Housing, Single
Row, with Panel
Mount Ears, 4
Circuits, Natural
(Translucent)
3.18mm Diameter, [3122046](#)
HCS125, Pin
and Socket Plug
Housing, Single
Row, without Panel
Mount Ears, 4
Circuits, Natural
(Translucent)
Flat Blade Appliance [6021103](#)
Motor Switch Crimp
Housing, 10 Circuits
Flat Blade Appliance [6022030](#)
Water Valve Crimp
Housing, 3 Circuit,
Natural
Flat Blade Appliance [6023042](#)
Defrost Timer Crimp
Housing, 4 Circuit, 4
Circuits
Flat Blade Appliance [6023103](#)
Motor Switch Crimp
Housing, 10 Circuit,
10 Circuits
Flat Blade Appliance [6023104](#)
Dryer Motor Crimp
Housing, 10 Circuit

KK Crimp Terminal, Series 1799, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Chain on Reel	<u>8300109</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Brass Tin (Sn)	<u>8500008</u>
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag	<u>8500032</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass Tin (Sn)	<u>8500106</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 2.540µm Tin (Sn)	<u>8500108</u>
KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Loose	<u>8500110</u>
KK 156 TERMINAL CRIMP 22-26 AWG TIN	<u>8500112</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating	<u>8500114</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 3.8µm Tin (Sn)	<u>8500120</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 2.540µm Tin(Sn)	<u>8500134</u>
KK 254 Crimp Terminal 4809, 22-30 AWG, Tin, Bag	<u>8500136</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Tin (Sn) Plating, Nickel (Ni) Under Plating	<u>8500160</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, Tin (Sn)	<u>8520072</u>
KK .100 CRIMP TERMINAL 100MI MATTE TIN	<u>8520118</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520123</u>

3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, Tin (Sn), Bifurcated	<u>8520127</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Tin (Sn)	<u>8520131</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Tin (Sn)	<u>8520132</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 5.0µm Tin (Sn)	<u>8520812</u>
KK 156 TERMINAL CRIMP 18-24 AWG	<u>8530811</u>
KK CRIMP TERM UNPLT LSE PB2478999L	<u>8530812</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550102</u>
KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.38µm Selective Gold (Au)	<u>8550104</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.38µm Selective Gold(Au)	<u>8550106</u>
KK 254 Crimp Terminal 4809, 22-30 AWG, Selective Gold (Au), Bag	<u>8550111</u>
KK 254 Cat Ear Crimp Terminal 4809, 22-30 AWG, Selective Gold, Reel	<u>8550112</u>
KK High Pressure Crimp Terminal 7879, 22-30 AWG, Bag Selective Gold (Au)	<u>8550129</u>
KK 254 Crimp Terminal, 22-30 AWG, Bag, Selective Gold (Au), Nickel (Ni) Under Plating	<u>8550131</u>
KK 396 Crimp Terminal 2578, 22-26 AWG, Left Payoff Reel, Brass, 0.76µm Select Gold (Au) over Gold Flash	<u>8550137</u>

	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Brass, 0.51µm Selective Gold (Au)	<u>8560106</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Brass, 0.51µm Select Gold (Au) over Gold Flash	<u>8560108</u>
	KK Crimp Terminal, Series 2477, Humpback, with Overall Gold (Au) Plated Brass Contact, 18-24 AWG, Loose	<u>8560114</u>
	KK 156 TERMINAL CRIMP 18-24 AWG GOLD	<u>8580104</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.76µm Gold (Au)	<u>8580115</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580122</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)	<u>8580126</u>
	KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8580135</u>
	KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8580136</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 3.810µm Tin (Sn)	<u>8600004</u>
	KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)	<u>8650115</u>
	KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au)	<u>8650117</u>

3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.38µm Selective Gold (Au), Bifurcated	<u>8650119</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Reel, Phosphor Bronze Selective Gold (Au)	<u>8650128</u>
KK 396 Crimp Terminal 8818, 18-22 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650129</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650801</u>
KK 254 Cat Ear Crimp Terminal 41572, Bag Tin (Sn)	<u>8650805</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650812</u>
KK 254 Crimp Terminal 6459, 22-30 AWG, Bag, Phosphor Bronze Selective Gold (Au)	<u>8650816</u>
KK 100 Crp Term Std 22-30 Awg SGold	<u>8650817</u>
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Bag, Phosphor Bronze, Tin (Sn) Plating	<u>8700049</u>
KK Cat Ear Crimp Terminal 5159, 22-28 AWG, Bag, Brass, Tin (Sn) over Copper Plating	<u>8700069</u>
2.50mm Pitch Mini-Latch Crimp Terminal, Male, Brass, Bag	<u>8700103</u>
SPOX Crimp Terminal, 18-24 AWG, Brass, Bag	<u>8701030</u>
2.50mm Pitch Mini-SPOX Crimp Terminal, 22-28 AWG, Bag	<u>8701040</u>
3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits	<u>9011036</u>
.156 IDT ASSEMBLY 724103L	<u>9072031</u>

	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits	<u>9481024</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits	<u>9481034</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits	<u>9481044</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits	<u>9481054</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits	<u>9481064</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits	<u>9481074</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits	<u>9481084</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits	<u>9481094</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits	<u>9481104</u>
	KK 396 PC Board Connector, Top Entry, Polyester Connector, Gold (Au) Selective, 10 Circuits	<u>9481105</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 11 Circuits	<u>9481114</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 12 Circuits	<u>9481124</u>
	KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 13 Circuits	<u>9481134</u>

KK 396 PC Board	<u>9481144</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 14 Circuits	
KK 396 PC Board	<u>9481154</u>
Connector, Right	
Angle, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
KK 396 PC Board	<u>9483024</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483025</u>
Connector, Right	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483026</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 2 Circuits	
KK 396 PC Board	<u>9483034</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483035</u>
Connector, Right	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483036</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 3 Circuits	
KK 396 PC Board	<u>9483044</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 4 Circuits	
KK 396 PC Board	<u>9483045</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 4 Circuits	
KK 396 PC Board	<u>9483046</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 4 Circuits	
KK 396 PC Board	<u>9483054</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 5 Circuits	
KK 396 PC Board	<u>9483055</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 5 Circuits	

KK 396 PC Board	<u>9483056</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 5 Circuits	
KK 396 PC Board	<u>9483064</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483065</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483066</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 6 Circuits	
KK 396 PC Board	<u>9483074</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483075</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483076</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 7 Circuits	
KK 396 PC Board	<u>9483084</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483085</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483086</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 8 Circuits	
KK 396 PC Board	<u>9483094</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 9 Circuits	
KK 396 PC Board	<u>9483095</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 9 Circuits	
KK 396 PC Board	<u>9483096</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 9 Circuits	

KK 396 PC Board	<u>9483104</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	
KK 396 PC Board	<u>9483105</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	
KK 396 PC Board	<u>9483106</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 10 Circuits	
KK 396 PC Board	<u>9483114</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483115</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483116</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 11 Circuits	
KK 396 PC Board	<u>9483124</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 12 Circuits	
KK 396 PC Board	<u>9483125</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 12 Circuits	
KK 396 PC Board	<u>9483126</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 12 Circuits	
KK 396 PC Board	<u>9483134</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483135</u>
Connector, Right-	
Angle, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483136</u>
Connector, Top	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 13 Circuits	
KK 396 PC Board	<u>9483144</u>
Connector, Bottom	
Entry, Polyester	
Connector, Gold (Au)	
Selective, 14 Circuits	

	KK 396 PC Board	<u>9483145</u>
	Connector, Right-Angle, Polyester	
	Connector, Gold (Au)	
	Selective, 14 Circuits	
	KK 396 PC Board	<u>9483146</u>
	Connector, Top	
	Entry, Polyester	
	Connector, Gold (Au)	
	Selective, 14 Circuits	
	KK 396 PC Board	<u>9483154</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, Gold (Au)	
	Selective, 15 Circuits	
	KK 396 PC Board	<u>9483155</u>
	Connector, Right-Angle, Polyester	
	Connector, Gold (Au)	
	Selective, 15 Circuits	
	KK 396 PC Board	<u>9483156</u>
	Connector, Top	
	Entry, Polyester	
	Connector, Gold (Au)	
	Selective, 15 Circuits	
	KK 396 PC Board	<u>9484028</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 2 Circuits	
	KK 396 PC Board	<u>9484029</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 2 Circuits	
	KK 396 PC Board	<u>9484038</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 3 Circuits	
	KK 396 PC Board	<u>9484039</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 3 Circuits	
	KK 396 PC Board	<u>9484048</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 4 Circuits	
	KK 396 PC Board	<u>9484049</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 4 Circuits	
	KK 396 PC Board	<u>9484058</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 5 Circuits	
	KK 396 PC Board	<u>9484059</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 5 Circuits	

	KK 396 PC Board	<u>9484068</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 6 Circuits	
	KK 396 PC Board	<u>9484069</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 6 Circuits	
	KK 396 PC Board	<u>9484078</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 7 Circuits	
	KK 396 PC Board	<u>9484079</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 7 Circuits	
	KK 396 PC Board	<u>9484088</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 8 Circuits	
	KK 396 PC Board	<u>9484089</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 8 Circuits	
	KK 396 PC Board	<u>9484098</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 9 Circuits	
	KK 396 PC Board	<u>9484099</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 9 Circuits	
	KK 396 PC Board	<u>9484108</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 10 Circuits	
	KK 396 PC Board	<u>9484109</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 10 Circuits	
	KK 396 PC Board	<u>9484119</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 11 Circuits	
	KK 396 PC Board	<u>9484128</u>
	Connector, Top	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 12 Circuits	
	KK 396 PC Board	<u>9484129</u>
	Connector, Bottom	
	Entry, Polyester	
	Connector, 5.00µm	
	Tin (Sn), 12 Circuits	

KK 396 PC Board	<u>9484138</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 13 Circuits	
KK 396 PC Board	<u>9484139</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 13 Circuits	
KK 396 PC Board	<u>9484148</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 14 Circuits	
KK 396 PC Board	<u>9484149</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 14 Circuits	
KK 396 PC Board	<u>9484158</u>
Connector, Top	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
KK 396 PC Board	<u>9484159</u>
Connector, Bottom	
Entry, Polyester	
Connector, 5.00µm	
Tin (Sn), 15 Circuits	
KK 156 PC Board	<u>9485088</u>
Connector, Top	
Entry, Polyester	
Connector, Tin (Sn),	
8 Circuits	
3.96mm Pitch SPOX	<u>9501021</u>
Crimp Housing,	
Female, with Friction	
Ramp, 2 Circuits,	
Natural	
3.96mm Pitch SPOX	<u>9501023</u>
Crimp Housing,	
Female, with Friction	
Ramp and Void, 2	
Circuits, Natural	
3.96mm Pitch SPOX	<u>9501031</u>
Crimp Housing,	
Female, with Friction	
Ramp, 3 Circuits,	
Natural	
3.96mm Pitch SPOX	<u>9501033</u>
Crimp Housing,	
Female, with Friction	
Ramp and Void, 3	
Circuits, Natural	
3.96mm Pitch SPOX	<u>9501041</u>
Crimp Housing,	
Female, with Friction	
Ramp, 4 Circuits,	
Natural	
3.96mm Pitch SPOX	<u>9501043</u>
Crimp Housing,	
Female, with Friction	
Ramp and Void, 4	
Circuits, Natural	

3.96mm Pitch SPOX [9501051](#)
Crimp Housing,
Female, with Friction
Ramp, 5 Circuits,
Natural

3.96mm Pitch SPOX [9501053](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 5
Circuits, Natural

3.96mm Pitch SPOX [9501061](#)
Crimp Housing,
Female, with Friction
Ramp, 6 Circuits,
Natural

3.96mm Pitch SPOX [9501063](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 6
Circuits, Natural

3.96mm Pitch SPOX [9501071](#)
Crimp Housing,
Female, with Friction
Ramp, 7 Circuits,
Natural

3.96mm Pitch SPOX [9501073](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 7
Circuits, Natural

3.96mm Pitch SPOX [9501081](#)
Crimp Housing,
Female, with Friction
Ramp, 8 Circuits,
Natural

3.96mm Pitch SPOX [9501083](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 8
Circuits, Natural

3.96mm Pitch SPOX [9501091](#)
Crimp Housing,
Female, with Friction
Ramp, 9 Circuits,
Natural

3.96mm Pitch SPOX [9501101](#)
Crimp Housing,
Female, with Friction
Ramp, 10 Circuits,
Natural

3.96mm Pitch SPOX [9501103](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 10
Circuits, Natural

3.96mm Pitch SPOX [9501111](#)
Crimp Housing,
Female, with Friction
Ramp, 11 Circuits,
Natural

3.96mm Pitch SPOX [9501113](#)
Crimp Housing,
Female, with Friction
Ramp and Void, 11
Circuits, Natural

	3.96mm Pitch SPOX <u>9501121</u> Crimp Housing, Female, with Friction Ramp, 12 Circuits, Natural
	KK 3.96mm Crimp <u>9503021</u> Terminal Housing, Friction Ramp, 2 Circuits, Natural
	KK 3.96mm Crimp <u>9503031</u> Terminal Housing, Friction Ramp, 3 Circuits, Natural
	KK 3.96mm Crimp <u>9503041</u> Terminal Housing, Friction Ramp, 4 Circuits, Natural
	KK 3.96mm Crimp <u>9503051</u> Terminal Housing, Friction Ramp, 5 Circuits, Natural
	KK 3.96mm Crimp <u>9503061</u> Terminal Housing, Friction Ramp, 6 Circuits, Natural
	KK 3.96mm Crimp <u>9503071</u> Terminal Housing, Friction Ramp, 7 Circuits, Natural
	KK 3.96mm Crimp <u>9503081</u> Terminal Housing, Friction Ramp, 8 Circuits, Natural
	KK 3.96mm Crimp <u>9503091</u> Terminal Housing, Friction Ramp, 9 Circuits, Natural
	KK 3.96mm Crimp <u>9503101</u> Terminal Housing, Friction Ramp, 10 Circuits, Natural
	KK 3.96mm Crimp <u>9503111</u> Terminal Housing, Friction Ramp, 11 Circuits, Natural
	KK 3.96mm Crimp <u>9503121</u> Terminal Housing, Friction Ramp, 12 Circuits, Natural
	KK 3.96mm Crimp <u>9503131</u> Terminal Housing, Friction Ramp, 13 Circuits, Natural
	KK 3.96mm Crimp <u>9503141</u> Terminal Housing, Friction Ramp, 14 Circuits, Natural
	KK 3.96mm Crimp <u>9503151</u> Terminal Housing, Friction Ramp, 15 Circuits, Natural
	KK 3.96mm Crimp <u>9503161</u> Terminal Housing, Friction Ramp, 16 Circuits, Natural

KK 3.96mm Crimp Terminal Housing, Friction Ramp, 17 Circuits, Natural	<u>9503171</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 18 Circuits, Natural	<u>9503181</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 19 Circuits, Natural	<u>9503191</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 20 Circuits, Natural	<u>9503201</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 21 Circuits, Natural	<u>9503211</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 22 Circuits, Natural	<u>9503221</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 23 Circuits, Natural	<u>9503231</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 24 Circuits, Natural	<u>9503241</u>
KK 3.96mm Crimp Terminal Housing, 2 Circuits, Natural	<u>9507021</u>
KK 3.96mm Crimp Terminal Housing, 4 Circuits, Natural	<u>9507041</u>
KK 3.96mm Crimp Terminal Housing, 5 Circuits, Natural	<u>9507051</u>
KK 3.96mm Crimp Terminal Housing, 6 Circuits, Natural	<u>9507061</u>
KK 3.96mm Crimp Terminal Housing, 8 Circuits, Natural	<u>9507081</u>
KK 3.96mm Crimp Terminal Housing, 9 Circuits, Natural	<u>9507091</u>
KK 3.96mm Crimp Terminal Housing, 10 Circuits, Natural	<u>9507101</u>
KK 3.96mm Crimp Terminal Housing, 12 Circuits, Natural	<u>9507121</u>
KK 3.96mm Crimp Terminal Housing, 13 Circuits, Natural	<u>9507131</u>
KK 3.96mm Crimp Terminal Housing, 14 Circuits, Natural	<u>9507141</u>
KK 3.96mm Crimp Terminal Housing, 15 Circuits, Natural	<u>9507151</u>

KK 3.96mm Crimp	<u>9507161</u>
Terminal Housing, 16	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507171</u>
Terminal Housing, 17	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507181</u>
Terminal Housing, 18	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507191</u>
Terminal Housing, 19	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507201</u>
Terminal Housing, 20	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507211</u>
Terminal Housing, 21	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507231</u>
Terminal Housing, 23	
Circuits, Natural	
KK 3.96mm Crimp	<u>9507241</u>
Terminal Housing, 24	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508020</u>
Terminal Housing, 2	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508021</u>
Terminal Housing,	
Friction Ramp, 2	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508023</u>
Terminal Housing,	
Friction Ramp, 2	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508030</u>
Terminal Housing, 3	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508031</u>
Terminal Housing,	
Friction Ramp, 3	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508033</u>
Terminal Housing,	
Friction Ramp, 3	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508040</u>
Terminal Housing, 4	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508041</u>
Terminal Housing,	
Friction Ramp, 4	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508043</u>
Terminal Housing,	
Friction Ramp, 4	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508050</u>
Terminal Housing, 5	
Circuits, Natural	
KK 3.96mm Crimp	<u>9508051</u>
Terminal Housing,	
Friction Ramp, 5	
Circuits, Natural	

KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural	<u>9508053</u>
KK 3.96mm Crimp Terminal Housing, 6 Circuits, Natural	<u>9508060</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	<u>9508061</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural	<u>9508063</u>
KK 3.96mm Crimp Terminal Housing, 7 Circuits, Natural	<u>9508070</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural	<u>9508071</u>
KK 3.96mm Crimp Terminal Housing, 8 Circuits, Natural	<u>9508080</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	<u>9508081</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural	<u>9508083</u>
KK 3.96mm Crimp Terminal Housing, 9 Circuits, Natural	<u>9508090</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	<u>9508091</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural	<u>9508093</u>
KK 3.96mm Crimp Terminal Housing, 10 Circuits, Natural	<u>9508100</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	<u>9508101</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural	<u>9508103</u>
KK 3.96mm Crimp Terminal Housing, 11 Circuits, Natural	<u>9508110</u>
KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Natural	<u>9508111</u>
KK 3.96mm Crimp Terminal Housing,	<u>9508113</u>

Friction Ramp, 11 Circuits, Natural KK 3.96mm Crimp Terminal Housing, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 12 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Natural SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 2 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 3 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 4 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 5 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 6 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 7 Circuits SPOX and KK 396 Wire-to-Board Header, Vertical, with Friction Lock, 8 Circuits	 <u>9508120</u> <u>9508121</u> <u>9508123</u> <u>9508131</u> <u>9508133</u> <u>9508141</u> <u>9508143</u> <u>9652028</u> <u>9652038</u> <u>9652048</u> <u>9652058</u> <u>9652068</u> <u>9652078</u> <u>9652088</u>
--	--

	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 2 Circuits, Glow-Wire Capable	<u>9930200</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 3 Circuits, Glow-Wire Capable	<u>9930300</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Glow-Wire Capable	<u>9930400</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Glow-Wire Capable	<u>9930500</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Glow-Wire Capable	<u>9930600</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Glow-Wire Capable	<u>9930700</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Glow-Wire Capable	<u>9930800</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Glow-Wire Capable	<u>9930900</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Glow-Wire Capable	<u>9931000</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 11 Circuits, Glow-Wire Capable	<u>9931100</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 13 Circuits, Glow-Wire Capable	<u>9931300</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 14 Circuits, Glow-Wire Capable	<u>9931400</u>
	KK 3.96mm Crimp Terminal Housing, Friction Ramp, 15 Circuits, Glow-Wire Capable	<u>9931500</u>

	15 PIN MICRO- D FEMAL ASSY M8351309B11	<u>10008503</u>
	5.08mm Pitch KK Crimp Terminal Housing, 2 Circuits, Natural	<u>10011024</u>
	5.08mm Pitch KK Crimp Terminal Housing, 3 Circuits, Natural	<u>10011034</u>
	5.08mm Pitch KK Crimp Terminal Housing, 4 Circuits, Natural	<u>10011044</u>
	5.08mm Pitch KK Crimp Terminal Housing, 5 Circuits, Natural	<u>10011054</u>
	5.08mm Pitch KK Crimp Terminal Housing, 6 Circuits, Natural	<u>10011064</u>
	5.08mm Pitch KK Crimp Terminal Housing, 7 Circuits, Natural	<u>10011074</u>
	5.08mm Pitch KK Crimp Terminal Housing, 8 Circuits, Natural	<u>10011084</u>
	5.08mm Pitch KK Crimp Terminal Housing, 9 Circuits, Natural	<u>10011094</u>
	5.08mm Pitch KK Crimp Terminal Housing, 10 Circuits, Natural	<u>10011104</u>
	5.08mm Pitch KK Crimp Terminal Housing, 11 Circuits, Natural	<u>10011114</u>
	5.08mm Pitch KK Crimp Terminal Housing, 12 Circuits, Natural	<u>10011124</u>
	5.08mm Pitch SPOX Crimp Terminal Housing, 2 Circuits, Natural	<u>10013026</u>
	5.08mm Pitch SPOX Crimp Terminal Housing, 3 Circuits, Natural	<u>10013036</u>
	5.08mm Pitch SPOX Crimp Terminal Housing, 4 Circuits, Natural	<u>10013046</u>
	5.08mm Pitch SPOX Crimp Terminal Housing, 5 Circuits, Natural	<u>10013056</u>
	5.08mm Pitch SPOX Crimp Terminal	<u>10013066</u>

Housing, 6 Circuits, Natural 5.08mm Pitch SPOX	<u>10013076</u>
Crimp Terminal Housing, 7 Circuits, Natural 5.08mm Pitch SPOX	<u>10013086</u>
Crimp Terminal Housing, 8 Circuits, Natural 5.08mm Pitch SPOX	<u>10013096</u>
Crimp Terminal Housing, 9 Circuits, Natural KK PC Board	<u>10021022</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 2 Circuits KK PC Board	<u>10021032</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 3 Circuits KK PC Board	<u>10021042</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 4 Circuits KK PC Board	<u>10021052</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 5 Circuits KK PC Board	<u>10021062</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 6 Circuits KK PC Board	<u>10021072</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 7 Circuits KK PC Board	<u>10021082</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 8 Circuits KK PC Board	<u>10021092</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 9 Circuits KK PC Board	<u>10021102</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 10 Circuits KK PC Board	<u>10021112</u>
Connector, Bottom Entry Mount Style B, 1.00µm Tin (Sn), 11 Circuits	

	KK PC Board	<u>10021122</u>
	Connector, Bottom	
	Entry Mount Style B,	
	1.00µm Tin (Sn), 12	
	Circuits	
	5.08mm Pitch KK	<u>10061045</u>
	Header, Right	
	Angle, Square Pin,	
	4 Circuits, Tin (Sn)	
	Plating	
	KK Header, Right	<u>10061055</u>
	Angle, Square Pin,	
	5 Circuits, Tin (Sn)	
	Plating	
	KK Header, Vertical,	<u>10081021</u>
	Round Pin, 2	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	19.05mm	
	KK Header, Vertical,	<u>10081022</u>
	Round Pin, 2	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	23.80mm	
	KK Header, Vertical,	<u>10081039</u>
	Round Pin, 3	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	20.32mm	
	KK Header, Vertical,	<u>10081041</u>
	Round Pin, 4	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	19.05mm	
	KK Header, Vertical,	<u>10081049</u>
	Round Pin, 4	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	20.32mm	
	KK Header, Vertical,	<u>10081051</u>
	Round Pin, 5	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	19.05mm	
	KK Header, Vertical,	<u>10081061</u>
	Round Pin, 6	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	19.05mm	
	KK Header, Vertical,	<u>10081069</u>
	Round Pin, 6	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	20.32mm	
	KK Header, Vertical,	<u>10081071</u>
	Round Pin, 7	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	19.05mm	
	KK Header, Vertical,	<u>10081081</u>
	Round Pin, 8	
	Circuits, Tin (Sn)	
	Plating, Pin Length	
	19.05mm	

KK Header, Vertical, [10081082](#)
Round Pin, 8
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081089](#)
Round Pin, 8
Circuits, Tin (Sn)
Plating, Pin Length
20.32mm
KK Header, Vertical, [10081091](#)
Round Pin, 9
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081101](#)
Round Pin, 10
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081102](#)
Round Pin, 10
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081111](#)
Round Pin, 11
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10081112](#)
Round Pin, 11
Circuits, Tin (Sn)
Plating, Pin Length
23.80mm
KK Header, Vertical, [10081121](#)
Round Pin, 12
Circuits, Tin (Sn)
Plating, Pin Length
19.05mm
KK Header, Vertical, [10085021](#)
with Polarizing
Backwall, 2 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085031](#)
with Polarizing
Backwall, 3 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085041](#)
with Polarizing
Backwall, 4 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085051](#)
with Polarizing
Backwall, 5 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085061](#)
with Polarizing
Backwall, 6 Circuits,
Tin (Sn) Plating
KK Header, Vertical, [10085071](#)
with Polarizing
Backwall, 7 Circuits,
Tin (Sn) Plating

KK Header, Vertical, 10085081
with Polarizing
Backwall, 8 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085101
with Polarizing
Backwall, 10 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085111
with Polarizing
Backwall, 11 Circuits,
Tin (Sn) Plating
KK Header, Vertical, 10085121
with Polarizing
Backwall, 12 Circuits,
Tin (Sn) Plating
KK PC Board 10101021
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 2
Circuits
KK PC Board 10101023
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 2
Circuits
KK PC Board 10101031
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 3
Circuits
KK PC Board 10101033
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 3
Circuits
KK PC Board 10101041
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 4
Circuits
KK PC Board 10101043
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 4
Circuits
KK PC Board 10101051
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 5
Circuits
KK PC Board 10101053
Connector, Top
Entry Mount Style C,
1.00μm Tin (Sn), 5
Circuits
KK PC Board 10101061
Connector, Right-
Angle Mount Style A,
1.00μm Tin (Sn), 6
Circuits
KK PC Board 10101063
Connector, Top
Entry Mount Style C,

1.00µm Tin (Sn), 6 Circuits KK PC Board	<u>10101071</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 7 Circuits KK PC Board	<u>10101073</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 7 Circuits KK PC Board	<u>10101081</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 8 Circuits KK PC Board	<u>10101091</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 9 Circuits KK PC Board	<u>10101093</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 9 Circuits KK PC Board	<u>10101101</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 10 Circuits KK PC Board	<u>10101103</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 10 Circuits KK PC Board	<u>10101111</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 11 Circuits KK PC Board	<u>10101113</u>
Connector, Top Entry Mount Style C, 1.00µm Tin (Sn), 11 Circuits KK PC Board	<u>10101121</u>
Connector, Right- Angle Mount Style A, 1.00µm Tin (Sn), 12 Circuits	

This document was generated on 03/09/2020

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION