

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0011402158

Status:

Active

Overview:

Application Tooling

Description:

Terminator Die

Documents:

RoHS Certificate of Compliance (PDF)

General

Product Family

Series

Function

Geographic Area

Level of Automation

More Detailed Tech Information

Overview

Product Name

Tool Type

UPC

Warranty Disclaimer

Application Tooling

207122

Crimp

Global

Semi-Automatic

applicationtooling@molex.com

Application Tooling

N/A

Terminator Die

800753905368

CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info


Engineering Number

T8367B

Reference - Drawing Numbers

Application Tooling Documents

T8367B, TM-638000029-001, TM-638000029CN-001, TM-638000029DE-001, TM-638000029FR-001, TM-638000029IT-001, TM-638000029JP-001, TM-638000029KR-001, TM-638000029MY-001, TM-638000029PL-001, TM-638000029RU-001, TM-638000029SK-001, TM-638000029SP-001, TM-638000029TH-001, TM-638000029TW-001, TM-638000029VN-001, TM-638500090, TM-638500090SP



Series image - Reference only

EU ELV

Not Reviewed

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

For more information, please visit [Contact US](#)

China ROHS

Not Reviewed

ELV

Not Reviewed

RoHS Phthalates

Not Reviewed

Search Parts in this Series

207122 Series

Use With

Molex TM-42 Press [690025001](#) and Base Unit [11193001](#) for the 3BF Press

| Application Tooling Description                                                                                                        | FAQ Product #           |
|----------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Bag              | <a href="#">2061103</a> |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag | <a href="#">2061132</a> |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp                                                                                   | <a href="#">2062103</a> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2062132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065102</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065104</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged<br>1.57mm Diameter, <a href="#">2065109</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2065139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                       |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.57mm Diameter, <u>2065148</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag                              |
|  | 1.57mm Diameter, <u>2066102</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged                 |
|  | 1.57mm Diameter, <u>2066103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag                                             |
|  | 1.57mm Diameter, <u>2066104</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged      |
|  | 1.57mm Diameter, <u>2066119</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Bag |
|  | 1.57mm Diameter, <u>2066122</u><br>Standard .062"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1778, Male,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, Bag                                            |
|  | .062 Male Term PC <u>2066125</u><br>Tail 30 au                                                                                                                                                                        |
|  | 1.57mm Diameter, <u>2066135</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Bag                                             |

|  |                                                                                                                                                                             |                |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, 24-30 AWG, Bag                             | <u>2066139</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1854, Male, with Selective Gold (Au) Plated Brass Contact, Tin (Sn) Plated Crimp Area, 24-30 AWG, Bag | <u>2066144</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with 2.54µm Tin (Sn) Plated Brass Contact, Bag Packaged                               | <u>2067103</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1779, Female, with .76µm Selective Gold (Au) Plated Brass Contact, Bag Packaged                     | <u>2067104</u> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket PC Tail Terminal, Series 1778, Male, with Tin (Sn) Plated Brass Contact, Bag                                                 | <u>2068103</u> |
|  | 062 Male Term Tin PCTail Chn                                                                                                                                                | <u>2068104</u> |
|  | MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)                                                                                                                           | <u>2081002</u> |
|  | MLX Crimp Terminal 42024, 14-20 AWG, Bag Tin (Sn)                                                                                                                           | <u>2081004</u> |
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag                                                                                               | <u>2081102</u> |
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel                                                                                              | <u>2081103</u> |
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass                                                                                                                       | <u>2081104</u> |

Contact, 24-30 AWG,  
Bag  
.084" UNPLATED 2081211  
TERMINAL 8980V01  
.084" PC TAIL TERM2081212  
- 999 8980R11  
.084" PC TAIL TERM2081214  
- 999 8980R13  
2.096MM DIA 2081266  
TERMINAL  
2.096MM DIA 2081268  
TERMINAL  
2.13mm DIA PC 2081309  
TAIL TERM PhBr  
2.54SnLF  
2.096MM DIA 2081363  
TERMINAL PhBr  
2.54SnLF  
2.096MM DIA 2081365  
TERMINAL PhBr  
2.54SnLF  
MLX Crimp Terminal 2082004  
42023, 14-20 AWG,  
Bag Tin (Sn)  
MLX Crimp Terminal 2082006  
42023, 14-20 AWG,  
Bag Tin (Sn)  
MLX Crimp Terminal 2082008  
42023, 14-20 AWG,  
Bag Selective Gold  
(Au)  
42023-2A0,Ter Male 2082011  
2.13 Chn Unplate  
Claspcon Crimp 2085101  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 16-24 AWG,  
Reel  
2.36mm Diameter, 2091104  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter 2091118  
Standard .093"  
Crimp Terminal,  
Dimpled Female,  
18-22 AWG, Bag  
2.36mm Diameter, 2091119  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Tin (Sn) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, 2091123  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
2273, Female, with  
Tin (Sn) Plated

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Contact, Low Engagement Force, 18-22 AWG, Bag 2.36mm Diameter, <a href="#">2091134</a> Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag 2.36mm Diameter, <a href="#">2091155</a> Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain 2.36mm Diameter, <a href="#">2091206</a> Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag 2.36mm Diameter, <a href="#">2092118</a> Standard .093" Pin and Socket Crimp Terminal, Series 1380, Male, with Tin (Sn) Plated Brass Contact, 18-22 AWG, Bag 2.36mm Diameter, <a href="#">2092133</a> Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin/Lead (Sn/Pb) Plated Contact, With Detent, Bag Packaged 2.36mm Diameter, <a href="#">2092134</a> Standard .093" Pin and Socket PC Tail Terminal, Series 1376, Male, with Tin (Sn) Plated Contact, Without Detent, Bag Packaged 2.36mm Diameter, <a href="#">2092167</a> Standard .093" Pin and Socket Crimp Terminal, Series 4549, Male, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag Packaged 2.36mm Diameter, <a href="#">2092171</a> Standard .093" Pin and Socket Crimp Terminal, Series |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Bag<br>2.36mm Diameter, <a href="#">2095101</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Chain<br>2.36mm Diameter, <a href="#">2095106</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095111</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2096102</a><br>Standard .093" Pin |
|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, [2096106](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Gold (Au) Plated  
Brass Contact, 14-20  
AWG, Bag  
2.36mm Diameter, [2096110](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1190, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 14-20 AWG,  
Bag  
2.36mm Diameter, [2096123](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Gold (Au) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, [2096126](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, [2096132](#)  
Standard .093"  
Pin and Socket  
PC Tail Terminal,  
Series 1376, Male,  
with Gold (Au)  
Plated Contact,  
Without Detent, Bag  
Packaged  
2.36mm Diameter, [2098104](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, [2098109](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Bag

|  |                                                                                |                |
|--|--------------------------------------------------------------------------------|----------------|
|  | Mini-Fit Jr.                                                                   | <u>3044052</u> |
|  | Receptacle Housing,<br>Single Row, 5<br>Circuits, UL 94V-2,<br>Natural         |                |
|  | 1.57mm Diameter                                                                | <u>3061011</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>1 Circuits, Natural                                     |                |
|  | 1.57mm Diameter                                                                | <u>3061022</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural |                |
|  | 1.57mm Diameter                                                                | <u>3061023</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears,<br>Natural        |                |
|  | 1.57mm Diameter                                                                | <u>3061031</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>3 Circuits, with<br>Standard Mounting<br>Ears           |                |
|  | 1.57mm Diameter                                                                | <u>3061032</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>3 Circuits, without<br>Mounting Ears,<br>Natural        |                |
|  | 1.57mm Diameter                                                                | <u>3061038</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>3 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural |                |
|  | 1.57mm Diameter                                                                | <u>3061041</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>4 Circuits, with<br>Standard Mounting<br>Ears           |                |
|  | 1.57mm Diameter                                                                | <u>3061042</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural        |                |
|  | 1.57mm Diameter                                                                | <u>3061044</u> |
|  | Standard .062"                                                                 |                |
|  | Pin and Socket                                                                 |                |
|  | Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA                  |                |

Polyamide Nylon 6/6,  
UL 94V-2, 4 Circuits,  
Natural

|                 |                |
|-----------------|----------------|
| 1.57mm Diameter | <u>3061062</u> |
| Standard .062"  |                |

Pin and Socket  
Receptacle Housing,  
6 Circuits, without  
Mounting Ears,  
Natural

|                 |                |
|-----------------|----------------|
| 1.57mm Diameter | <u>3061092</u> |
| Standard .062"  |                |

Pin and Socket  
Receptacle Housing,  
9 Circuits, without  
Mounting Ears,  
Natural

|                 |                |
|-----------------|----------------|
| 1.57mm Diameter | <u>3061121</u> |
| Standard .062"  |                |

Pin and Socket  
Receptacle Housing,  
12 Circuits, with  
Standard Mounting  
Ears, Natural

|                 |                |
|-----------------|----------------|
| 1.57mm Diameter | <u>3061122</u> |
| Standard .062"  |                |

Pin and Socket  
Receptacle Housing,  
12 Circuits, without  
Mounting Ears,  
Natural

1.57mm Diameter      3062011  
Standard .062" Pin

and Socket Plug  
Housing, 1 Circuits,  
Natural

1.57mm Diameter      3062023  
Standard .062" Pin

and Socket Plug  
Housing, 2 Circuits,  
without Mounting  
Ears, Natural

1.57mm Diameter      3062024  
Standard .062"

Pin and Socket  
Plug Housing, 2  
Circuits, with Pre-  
bent Mounting Ears,  
Natural

1.57mm Diameter      3062031  
Standard .062" Pin

and Socket Plug Housing, 3 Circuits, with Standard Mounting Ears, Natural

1.57mm Diameter      3062032  
Standard .062" Pin

Standard 1002 - 1 Pin  
and Socket Plug  
Housing, 3 Circuits,  
without Mounting  
Ears, Natural

1.57mm Diameter      3062033  
Standard .062"

Pin and Socket

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <a href="#"><u>3062041</u></a><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>with Standard<br>Mounting Ears<br>1.57mm Diameter <a href="#"><u>3062042</u></a><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <a href="#"><u>3062044</u></a><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Dual Row,<br>without Mounting<br>Ears, PA Polyamide<br>Nylon 6/6, UL 94V-2,<br>4 Circuits, Natural<br>1.57mm Diameter <a href="#"><u>3062061</u></a><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <a href="#"><u>3062092</u></a><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 9 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <a href="#"><u>3062121</u></a><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 12<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <a href="#"><u>3062122</u></a><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 12 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <a href="#"><u>3066023</u></a><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <a href="#"><u>3066062</u></a><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, without<br>Mounting Ears, Black<br>1.57mm Diameter <a href="#"><u>3067023</u></a><br>Standard .062" Pin<br>and Socket Plug<br>Housing, Black, 2 |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                                                             |                |
|-----------------------------------------------------------------------------------------------------------------------------|----------------|
| Circuits, without Mounting Ears, Black                                                                                      |                |
| 1.57mm Diameter                                                                                                             | <u>3067044</u> |
| Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2,              |                |
| 4 Circuits, Black                                                                                                           |                |
| 1.57mm Diameter                                                                                                             | <u>3067061</u> |
| Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Black                                        |                |
| 2.36mm Diameter                                                                                                             | <u>3091011</u> |
| Standard .093" Pin and Socket Receptacle Housing, 1 Circuit, Friction Lock, Natural                                         |                |
| 2.36mm Diameter                                                                                                             | <u>3091022</u> |
| Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, with Ramps, Natural                    |                |
| 2.36mm Diameter                                                                                                             | <u>3091027</u> |
| Standard .093" Pin and Socket Receptacle Housing, 2 Circuits, with Pre-bent Mounting Ears, with Ramps, Natural              |                |
| 2.36mm Diameter                                                                                                             | <u>3091030</u> |
| Standard Receptacle Housing, 3 Circuit, Natural                                                                             |                |
| 2.36mm Diameter                                                                                                             | <u>3091031</u> |
| Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural                                           |                |
| 2.36mm Diameter                                                                                                             | <u>3091032</u> |
| Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Natural                                           |                |
| 2.36mm Diameter                                                                                                             | <u>3091033</u> |
| Standard .093" Pin and Socket Receptacle Housing, 3 Circuits, Single Row, Free-Hanging, without Passive Lock Ramps, Natural |                |
| 2.36mm Diameter                                                                                                             | <u>3091041</u> |
| Standard .093" Pin and Socket Receptacle Housing,                                                                           |                |

|                                 |                |
|---------------------------------|----------------|
| 4 Circuits, Single Row, Natural |                |
| 2.36mm Diameter                 | <u>3091049</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle Housing,             |                |
| 4 Circuits, Dual Row,           |                |
| without Mounting                |                |
| Ears, Natural                   |                |
| 2.36mm Diameter                 | <u>3091062</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle Housing,             |                |
| 6 Circuits, Dual Row,           |                |
| Natural                         |                |
| 2.36mm Diameter                 | <u>3091063</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle Housing,             |                |
| 6 Circuits, Dual Row,           |                |
| without Panel Mount             |                |
| Ears, without Friction          |                |
| Lock Ramp                       |                |
| 2.36mm Diameter                 | <u>3091064</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle Housing,             |                |
| 6 Circuits, Dual Row,           |                |
| Natural                         |                |
| 2.36mm Diameter                 | <u>3091081</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle Housing,             |                |
| 3 Circuits, Single              |                |
| Row, Natural                    |                |
| 2.36mm Diameter                 | <u>3091091</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle                      |                |
| Housings, 9 Circuits,           |                |
| 3 Rows, Natural                 |                |
| 2.36mm Diameter                 | <u>3091093</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle                      |                |
| Housings, 9 Circuits,           |                |
| 3 Rows, without                 |                |
| Panel Mount Ears,               |                |
| without Passive Lock            |                |
| Ramp                            |                |
| 2.36mm Diameter                 | <u>3091094</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle                      |                |
| Housings, 9 Circuits,           |                |
| 3 Rows, Natural                 |                |
| 2.36mm Diameter                 | <u>3091121</u> |
| Standard .093"                  |                |
| Pin and Socket                  |                |
| Receptacle Housing,             |                |
| 12 Circuits, 3 Rows,            |                |
| Panel Mountable,                |                |
| without Passive                 |                |
| Locking Ramps                   |                |

|  |                                                                                                                                                             |                |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                               | <u>3091125</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural                                               | <u>3091126</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps | <u>3091151</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps       | <u>3091152</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps    | <u>3091153</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps          | <u>3091157</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits                         | <u>3091161</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 1 Circuit,<br>Friction Lock, Natural                                                   | <u>3092011</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural                              | <u>3092021</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin                                                                                                                       | <u>3092022</u> |

|                                                                                                                        |         |
|------------------------------------------------------------------------------------------------------------------------|---------|
| and Socket Plug Housing, 2 Circuits, without Mounting Ears, Natural 2.36mm Diameter Standard .093" Pin and Socket Plug | 3092031 |
| Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter Standard .093" Pin and Socket Plug                            | 3092032 |
| Housing, 3 Circuits, Single Row, Natural 2.36mm Diameter Standard .093" Pin and Socket Plug                            | 3092041 |
| Housing, 4 Circuits, Single Row 2.36mm Diameter Standard .093" Pin and Socket Plug                                     | 3092042 |
| Housing, 4 Circuits, Single Row 2.36mm Diameter Standard .093" Pin and Socket Plug                                     | 3092049 |
| Housing, 4 Circuits, Dual Row, without Mounting Ears, Natural 2.36mm Diameter Standard .093" Pin and Socket Plug       | 3092061 |
| Housing, 6 Circuits, Dual Row 2.36mm Diameter Standard .093" Pin and Socket Plug                                       | 3092062 |
| Housing, 6 Circuits, Dual Row 2.36mm Diameter Standard .093" Pin and Socket Plug                                       | 3092092 |
| Housings, 9 Circuits, 3 Rows 2.36mm Diameter Standard .093" Pin and Socket Plug                                        | 3092121 |
| Housing, 12 Circuits, 3 Rows 2.36mm Diameter Standard .093" Pin and Socket Plug                                        | 3092122 |
| Housing, 12 Circuits, 3 Rows 2.36mm Diameter Standard .093" Pin and Socket Plug                                        | 3092151 |
| Housing, 15 Circuits, 3 Rows, without Mounting Ears, with Pull Tabs, without Lock Windows                              |         |

|  |                                                                                                                                                                          |                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows | <u>3092159</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            | <u>3092161</u> |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                          | <u>3096021</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                                      | <u>3097022</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                        | <u>3097024</u> |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>Single Row, Black                                                                    | <u>3097032</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                                  | <u>3121022</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                                 | <u>3121026</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2                  | <u>3121036</u> |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single                                                                                              | <u>3121046</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Row, 4 Circuits,<br>Natural (Translucent)<br>3.18mm Diameter, <u>3122022</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears<br>3.18mm Diameter, <u>3122025</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122026</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122035</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122036</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <u>3122045</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <u>3122046</u><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>Flat Blade Appliance <u>6021103</u><br>Motor Switch Crimp<br>Housing, 10 Circuits<br>Flat Blade Appliance <u>6022030</u><br>Water Valve Crimp<br>Housing, 3 Circuit,<br>Natural |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Flat Blade Appliance 6023042  
Defrost Timer Crimp  
Housing, 4 Circuit, 4  
Circuits

Flat Blade Appliance 6023103  
Motor Switch Crimp  
Housing, 10 Circuit,  
10 Circuits

Flat Blade Appliance 6023104  
Dryer Motor Crimp  
Housing, 10 Circuit

KK Crimp Terminal, 8300109  
Series 1799, Female,  
with Tin (Sn) Plated  
Brass Contact, 18-24  
AWG, Chain on Reel

KK 396 Crimp 8500008  
Terminal 8818, 18-22  
AWG, Reel, Brass  
Tin (Sn)

KK 254 Cat Ear 8500032  
Crimp Terminal  
4809, 22-30 AWG,  
Hot Tin Dip, Bag

KK 396 Crimp 8500106  
Terminal 2478, 18-24  
AWG, Bag, Brass Tin  
(Sn)

KK 396 Crimp 8500108  
Terminal 2578, 22-26  
AWG, Bag, Brass,  
2.540μm Tin (Sn)

KK Crimp Terminal, 8500110  
Series 2477,  
Humpback, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Loose

KK 156 TERMINAL 8500112  
CRIMP 22-26 AWG  
TIN

KK 254 Crimp 8500114  
Terminal, 22-30  
AWG, Bag, Hot Tin  
(Sn) Dip Plating

KK 396 Crimp 8500120  
Terminal 2478, 18-24  
AWG, Bag, Brass,  
3.8μm Tin (Sn)

KK 396 Crimp 8500134  
Terminal 2578,  
22-26 AWG, Bag,  
Phosphor Bronze,  
2.540μm Tin(Sn)

KK 254 Crimp 8500136  
Terminal 4809, 22-30  
AWG, Tin, Bag

KK 254 Crimp 8500160  
Terminal, 22-30  
AWG, Bag, Tin (Sn)  
Plating, Nickel (Ni)  
Under Plating

KK 396 Crimp 8520072  
Terminal 2478,  
18-24 AWG, Bag,

|                                                                                                           |                |
|-----------------------------------------------------------------------------------------------------------|----------------|
| Phosphor Bronze,<br>Tin (Sn)<br>KK .100 CRIMP<br>TERMINAL 100MI<br>MATTE TIN                              | <u>8520118</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                          | <u>8520123</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, Tin (Sn),<br>Bifurcated | <u>8520127</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)                         | <u>8520131</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                          | <u>8520132</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)                   | <u>8520812</u> |
| KK 156 TERMINAL<br>CRIMP 18-24 AWG                                                                        | <u>8530811</u> |
| KK CRIMP TERM<br>UNPLT LSE<br>PB2478999L                                                                  | <u>8530812</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating         | <u>8550102</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold (Au)                 | <u>8550104</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold(Au)                  | <u>8550106</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                  | <u>8550111</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Selective Gold, Reel                              | <u>8550112</u> |
| KK High Pressure<br>Crimp Terminal<br>7879, 22-30 AWG,<br>Bag Selective Gold<br>(Au)                      | <u>8550129</u> |

|  |                                                                                                                           |                |
|--|---------------------------------------------------------------------------------------------------------------------------|----------------|
|  | KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating                         | <u>8550131</u> |
|  | KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Left Payoff<br>Reel, Brass, 0.76µm<br>Select Gold (Au)<br>over Gold Flash    | <u>8550137</u> |
|  | KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.51µm Selective<br>Gold (Au)                                 | <u>8560106</u> |
|  | KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Bag, Brass,<br>0.51µm Select Gold<br>(Au) over Gold Flash                    | <u>8560108</u> |
|  | KK Crimp Terminal,<br>Series 2477,<br>Humpback, with<br>Overall Gold (Au)<br>Plated Brass<br>Contact, 18-24 AWG,<br>Loose | <u>8560114</u> |
|  | KK 156 TERMINAL<br>CRIMP 18-24 AWG<br>GOLD                                                                                | <u>8580104</u> |
|  | KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.76µm Gold (Au)                                 | <u>8580115</u> |
|  | KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.51µm Selective<br>Gold (Au)                    | <u>8580122</u> |
|  | KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>0.51µm Selective<br>Gold (Au)                    | <u>8580126</u> |
|  | KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                              | <u>8580135</u> |
|  | KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                               | <u>8580136</u> |
|  | KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>3.810µm Tin (Sn)                                 | <u>8600004</u> |
|  | KK 396 Crimp<br>Terminal 2478,                                                                                            | <u>8650115</u> |

|                                                                                                                                |                |
|--------------------------------------------------------------------------------------------------------------------------------|----------------|
| 18-24 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)                                                           |                |
| KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>0.38µm Selective<br>Gold (Au)                         | <u>8650117</u> |
| 3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, 0.38µm<br>Selective Gold (Au),<br>Bifurcated | <u>8650119</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                   | <u>8650128</u> |
| KK 396 Crimp<br>Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8650129</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650801</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>41572, Bag Tin (Sn)                                                                        | <u>8650805</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650812</u> |
| KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                    | <u>8650816</u> |
| KK 100 Crp Term<br>Std 22-30 Awg<br>SGold                                                                                      | <u>8650817</u> |
| KK Cat Ear Crimp<br>Terminal 5159,<br>22-28 AWG, Bag,<br>Phosphor Bronze,<br>Tin (Sn) Plating                                  | <u>8700049</u> |
| KK Cat Ear Crimp<br>Terminal 5159, 22-28<br>AWG, Bag, Brass,<br>Tin (Sn) over Copper<br>Plating                                | <u>8700069</u> |
| 2.50mm Pitch<br>Mini-Latch Crimp<br>Terminal, Male,<br>Brass, Bag                                                              | <u>8700103</u> |
| SPOX Crimp<br>Terminal, 18-24<br>AWG, Brass, Bag                                                                               | <u>8701030</u> |
| 2.50mm Pitch<br>Mini-SPOX Crimp<br>Terminal, 22-28<br>AWG, Bag                                                                 | <u>8701040</u> |

|                        |                |
|------------------------|----------------|
| 3.96mm Pitch KK        | <u>9011036</u> |
| Crimp Housing, Edge    |                |
| Card Connector,        |                |
| Single-Sided,          |                |
| Polarized, Positive    |                |
| Lock, with Probe       |                |
| Hole, 3 Circuits       |                |
| .156 IDT ASSEMBLY      | <u>9072031</u> |
| 724103L                |                |
| KK 396 PC Board        | <u>9481024</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9481034</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 3 Circuits   |                |
| KK 396 PC Board        | <u>9481044</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 4 Circuits   |                |
| KK 396 PC Board        | <u>9481054</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 5 Circuits   |                |
| KK 396 PC Board        | <u>9481064</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 6 Circuits   |                |
| KK 396 PC Board        | <u>9481074</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 7 Circuits   |                |
| KK 396 PC Board        | <u>9481084</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 8 Circuits   |                |
| KK 396 PC Board        | <u>9481094</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 9 Circuits   |                |
| KK 396 PC Board        | <u>9481104</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 10 Circuits  |                |
| KK 396 PC Board        | <u>9481105</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9481114</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 11 Circuits  |                |

|                       |                |
|-----------------------|----------------|
| KK 396 PC Board       | <u>9481124</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 12 Circuits |                |
| KK 396 PC Board       | <u>9481134</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 13 Circuits |                |
| KK 396 PC Board       | <u>9481144</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 14 Circuits |                |
| KK 396 PC Board       | <u>9481154</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, 5.00µm     |                |
| Tin (Sn), 15 Circuits |                |
| KK 396 PC Board       | <u>9483024</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 2 Circuits |                |
| KK 396 PC Board       | <u>9483025</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 2 Circuits |                |
| KK 396 PC Board       | <u>9483026</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 2 Circuits |                |
| KK 396 PC Board       | <u>9483034</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 3 Circuits |                |
| KK 396 PC Board       | <u>9483035</u> |
| Connector, Right      |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 3 Circuits |                |
| KK 396 PC Board       | <u>9483036</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 3 Circuits |                |
| KK 396 PC Board       | <u>9483044</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 4 Circuits |                |
| KK 396 PC Board       | <u>9483045</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 4 Circuits |                |
| KK 396 PC Board       | <u>9483046</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 4 Circuits |                |

|                       |                |
|-----------------------|----------------|
| KK 396 PC Board       | <u>9483054</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 5 Circuits |                |
| KK 396 PC Board       | <u>9483055</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 5 Circuits |                |
| KK 396 PC Board       | <u>9483056</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 5 Circuits |                |
| KK 396 PC Board       | <u>9483064</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 6 Circuits |                |
| KK 396 PC Board       | <u>9483065</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 6 Circuits |                |
| KK 396 PC Board       | <u>9483066</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 6 Circuits |                |
| KK 396 PC Board       | <u>9483074</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 7 Circuits |                |
| KK 396 PC Board       | <u>9483075</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 7 Circuits |                |
| KK 396 PC Board       | <u>9483076</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 7 Circuits |                |
| KK 396 PC Board       | <u>9483084</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 8 Circuits |                |
| KK 396 PC Board       | <u>9483085</u> |
| Connector, Right-     |                |
| Angle, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 8 Circuits |                |
| KK 396 PC Board       | <u>9483086</u> |
| Connector, Top        |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 8 Circuits |                |
| KK 396 PC Board       | <u>9483094</u> |
| Connector, Bottom     |                |
| Entry, Polyester      |                |
| Connector, Gold (Au)  |                |
| Selective, 9 Circuits |                |

|                                   |                |
|-----------------------------------|----------------|
| KK 396 PC Board                   | <u>9483095</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 9 Circuits             |                |
| KK 396 PC Board                   | <u>9483096</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 9 Circuits             |                |
| KK 396 PC Board                   | <u>9483104</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 10 Circuits            |                |
| KK 396 PC Board                   | <u>9483105</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 10 Circuits            |                |
| KK 396 PC Board                   | <u>9483106</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 10 Circuits            |                |
| KK 396 PC Board                   | <u>9483114</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 11 Circuits            |                |
| KK 396 PC Board                   | <u>9483115</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 11 Circuits            |                |
| KK 396 PC Board                   | <u>9483116</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 11 Circuits            |                |
| KK 396 PC Board                   | <u>9483124</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 12 Circuits            |                |
| KK 396 PC Board                   | <u>9483125</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 12 Circuits            |                |
| KK 396 PC Board                   | <u>9483126</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 12 Circuits            |                |
| KK 396 PC Board                   | <u>9483134</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 13 Circuits            |                |
| KK 396 PC Board                   | <u>9483135</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 13 Circuits            |                |

|                                   |                |
|-----------------------------------|----------------|
| KK 396 PC Board                   | <u>9483136</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 13 Circuits            |                |
| KK 396 PC Board                   | <u>9483144</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 14 Circuits            |                |
| KK 396 PC Board                   | <u>9483145</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 14 Circuits            |                |
| KK 396 PC Board                   | <u>9483146</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 14 Circuits            |                |
| KK 396 PC Board                   | <u>9483154</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 15 Circuits            |                |
| KK 396 PC Board                   | <u>9483155</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 15 Circuits            |                |
| KK 396 PC Board                   | <u>9483156</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 15 Circuits            |                |
| KK 396 PC Board                   | <u>9484028</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 2 Circuits              |                |
| KK 396 PC Board                   | <u>9484029</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 2 Circuits              |                |
| KK 396 PC Board                   | <u>9484038</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 3 Circuits              |                |
| KK 396 PC Board                   | <u>9484039</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 3 Circuits              |                |
| KK 396 PC Board                   | <u>9484048</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 4 Circuits              |                |
| KK 396 PC Board                   | <u>9484049</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, 5.00μm                 |                |
| Tin (Sn), 4 Circuits              |                |

|  |                       |                |
|--|-----------------------|----------------|
|  | KK 396 PC Board       | <u>9484058</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 5 Circuits  |                |
|  | KK 396 PC Board       | <u>9484059</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 5 Circuits  |                |
|  | KK 396 PC Board       | <u>9484068</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 6 Circuits  |                |
|  | KK 396 PC Board       | <u>9484069</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 6 Circuits  |                |
|  | KK 396 PC Board       | <u>9484078</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 7 Circuits  |                |
|  | KK 396 PC Board       | <u>9484079</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 7 Circuits  |                |
|  | KK 396 PC Board       | <u>9484088</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 8 Circuits  |                |
|  | KK 396 PC Board       | <u>9484089</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 8 Circuits  |                |
|  | KK 396 PC Board       | <u>9484098</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 9 Circuits  |                |
|  | KK 396 PC Board       | <u>9484099</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 9 Circuits  |                |
|  | KK 396 PC Board       | <u>9484108</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 10 Circuits |                |
|  | KK 396 PC Board       | <u>9484109</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 10 Circuits |                |
|  | KK 396 PC Board       | <u>9484119</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 11 Circuits |                |

|  |                       |                |
|--|-----------------------|----------------|
|  | KK 396 PC Board       | <u>9484128</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 12 Circuits |                |
|  | KK 396 PC Board       | <u>9484129</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 12 Circuits |                |
|  | KK 396 PC Board       | <u>9484138</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 13 Circuits |                |
|  | KK 396 PC Board       | <u>9484139</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 13 Circuits |                |
|  | KK 396 PC Board       | <u>9484148</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 14 Circuits |                |
|  | KK 396 PC Board       | <u>9484149</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 14 Circuits |                |
|  | KK 396 PC Board       | <u>9484158</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 15 Circuits |                |
|  | KK 396 PC Board       | <u>9484159</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 15 Circuits |                |
|  | KK 156 PC Board       | <u>9485088</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, Tin (Sn),  |                |
|  | 8 Circuits            |                |
|  | 3.96mm Pitch SPOX     | <u>9501021</u> |
|  | Crimp Housing,        |                |
|  | Female, with Friction |                |
|  | Ramp, 2 Circuits,     |                |
|  | Natural               |                |
|  | 3.96mm Pitch SPOX     | <u>9501023</u> |
|  | Crimp Housing,        |                |
|  | Female, with Friction |                |
|  | Ramp and Void, 2      |                |
|  | Circuits, Natural     |                |
|  | 3.96mm Pitch SPOX     | <u>9501031</u> |
|  | Crimp Housing,        |                |
|  | Female, with Friction |                |
|  | Ramp, 3 Circuits,     |                |
|  | Natural               |                |
|  | 3.96mm Pitch SPOX     | <u>9501033</u> |
|  | Crimp Housing,        |                |
|  | Female, with Friction |                |
|  | Ramp and Void, 3      |                |
|  | Circuits, Natural     |                |

3.96mm Pitch SPOX [9501041](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural

3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural

3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural

3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural

3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural

3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural

3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural

3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural

3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural

3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural

3.96mm Pitch SPOX [9501091](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 9 Circuits,  
Natural

3.96mm Pitch SPOX [9501101](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 10 Circuits,  
Natural

3.96mm Pitch SPOX [9501103](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 10  
Circuits, Natural

|                       |                                |
|-----------------------|--------------------------------|
| 3.96mm Pitch SPOX     | <a href="#"><u>9501111</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp, 11 Circuits,    |                                |
| Natural               |                                |
| 3.96mm Pitch SPOX     | <a href="#"><u>9501113</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp and Void, 11     |                                |
| Circuits, Natural     |                                |
| 3.96mm Pitch SPOX     | <a href="#"><u>9501121</u></a> |
| Crimp Housing,        |                                |
| Female, with Friction |                                |
| Ramp, 12 Circuits,    |                                |
| Natural               |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503021</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 2      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503031</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 3      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503041</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 4      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503051</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 5      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503061</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 6      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503071</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 7      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503081</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 8      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503091</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 9      |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503101</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 10     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503111</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 11     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503121</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 12     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503131</u></a> |
| Terminal Housing,     |                                |
| Friction Ramp, 13     |                                |
| Circuits, Natural     |                                |
| KK 3.96mm Crimp       | <a href="#"><u>9503141</u></a> |
| Terminal Housing,     |                                |

|                      |                |
|----------------------|----------------|
| Friction Ramp, 14    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503151</u> |
| Terminal Housing,    |                |
| Friction Ramp, 15    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503161</u> |
| Terminal Housing,    |                |
| Friction Ramp, 16    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503171</u> |
| Terminal Housing,    |                |
| Friction Ramp, 17    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503181</u> |
| Terminal Housing,    |                |
| Friction Ramp, 18    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503191</u> |
| Terminal Housing,    |                |
| Friction Ramp, 19    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503201</u> |
| Terminal Housing,    |                |
| Friction Ramp, 20    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503211</u> |
| Terminal Housing,    |                |
| Friction Ramp, 21    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503221</u> |
| Terminal Housing,    |                |
| Friction Ramp, 22    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503231</u> |
| Terminal Housing,    |                |
| Friction Ramp, 23    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9503241</u> |
| Terminal Housing,    |                |
| Friction Ramp, 24    |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507021</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507041</u> |
| Terminal Housing, 4  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507051</u> |
| Terminal Housing, 5  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507061</u> |
| Terminal Housing, 6  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507081</u> |
| Terminal Housing, 8  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507091</u> |
| Terminal Housing, 9  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507101</u> |
| Terminal Housing, 10 |                |
| Circuits, Natural    |                |

|                      |                |
|----------------------|----------------|
| KK 3.96mm Crimp      | <u>9507121</u> |
| Terminal Housing, 12 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507131</u> |
| Terminal Housing, 13 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507141</u> |
| Terminal Housing, 14 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507151</u> |
| Terminal Housing, 15 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507161</u> |
| Terminal Housing, 16 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507171</u> |
| Terminal Housing, 17 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507181</u> |
| Terminal Housing, 18 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507191</u> |
| Terminal Housing, 19 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507201</u> |
| Terminal Housing, 20 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507211</u> |
| Terminal Housing, 21 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507231</u> |
| Terminal Housing, 23 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9507241</u> |
| Terminal Housing, 24 |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508020</u> |
| Terminal Housing, 2  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508021</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508023</u> |
| Terminal Housing,    |                |
| Friction Ramp, 2     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508030</u> |
| Terminal Housing, 3  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508031</u> |
| Terminal Housing,    |                |
| Friction Ramp, 3     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508033</u> |
| Terminal Housing,    |                |
| Friction Ramp, 3     |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508040</u> |
| Terminal Housing, 4  |                |
| Circuits, Natural    |                |
| KK 3.96mm Crimp      | <u>9508041</u> |
| Terminal Housing,    |                |
| Friction Ramp, 4     |                |
| Circuits, Natural    |                |

|  |                                                                       |                |
|--|-----------------------------------------------------------------------|----------------|
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 4 Circuits, Natural  | <u>9508043</u> |
|  | KK 3.96mm Crimp Terminal Housing, 5 Circuits, Natural                 | <u>9508050</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural  | <u>9508051</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 5 Circuits, Natural  | <u>9508053</u> |
|  | KK 3.96mm Crimp Terminal Housing, 6 Circuits, Natural                 | <u>9508060</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural  | <u>9508061</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 6 Circuits, Natural  | <u>9508063</u> |
|  | KK 3.96mm Crimp Terminal Housing, 7 Circuits, Natural                 | <u>9508070</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 7 Circuits, Natural  | <u>9508071</u> |
|  | KK 3.96mm Crimp Terminal Housing, 8 Circuits, Natural                 | <u>9508080</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural  | <u>9508081</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 8 Circuits, Natural  | <u>9508083</u> |
|  | KK 3.96mm Crimp Terminal Housing, 9 Circuits, Natural                 | <u>9508090</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural  | <u>9508091</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 9 Circuits, Natural  | <u>9508093</u> |
|  | KK 3.96mm Crimp Terminal Housing, 10 Circuits, Natural                | <u>9508100</u> |
|  | KK 3.96mm Crimp Terminal Housing, Friction Ramp, 10 Circuits, Natural | <u>9508101</u> |
|  | KK 3.96mm Crimp Terminal Housing,                                     | <u>9508103</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Friction Ramp, 10<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508110</u><br>Terminal Housing, 11<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508111</u><br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508113</u><br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508120</u><br>Terminal Housing, 12<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508121</u><br>Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508123</u><br>Terminal Housing,<br>Friction Ramp, 12<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508131</u><br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508133</u><br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508141</u><br>Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Natural<br>KK 3.96mm Crimp <u>9508143</u><br>Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Natural<br>SPOX and KK <u>9652028</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 2<br>Circuits<br>SPOX and KK <u>9652038</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 3<br>Circuits<br>SPOX and KK <u>9652048</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 4<br>Circuits<br>SPOX and KK <u>9652058</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 5<br>Circuits<br>SPOX and KK <u>9652068</u><br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 6<br>Circuits |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                             |                |
|--|---------------------------------------------------------------------------------------------|----------------|
|  | SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 7<br>Circuits  | <u>9652078</u> |
|  | SPOX and KK<br>396 Wire-to-Board<br>Header, Vertical,<br>with Friction Lock, 8<br>Circuits  | <u>9652088</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Glow-Wire<br>Capable  | <u>9930200</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Glow-Wire<br>Capable  | <u>9930300</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Glow-Wire<br>Capable  | <u>9930400</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Glow-Wire<br>Capable  | <u>9930500</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Glow-Wire<br>Capable  | <u>9930600</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Glow-Wire<br>Capable  | <u>9930700</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Glow-Wire<br>Capable  | <u>9930800</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Glow-Wire<br>Capable  | <u>9930900</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 10<br>Circuits, Glow-Wire<br>Capable | <u>9931000</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 11<br>Circuits, Glow-Wire<br>Capable | <u>9931100</u> |
|  | KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 13<br>Circuits, Glow-Wire<br>Capable | <u>9931300</u> |

|                                                                                             |                 |
|---------------------------------------------------------------------------------------------|-----------------|
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 14<br>Circuits, Glow-Wire<br>Capable | <u>9931400</u>  |
| KK 3.96mm Crimp<br>Terminal Housing,<br>Friction Ramp, 15<br>Circuits, Glow-Wire<br>Capable | <u>9931500</u>  |
| 15 PIN MICRO-<br>D FEMAL ASSY<br>M8351309B11                                                | <u>10008503</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 2 Circuits,<br>Natural                        | <u>10011024</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 3 Circuits,<br>Natural                        | <u>10011034</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 4 Circuits,<br>Natural                        | <u>10011044</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 5 Circuits,<br>Natural                        | <u>10011054</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 6 Circuits,<br>Natural                        | <u>10011064</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 7 Circuits,<br>Natural                        | <u>10011074</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 8 Circuits,<br>Natural                        | <u>10011084</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 9 Circuits,<br>Natural                        | <u>10011094</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 10 Circuits,<br>Natural                       | <u>10011104</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 11 Circuits,<br>Natural                       | <u>10011114</u> |
| 5.08mm Pitch KK<br>Crimp Terminal<br>Housing, 12 Circuits,<br>Natural                       | <u>10011124</u> |
| 5.08mm Pitch SPOX<br>Crimp Terminal<br>Housing, 2 Circuits,<br>Natural                      | <u>10013026</u> |
| 5.08mm Pitch SPOX<br>Crimp Terminal<br>Housing, 3 Circuits,<br>Natural                      | <u>10013036</u> |

|                      |                                 |
|----------------------|---------------------------------|
| 5.08mm Pitch SPOX    | <a href="#"><u>10013046</u></a> |
| Crimp Terminal       |                                 |
| Housing, 4 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013056</u></a> |
| Crimp Terminal       |                                 |
| Housing, 5 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013066</u></a> |
| Crimp Terminal       |                                 |
| Housing, 6 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013076</u></a> |
| Crimp Terminal       |                                 |
| Housing, 7 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013086</u></a> |
| Crimp Terminal       |                                 |
| Housing, 8 Circuits, |                                 |
| Natural              |                                 |
| 5.08mm Pitch SPOX    | <a href="#"><u>10013096</u></a> |
| Crimp Terminal       |                                 |
| Housing, 9 Circuits, |                                 |
| Natural              |                                 |
| KK PC Board          | <a href="#"><u>10021022</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 2   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021032</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 3   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021042</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 4   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021052</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 5   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021062</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 6   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021072</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 7   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021082</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 8   |                                 |
| Circuits             |                                 |
| KK PC Board          | <a href="#"><u>10021092</u></a> |
| Connector, Bottom    |                                 |
| Entry Mount Style B, |                                 |
| 1.00µm Tin (Sn), 9   |                                 |
| Circuits             |                                 |

|                      |                 |
|----------------------|-----------------|
| KK PC Board          | <u>10021102</u> |
| Connector, Bottom    |                 |
| Entry Mount Style B, |                 |
| 1.00µm Tin (Sn), 10  |                 |
| Circuits             |                 |
| KK PC Board          | <u>10021112</u> |
| Connector, Bottom    |                 |
| Entry Mount Style B, |                 |
| 1.00µm Tin (Sn), 11  |                 |
| Circuits             |                 |
| KK PC Board          | <u>10021122</u> |
| Connector, Bottom    |                 |
| Entry Mount Style B, |                 |
| 1.00µm Tin (Sn), 12  |                 |
| Circuits             |                 |
| 5.08mm Pitch KK      | <u>10061045</u> |
| Header, Right        |                 |
| Angle, Square Pin,   |                 |
| 4 Circuits, Tin (Sn) |                 |
| Plating              |                 |
| KK Header, Right     | <u>10061055</u> |
| Angle, Square Pin,   |                 |
| 5 Circuits, Tin (Sn) |                 |
| Plating              |                 |
| KK Header, Vertical, | <u>10081021</u> |
| Round Pin, 2         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081022</u> |
| Round Pin, 2         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 23.80mm              |                 |
| KK Header, Vertical, | <u>10081039</u> |
| Round Pin, 3         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |
| KK Header, Vertical, | <u>10081041</u> |
| Round Pin, 4         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081049</u> |
| Round Pin, 4         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |
| KK Header, Vertical, | <u>10081051</u> |
| Round Pin, 5         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081061</u> |
| Round Pin, 6         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 19.05mm              |                 |
| KK Header, Vertical, | <u>10081069</u> |
| Round Pin, 6         |                 |
| Circuits, Tin (Sn)   |                 |
| Plating, Pin Length  |                 |
| 20.32mm              |                 |

KK Header, Vertical, 10081071  
Round Pin, 7  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081081  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081082  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, 10081089  
Round Pin, 8  
Circuits, Tin (Sn)  
Plating, Pin Length  
20.32mm  
KK Header, Vertical, 10081091  
Round Pin, 9  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081101  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081102  
Round Pin, 10  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, 10081111  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10081112  
Round Pin, 11  
Circuits, Tin (Sn)  
Plating, Pin Length  
23.80mm  
KK Header, Vertical, 10081121  
Round Pin, 12  
Circuits, Tin (Sn)  
Plating, Pin Length  
19.05mm  
KK Header, Vertical, 10085021  
with Polarizing  
Backwall, 2 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085031  
with Polarizing  
Backwall, 3 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085041  
with Polarizing  
Backwall, 4 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085051  
with Polarizing

Backwall, 5 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085061  
with Polarizing  
Backwall, 6 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085071  
with Polarizing  
Backwall, 7 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085081  
with Polarizing  
Backwall, 8 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085101  
with Polarizing  
Backwall, 10 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085111  
with Polarizing  
Backwall, 11 Circuits,  
Tin (Sn) Plating  
KK Header, Vertical, 10085121  
with Polarizing  
Backwall, 12 Circuits,  
Tin (Sn) Plating  
KK PC Board 10101021  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 2  
Circuits  
KK PC Board 10101023  
Connector, Top  
Entry Mount Style C,  
1.00µm Tin (Sn), 2  
Circuits  
KK PC Board 10101031  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 3  
Circuits  
KK PC Board 10101033  
Connector, Top  
Entry Mount Style C,  
1.00µm Tin (Sn), 3  
Circuits  
KK PC Board 10101041  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 4  
Circuits  
KK PC Board 10101043  
Connector, Top  
Entry Mount Style C,  
1.00µm Tin (Sn), 4  
Circuits  
KK PC Board 10101051  
Connector, Right-  
Angle Mount Style A,  
1.00µm Tin (Sn), 5  
Circuits  
KK PC Board 10101053  
Connector, Top  
Entry Mount Style C,

|                                                                                             |                 |
|---------------------------------------------------------------------------------------------|-----------------|
| 1.00µm Tin (Sn), 5<br>Circuits<br>KK PC Board                                               | <u>10101061</u> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 6<br>Circuits<br>KK PC Board  | <u>10101063</u> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 6<br>Circuits<br>KK PC Board     | <u>10101071</u> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board  | <u>10101073</u> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 7<br>Circuits<br>KK PC Board     | <u>10101081</u> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 8<br>Circuits<br>KK PC Board  | <u>10101091</u> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 9<br>Circuits<br>KK PC Board  | <u>10101093</u> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 9<br>Circuits<br>KK PC Board     | <u>10101101</u> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 10<br>Circuits<br>KK PC Board | <u>10101103</u> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 10<br>Circuits<br>KK PC Board    | <u>10101111</u> |
| Connector, Right-<br>Angle Mount Style A,<br>1.00µm Tin (Sn), 11<br>Circuits<br>KK PC Board | <u>10101113</u> |
| Connector, Top<br>Entry Mount Style C,<br>1.00µm Tin (Sn), 11<br>Circuits                   |                 |