

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0192880242

Status:


Active

Overview:

Application Tooling

Description:

ATP Crimp Dies for the Tape Crimp Module and ATP-101 & 301 Press



Documents:

RoHS Certificate of Compliance (PDF)

|                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Product Family                 | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Series                         | 207126                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Comments                       | The Crimp Tape Module 640162000 is a base unit that will work like an applicator in a Molex TM-3000 638017200 , 638017300 industry standard crimp press or the Molex TM-4000 638017600 industry standard crimp press. The Crimp Tape Module will accept all ATP-301 and ATP-201 style crimp dies. This Crimp Tape Module will allow customers to process most of Molex's Mylar Tape product from 2 AWG uninsulated and 4 AWG insulated products and up. The Crimp Tape Module will NOT work in any other industry standard crimp press or wire process machine. These ATP-301 style die sets can be used in the older style suitcase presses. |
| Function                       | Crimp                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Geographic Area                | Global                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Level of Automation            | Semi-Automatic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| More Detailed Tech Information | applicationtooling@molex.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Overview                       | Application Tooling                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Product Name                   | ETC                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Tool Type                      | Crimp Module                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| UPC                            | 800753111028                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Warranty Disclaimer            | CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.                           |
| Material Info                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Engineering Number             | ATP-NC-2214                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Reference - Drawing Numbers    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Application Tooling Documents  | 192880242, ATS-TOOLING-ID-ATP, TM-192280498, TM-192280498SP, TM-640160065, TM-640160065CN, TM-640160065DE, TM-640160065FR, TM-640160065IT, TM-640160065JP, TM-640160065KR, TM-640160065MY, TM-640160065PL, TM-640160065RU, TM-640160065SK, TM-640160065SP,                                                                                                                                                                                                                                                                                                                                                                                    |

EU ELV

Not Relevant

EU RoHS

Compliant

REACH SVHC

Not Contained Per - ECHA\_01\_2020 (16 January 2020

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Contained

Search Parts in this Series

207126 Series

Use With

Molex Crimp Tape Module 640162000 used with Molex TM-3000: 638017200 , 638017300 , Molex TM-4000: 638017600 , Molex ATP-301 Press: 192280030 and Molex ATP-101 style presses.

| Application Tooling Description                                                                                            | FAQ Product # |
|----------------------------------------------------------------------------------------------------------------------------|---------------|
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel | 2061101       |
| 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Tin (Sn) Plated                                | 2061103       |

TM-640160065TH, TM-640160065TW,  
TM-640160065VN

Brass Contact, 18-24  
AWG, Bag  
1.57mm Diameter, 2061104  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
4529, Female, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 18-24 AWG,  
Reel  
1.57mm Diameter, 2061118  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1561, Female, with  
Tin (Sn) Plated Brass  
Contact, Without  
Locking Tabs,  
18-24 AWG, Reel  
Packaged  
1.57mm Diameter, 2061131  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1855, Female, with  
Tin (Sn) Plated Brass  
Contact, 24-30 AWG,  
Reel  
1.57mm Diameter, 2061132  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1855, Female, with  
Tin (Sn) Plated Brass  
Contact, 24-30 AWG,  
Bag  
1.57mm Diameter, 2061141  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1855, Female, with  
Tin (Sn) Plated  
Brass Contact,  
24-30 AWG, Without  
Locking Tabs, Reel  
Packaged  
1.57mm Diameter, 2061143  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1855, Female, with  
Tin (Sn) Plated Brass  
Contact, 24-30 AWG,  
Reel Packaged with  
Interleaf Paper  
1.57mm Diameter, 2062101  
Standard .062" Pin  
and Socket Crimp  
Terminal, Series  
1560, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-24 AWG,  
Reel

|  |                                                                                                                                                                                                      |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 1.57mm Diameter, <a href="#">2062103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                    |
|  | 1.57mm Diameter, <a href="#">2062131</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Reel                   |
|  | 1.57mm Diameter, <a href="#">2062132</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 24-30 AWG,<br>Bag                    |
|  | 1.57mm Diameter, <a href="#">2065100</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                      |
|  | 1.57mm Diameter, <a href="#">2065101</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Reel                      |
|  | 1.57mm Diameter, <a href="#">2065102</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.76µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                       |
|  | 1.57mm Diameter, <a href="#">2065103</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Female,<br>with 0.38µm Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag                       |
|  | 1.57mm Diameter, <a href="#">2065104</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1561, Female,<br>with 1.27µm Gold<br>Max. Insulation<br>Diameter, Loose in<br>Bag Packaged |

|  |                                                                                                                                                 |                         |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1561, Female, with 1.27µm Gold Max. Insulation Diameter, Reel             | <a href="#">2065105</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Reel           | <a href="#">2065108</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Female, with Selective Gold (Au) Plated Brass Contact, 18-24 AWG, Bag            | <a href="#">2065109</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel | <a href="#">2065130</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.38µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag  | <a href="#">2065135</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Reel | <a href="#">2065138</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with 0.76µm Gold (Au) Plated Brass Contact, 24-30 AWG, Bag  | <a href="#">2065139</a> |
|  | 1.57mm Diameter, Standard .062" Pin and Socket Crimp Terminal, Series 1855, Female, with                                                        | <a href="#">2065147</a> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <u>2065148</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1855, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <u>2066100</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Reel<br>1.57mm Diameter, <u>2066101</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact,<br>18-24 AWG, Reel<br>Packaged<br>1.57mm Diameter, <u>2066102</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag Packaged<br>1.57mm Diameter, <u>2066103</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-24<br>AWG, Bag<br>1.57mm Diameter, <u>2066104</u><br>Standard .062"<br>Pin and Socket<br>Crimp Terminal,<br>Series 1560, Male,<br>with Selective<br>1.27µm Select Gold<br>(Au) Plated Brass<br>Contact, 18-24 AWG,<br>Bag Packaged<br>062 Male Term <u>2066105</u><br>Chain Brs 50Au<br>18-24<br>1.57mm Diameter, <u>2066118</u><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | 1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Reel<br>1.57mm Diameter, <a href="#">2066119</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1560, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin/Lead<br>Plated Crimp Area,<br>18-24 AWG, Bag<br>1.57mm Diameter, <a href="#">2066122</a><br>Standard .062"<br>Pin and Socket<br>PC Tail Terminal,<br>Series 1778, Male,<br>with Selective Gold<br>(Au) Plated Brass<br>Contact, Bag<br>.062 Male Term PC <a href="#">2066125</a><br>Tail 30 au<br>1.57mm Diameter, <a href="#">2066130</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Reel<br>1.57mm Diameter, <a href="#">2066135</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Gold (Au) Plated<br>Brass Contact, 24-30<br>AWG, Bag<br>1.57mm Diameter, <a href="#">2066138</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Reel<br>1.57mm Diameter, <a href="#">2066139</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 24-30 AWG,<br>Bag<br>1.57mm Diameter, <a href="#">2066143</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with |  |
|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn)<br>Plated Crimp Area,<br>24-30 AWG, Reel<br>1.57mm Diameter, <a href="#">2066144</a><br>Standard .062" Pin<br>and Socket Crimp<br>Terminal, Series<br>1854, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, Tin (Sn)<br>Plated Crimp Area,<br>24-30 AWG, Bag<br>1.57mm Diameter, <a href="#">2067103</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with 2.54µm Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>Packaged<br>1.57mm Diameter, <a href="#">2067104</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1779, Female,<br>with .76µm Selective<br>Gold (Au) Plated<br>Brass Contact, Bag<br>Packaged<br>1.57mm Diameter, <a href="#">2068103</a><br>Standard .062" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1778, Male, with Tin<br>(Sn) Plated Brass<br>Contact, Bag<br>062 Male Term Tin <a href="#">2068104</a><br>PCTail Chn<br>Vertical Solder <a href="#">2072101</a><br>Relief (VSR) Direct-<br>Solder Crimp<br>Terminal, Series<br>4706, Male, Tin<br>Terminal Progression<br>MLX Female Crimp <a href="#">2081001</a><br>Terminal 42024,<br>14-20 AWG, Reel,<br>Brass, Tin (Sn)<br>Plating<br>MLX Crimp Terminal <a href="#">2081002</a><br>42024, 14-20 AWG,<br>Bag Tin (Sn)<br>MLX Female Crimp <a href="#">2081003</a><br>Terminal 42024,<br>14-20 AWG, Reel,<br>Phosphor Bronze,<br>Tin (Sn) Plating<br>MLX Crimp Terminal <a href="#">2081004</a><br>42024, 14-20 AWG,<br>Bag Tin (Sn) |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                             |                |
|--|---------------------------------------------------------------------------------------------|----------------|
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Reel              | <u>2081101</u> |
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 16-24 AWG, Bag               | <u>2081102</u> |
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Reel              | <u>2081103</u> |
|  | Claspcon Crimp Terminal Socket, Tin (Sn) Plated Brass Contact, 24-30 AWG, Bag               | <u>2081104</u> |
|  | Disk Drive Power Connection System, Female Crimp Terminal, Reel, Phosphor Bronze, AWG 14-20 | <u>2081201</u> |
|  | .084" UNPLATED TERMINAL 8980V01                                                             | <u>2081211</u> |
|  | .084" PC TAIL TERM - 999 8980R11                                                            | <u>2081212</u> |
|  | .084" PC TAIL TERM - 999 8980R13                                                            | <u>2081214</u> |
|  | 2.096MM DIA TERMINAL                                                                        | <u>2081266</u> |
|  | 2.096MM DIA TERMINAL                                                                        | <u>2081268</u> |
|  | 2.13mm DIA PC TAIL TERM PhBr                                                                | <u>2081309</u> |
|  | 2.54SnLF                                                                                    |                |
|  | 2.096MM DIA TERMINAL PhBr                                                                   | <u>2081363</u> |
|  | 2.54SnLF                                                                                    |                |
|  | 2.096MM DIA TERMINAL PhBr                                                                   | <u>2081365</u> |
|  | 2.54SnLF                                                                                    |                |
|  | MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Brass, Tin (Sn) Plating                     | <u>2082003</u> |
|  | MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)                                           | <u>2082004</u> |
|  | MLX Male Crimp Terminal 42023, 14-20 AWG, Reel, Phosphor Bronze, Tin (Sn) Plating           | <u>2082005</u> |
|  | MLX Crimp Terminal 42023, 14-20 AWG, Bag Tin (Sn)                                           | <u>2082006</u> |
|  | MLX Crimp Terminal 42023, 14-20 AWG, Bag Selective Gold (Au)                                | <u>2082008</u> |



42023-2A0,Ter Male 2082011  
2.13 Chn Unplate  
Claspcon Crimp 2085101  
Terminal Socket, Tin  
(Sn) Plated Brass  
Contact, 16-24 AWG,  
Reel  
2.36mm Diameter, 2091102  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Reel  
2.36mm Diameter, 2091104  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1189, Female, with  
Tin (Sn) Plated Brass  
Contact, 14-20 AWG,  
Bag  
093FemaleTerm 2091115  
Chain/IntLeaf Brs  
Tin18-22  
2.36mm Diameter, 2091117  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Tin (Sn) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter 2091118  
Standard .093"  
Crimp Terminal,  
Dimpled Female,  
18-22 AWG, Bag  
2.36mm Diameter, 2091119  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1381, Female, with  
Tin (Sn) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, 2091122  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
2273, Female, with  
Tin (Sn) Plated  
Contact, Low  
Engagement Force,  
18-22 AWG, Reel  
2.36mm Diameter, 2091123  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
2273, Female, with  
Tin (Sn) Plated  
Contact, Low  
Engagement Force,  
18-22 AWG, Bag

|  |                                                                                                                                                                          |                |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | 2.36mm Diameter, Standard .093" Pin and Socket PC Tail Terminal, Series 1377, Female, with Tin (Sn) Plated Contact, Bag Crimp Terminal 41483, 14-18 AWG, Reel            | <u>2091134</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 41483, Female, with Tin (Sn) Plated Brass Contact, 14-18 AWG with Large Insulation Diameter, Chain | <u>2091153</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel                        | <u>2091155</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Reel                        | <u>2091205</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 4550, Female, with Tin (Sn) Plated Phosphor Bronze Contact, 14-20 AWG, Bag                         | <u>2091206</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 42477, Female, with Tin (Sn) Plated Contact, High Current/Low Engagement Force, 14-18 AWG, Reel    | <u>2091615</u> |
|  | 2.36mm Diameter Socket, Without Insulation Crimp for 16-20 AWG Wire                                                                                                      | <u>2091651</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass Contact, 14-20 AWG, Reel                                    | <u>2092101</u> |
|  | 2.36mm Diameter, Standard .093" Pin and Socket Crimp Terminal, Series 1190, Male, with Tin (Sn) Plated Brass                                                             | <u>2092103</u> |

Contact, 14-20 AWG,  
Bag  
Vertical Solder Relief [2092105](#)  
(VSR) Direct-Solder  
Crimp Terminal,  
Series 4706, Male,  
Tin (Sn) Plated Brass  
Contact, 16-18 AWG,  
11.20mm Terminal  
Progression  
2.36mm Diameter, [2092116](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, [2092117](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, without  
Dents, 18-22 AWG,  
Reel  
2.36mm Diameter, [2092118](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with Tin  
(Sn) Plated Brass  
Contact, 18-22 AWG,  
Bag  
093 MaleTermChain/ [2092127](#)  
IntLeaf Brs Tin18-22  
2.36mm Diameter, [2092133](#)  
Standard .093" Pin  
and Socket PC Tail  
Terminal, Series  
1376, Male, with Tin/  
Lead (Sn/Pb) Plated  
Contact, With Detent,  
Bag Packaged  
2.36mm Diameter, [2092134](#)  
Standard .093" Pin  
and Socket PC Tail  
Terminal, Series  
1376, Male, with Tin  
(Sn) Plated Contact,  
Without Detent, Bag  
Packaged  
2.36mm Diameter, [2092166](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
4549, Male, with  
Tin (Sn) Plated  
Phosphor Bronze  
Contact, 14-20 AWG,  
Reel Packaged  
2.36mm Diameter, [2092167](#)  
Standard .093" Pin  
and Socket Crimp

|  |                                                                                                                                                                                                                     |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | Terminal, Series<br>4549, Male, with<br>Tin (Sn) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag Packaged<br>2.36mm Diameter, <a href="#">2092170</a><br>Standard .093" Pin<br>and Socket Crimp             |
|  | Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Reel<br>2.36mm Diameter, <a href="#">2092171</a><br>Standard .093" Pin<br>and Socket Crimp       |
|  | Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-18 AWG,<br>Large Insulation<br>Crimp, Bag<br>2.36mm Diameter, <a href="#">2092611</a><br>Standard .093" Pin<br>and Socket Crimp        |
|  | Terminal, Series<br>42478, Male, with Tin<br>(Sn) Plated Contact,<br>High Current/Low<br>Engagement Force,<br>14-18 AWG, Reel<br>2.36mm Diameter, <a href="#">2095100</a><br>Standard .093" Pin<br>and Socket Crimp |
|  | Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2095101</a><br>Standard .093" Pin<br>and Socket Crimp                               |
|  | Terminal, Series<br>1190, Male, with Tin<br>(Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Chain<br>2.36mm Diameter, <a href="#">2095102</a><br>Standard .093" Pin<br>and Socket Crimp                                 |
|  | Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095106</a><br>Standard .093" Pin<br>and Socket Crimp                  |
|  | Terminal, Series<br>1189, Female, with<br>Gold (Au) Plated                                                                                                                                                          |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095111</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095130</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095132</a><br>Standard .093" Pin<br>and Socket PC Tail<br>Terminal, Series<br>1377, Female, with<br>Gold (Au) Plated<br>Contact, Bag<br>2.36mm Diameter, <a href="#">2095133</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 18-22 AWG,<br>Bag<br>2.36mm Diameter, <a href="#">2095142</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <a href="#">2095143</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1381, Female, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <a href="#">2095169</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <a href="#">2095170</a><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4550, Female, with<br>Gold (Au) Plated<br>Phosphor Bronze<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2096100</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Reel<br>2.36mm Diameter, <u>2096101</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2096102</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1189, Female, with<br>Tin (Sn) Plated Brass<br>Contact, 14-20 AWG,<br>Reel<br>2.36mm Diameter, <u>2096106</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Gold (Au) Plated<br>Brass Contact, 14-20<br>AWG, Bag<br>2.36mm Diameter, <u>2096110</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1190, Male, with<br>Selective Gold<br>(Au) Plated Brass<br>Contact, 14-20 AWG,<br>Bag<br>2.36mm Diameter, <u>2096122</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Reel<br>2.36mm Diameter, <u>2096123</u><br>Standard .093" Pin<br>and Socket Crimp<br>Terminal, Series<br>1380, Male, with<br>Gold (Au) Plated<br>Brass Contact, 18-22<br>AWG, Bag<br>2.36mm Diameter, <u>2096125</u><br>Standard .093" Pin |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

and Socket Crimp  
Terminal, Series  
1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Reel  
2.36mm Diameter, [2096126](#)  
Standard .093" Pin  
and Socket Crimp  
Terminal, Series  
1380, Male, with  
Selective Gold  
(Au) Plated Brass  
Contact, 18-22 AWG,  
Bag  
2.36mm Diameter, [2096132](#)  
Standard .093"  
Pin and Socket  
PC Tail Terminal,  
Series 1376, Male,  
with Gold (Au)  
Plated Contact,  
Without Detent, Bag  
Packaged  
2.36mm Diameter, [2098103](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Reel  
2.36mm Diameter, [2098104](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 18-22  
AWG, Bag  
2.36mm Diameter, [2098108](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Reel  
2.36mm Diameter, [2098109](#)  
Standard .093" Pin  
and Socket Crimp  
Grounding Terminal,  
Series 1973, Male,  
with Tin (Sn) Plated  
Brass Contact, 14-18  
AWG, Bag  
Mini-Fit Jr. [3044052](#)  
Receptacle Housing,  
Single Row, 5  
Circuits, UL 94V-2,  
Natural  
1.57mm Diameter [3061011](#)  
Standard .062"  
Pin and Socket

|                                                                                                                                                                                  |                |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Receptacle Housing,<br>1 Circuits, Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                                                | <u>3061022</u> |
| Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                            | <u>3061023</u> |
| Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                   | <u>3061031</u> |
| Receptacle Housing,<br>3 Circuits, with<br>Standard Mounting<br>Ears<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                      | <u>3061032</u> |
| Receptacle Housing,<br>3 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                   | <u>3061038</u> |
| Receptacle Housing,<br>3 Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                            | <u>3061041</u> |
| Receptacle Housing,<br>4 Circuits, with<br>Standard Mounting<br>Ears<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                      | <u>3061042</u> |
| Receptacle Housing,<br>4 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket                                                   | <u>3061044</u> |
| Receptacle Housing,<br>Dual Row, without<br>Mounting Ears, PA<br>Polyamide Nylon 6/6,<br>UL 94V-2, 4 Circuits,<br>Natural<br>1.57mm Diameter<br>Standard .062"<br>Pin and Socket | <u>3061062</u> |
| Receptacle Housing,<br>6 Circuits, without                                                                                                                                       |                |



|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061092</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>9 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3061121</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, with<br>Standard Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3061122</u><br>Standard .062"<br>Pin and Socket<br>Receptacle Housing,<br>12 Circuits, without<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062011</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 1 Circuits,<br>Natural<br>1.57mm Diameter <u>3062023</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062024</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 2<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062031</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062032</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 3 Circuits,<br>without Mounting<br>Ears, Natural<br>1.57mm Diameter <u>3062033</u><br>Standard .062"<br>Pin and Socket<br>Plug Housing, 3<br>Circuits, with Pre-<br>bent Mounting Ears,<br>Natural<br>1.57mm Diameter <u>3062041</u><br>Standard .062" Pin<br>and Socket Plug<br>Housing, 4 Circuits, |  |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|

|  |                                                                                                                                    |                |
|--|------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | with Standard Mounting Ears                                                                                                        |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062042</u> |
|  | Standard .062" Pin and Socket Plug Housing, 4 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062044</u> |
|  | Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide Nylon 6/6, UL 94V-2, 4 Circuits, Natural |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062061</u> |
|  | Standard .062" Pin and Socket Plug Housing, 6 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062092</u> |
|  | Standard .062" Pin and Socket Plug Housing, 9 Circuits, without Mounting Ears, Natural                                             |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062121</u> |
|  | Standard .062" Pin and Socket Plug Housing, 12 Circuits, with Pre-bent Mounting Ears, Natural                                      |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3062122</u> |
|  | Standard .062" Pin and Socket Plug Housing, 12 Circuits, without Mounting Ears, Natural                                            |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3066023</u> |
|  | Standard .062" Pin and Socket Receptacle Housing, 2 Circuits, without Mounting Ears, Black                                         |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3066062</u> |
|  | Standard .062" Pin and Socket Receptacle Housing, 6 Circuits, without Mounting Ears, Black                                         |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3067023</u> |
|  | Standard .062" Pin and Socket Plug Housing, Black, 2 Circuits, without Mounting Ears, Black                                        |                |
|  | 1.57mm Diameter                                                                                                                    | <u>3067044</u> |
|  | Standard .062" Pin and Socket Plug Housing, Dual Row, without Mounting Ears, PA Polyamide                                          |                |

|                                                                                                                                                                  |                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Nylon 6/6, UL 94V-2,<br>4 Circuits, Black<br>1.57mm Diameter<br>Standard .062" Pin<br>and Socket Plug<br>Housing, 6 Circuits,<br>without Mounting<br>Ears, Black | <u>3067061</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>1 Circuit, Friction<br>Lock, Natural                                               | <u>3091011</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, without<br>Mounting Ears, with<br>Ramps, Natural                       | <u>3091022</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural                | <u>3091027</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Natural                | <u>3091030</u> |
| Standard Receptacle<br>Housing, 3 Circuit,<br>Natural                                                                                                            |                |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091031</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091032</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                 | <u>3091033</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Free-Hanging,<br>without Passive Lock<br>Ramps, Natural |                |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 | <u>3091041</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Single<br>Row, Natural                                                 | <u>3091042</u> |

|                                                                                                                                                                    |                |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>4 Circuits, Dual Row,<br>without Mounting<br>Ears, Natural                           | <u>3091049</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091061</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091062</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>without Panel Mount<br>Ears, without Friction<br>Lock Ramp  | <u>3091063</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>6 Circuits, Dual Row,<br>Natural                                                     | <u>3091064</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle Housing,<br>3 Circuits, Single<br>Row, Natural                                                   | <u>3091081</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural                                                      | <u>3091091</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, with Panel<br>Mount Ears, without<br>Passive Lock Ramp       | <u>3091092</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket<br>Receptacle<br>Housings, 9 Circuits,<br>3 Rows, without<br>Panel Mount Ears,<br>without Passive Lock<br>Ramp | <u>3091093</u> |
| 2.36mm Diameter<br>Standard .093"<br>Pin and Socket                                                                                                                | <u>3091094</u> |

|                                                                                                                                                             |                |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Receptacle<br>Housings, 9 Circuits,<br>3 Rows, Natural<br>2.36mm Diameter<br>Standard .093"                                                                 | <u>3091121</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Panel Mountable,<br>without Passive<br>Locking Ramps<br>2.36mm Diameter<br>Standard .093"  | <u>3091125</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural<br>2.36mm Diameter<br>Standard .093"                                               | <u>3091126</u> |
| Pin and Socket<br>Receptacle Housing,<br>12 Circuits, 3 Rows,<br>Natural<br>2.36mm Diameter<br>Standard .093"                                               | <u>3091151</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-Bent<br>Mounting Ears,<br>without Lock Ramps<br>2.36mm Diameter<br>Standard .093" | <u>3091152</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, without Lock<br>Ramps<br>2.36mm Diameter<br>Standard .093"       | <u>3091153</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>with Pre-bent<br>Mounting Ears, with<br>Lock Ramps<br>2.36mm Diameter<br>Standard .093"    | <u>3091157</u> |
| Pin and Socket<br>Receptacle Housing,<br>15 Circuits, 3 Rows,<br>without Mounting<br>Ears, with Lock<br>Ramps<br>2.36mm Diameter<br>Standard .093"          | <u>3091161</u> |
| Pin and Socket<br>Receptacle Housing<br>without Mounting<br>Ears, Positive Lock,<br>2 Circuits<br>2.36mm Diameter<br>Standard .093"                         | <u>3092011</u> |
| Pin and Socket Plug                                                                                                                                         |                |

|  |                                                                                                                                    |                |
|--|------------------------------------------------------------------------------------------------------------------------------------|----------------|
|  | Housing, 1 Circuit,<br>Friction Lock, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                          | <u>3092021</u> |
|  | Housing, 2 Circuits,<br>with Standard<br>Mounting Ears,<br>Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug     | <u>3092022</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug              | <u>3092031</u> |
|  | Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                            | <u>3092032</u> |
|  | Housing, 3 Circuits,<br>Single Row, Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                            | <u>3092041</u> |
|  | Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                     | <u>3092042</u> |
|  | Housing, 4 Circuits,<br>Single Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                     | <u>3092049</u> |
|  | Housing, 4 Circuits,<br>Dual Row, without<br>Mounting Ears,<br>Natural<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug | <u>3092061</u> |
|  | Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                       | <u>3092062</u> |
|  | Housing, 6 Circuits,<br>Dual Row<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                       | <u>3092092</u> |
|  | Housings, 9 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                        | <u>3092121</u> |
|  | Housing, 12 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                        | <u>3092122</u> |

|  |                                                                                                              |                |
|--|--------------------------------------------------------------------------------------------------------------|----------------|
|  | Housing, 12 Circuits,<br>3 Rows<br>2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                  | <u>3092151</u> |
|  | Housing, 15 Circuits,<br>3 Rows, without<br>Mounting Ears, with<br>Pull Tabs, without<br>Lock Windows        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3092159</u> |
|  | Housing, 15 Circuits,<br>3 Rows, with Pre-<br>Bent Mounting Ears,<br>without Pull Tabs,<br>with Lock Windows |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3092161</u> |
|  | Housing without<br>Mounting Ears,<br>Positive Lock, 2<br>Circuits                                            |                |
|  | 2.36mm Diameter<br>Standard .093"<br>Pin and Socket                                                          | <u>3096021</u> |
|  | Receptacle Housing,<br>2 Circuits, with Pre-<br>bent Mounting Ears,<br>with Ramps, Black                     |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097022</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Black                                                      |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097024</u> |
|  | Housing, 2 Circuits,<br>without Mounting<br>Ears, Red                                                        |                |
|  | 2.36mm Diameter<br>Standard .093" Pin<br>and Socket Plug                                                     | <u>3097032</u> |
|  | Housing, 3 Circuits,<br>Single Row, Black                                                                    |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121022</u> |
|  | Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears                                  |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121026</u> |
|  | Housing, Single<br>Row, 2 Circuits,<br>Natural (Translucent)                                                 |                |
|  | 3.18mm Diameter,<br>HCS125, Pin and<br>Socket Receptacle                                                     | <u>3121036</u> |

|  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <a href="#">3121046</a><br>HCS125, Pin and<br>Socket Receptacle<br>Housing, Single<br>Row, 4 Circuits,<br>Natural (Translucent)<br>3.18mm Diameter, <a href="#">3122022</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, 2 Circuits,<br>Single Row, with and<br>without Panel Mount<br>Ears<br>3.18mm Diameter, <a href="#">3122025</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <a href="#">3122026</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 2<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <a href="#">3122035</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <a href="#">3122036</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 3<br>Circuits, Natural,<br>Nylon 94V-2<br>3.18mm Diameter, <a href="#">3122045</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, with Panel<br>Mount Ears, 4<br>Circuits, Natural<br>(Translucent)<br>3.18mm Diameter, <a href="#">3122046</a><br>HCS125, Pin<br>and Socket Plug<br>Housing, Single<br>Row, without Panel<br>Mount Ears, 4 |  |
|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|



Circuits, Natural  
(Translucent)  
Flat Blade Crimp 5060117  
Terminal, Series  
1508, Female, With  
Tin (Sn) Plated  
Brass Contact, 14-18  
AWG (or 18 AWG  
Double Crimp), Reel  
Packaged  
Flat Blade Crimp 5060301  
Terminal, Series  
2176, Female, With  
Tin (Sn) Plated Brass  
Contact, With Detent,  
14-22 AWG (or 18  
AWG Double Crimp),  
Reel Packaged  
Crimp Terminal 5121004  
2482, 10-16 AWG,  
Reel  
Crimp Terminal 5121005  
2482, 10-16 AWG,  
Bag  
Crimp Terminal 5121006  
2482, 10-16 AWG,  
Reel  
Crimp Terminal 5121008  
2482, 10-16 AWG,  
Reel  
Crimp Terminal 5121104  
6482, 14-18 AWG,  
Reel  
Flat Blade Appliance 6021103  
Motor Switch Crimp  
Housing, 10 Circuits  
Flat Blade Appliance 6022030  
Water Valve Crimp  
Housing, 3 Circuit,  
Natural  
Flat Blade Appliance 6023042  
Defrost Timer Crimp  
Housing, 4 Circuit, 4  
Circuits  
Flat Blade Appliance 6023103  
Motor Switch Crimp  
Housing, 10 Circuit,  
10 Circuits  
Flat Blade Appliance 6023104  
Dryer Motor Crimp  
Housing, 10 Circuit  
KK Crimp Terminal, 8300109  
Series 1799, Female,  
with Tin (Sn) Plated  
Brass Contact, 18-24  
AWG, Chain on Reel  
KK 396 Crimp 8500008  
Terminal 8818, 18-22  
AWG, Reel, Brass  
Tin (Sn)  
KK 156 TERMINAL 8500015  
CRIMP 18-24 AWG  
TIN  
KK 396 Crimp 8500023  
Terminal 8818, 18-22

|                                                                                                |                |
|------------------------------------------------------------------------------------------------|----------------|
| AWG, Bag, Brass Tin (Sn)                                                                       |                |
| KK 156 TERM                                                                                    | <u>8500024</u> |
| CRP 18-20 AWG TRIFURCON TIN                                                                    |                |
| KK 254 Cat Ear                                                                                 | <u>8500030</u> |
| Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, 2.20mm Insulation Crimp, Reel                     |                |
| KK 254 Cat Ear                                                                                 | <u>8500031</u> |
| Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Reel                                              |                |
| KK 254 Cat Ear                                                                                 | <u>8500032</u> |
| Crimp Terminal 4809, 22-30 AWG, Hot Tin Dip, Bag                                               |                |
| KK 396 Crimp                                                                                   | <u>8500105</u> |
| Terminal 2478, 18-24 AWG, Reel, Brass Tin (Sn)                                                 |                |
| KK 396 Crimp                                                                                   | <u>8500106</u> |
| Terminal 2478, 18-24 AWG, Bag, Brass Tin (Sn)                                                  |                |
| KK 396 Crimp                                                                                   | <u>8500107</u> |
| Terminal 2578, 22-26 AWG, Reel, Brass, 2.540µm Tin (Sn)                                        |                |
| KK 396 Crimp                                                                                   | <u>8500108</u> |
| Terminal 2578, 22-26 AWG, Bag, Brass, 2.540µm Tin (Sn)                                         |                |
| KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Reel  | <u>8500109</u> |
| KK Crimp Terminal, Series 2477, Humpback, with Tin (Sn) Plated Brass Contact, 18-24 AWG, Loose |                |
| KK 396 Crimp                                                                                   | <u>8500111</u> |
| Terminal 2578, 22-26 AWG, Reel, Brass, 7.6µm Tin (Sn)                                          |                |
| KK 156 TERMINAL CRIMP 22-26 AWG TIN                                                            | <u>8500112</u> |
| KK 254 Crimp                                                                                   | <u>8500113</u> |
| Terminal, 22-30 AWG, Hot Tin (Sn) Dip Plating                                                  |                |
| KK 254 Crimp                                                                                   | <u>8500114</u> |
| Terminal, 22-30 AWG, Bag, Hot Tin (Sn) Dip Plating                                             |                |
| 3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG,                                                | <u>8500115</u> |

|                                                                                                                                      |                |
|--------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Reel, Brass, Tin<br>(Sn), Bifurcated<br>3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Bag, Brass, Tin (Sn),<br>Bifurcated | <u>8500116</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>3.8µm Tin (Sn)                                                          | <u>8500119</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>3.8µm Tin (Sn)                                                           | <u>8500120</u> |
| KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Reel,<br>Phosphor Bronze,<br>2.540µm Tin (Sn)                                           | <u>8500133</u> |
| KK 396 Crimp<br>Terminal 2578,<br>22-26 AWG, Bag,<br>Phosphor Bronze,<br>2.540µm Tin(Sn)                                             | <u>8500134</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Hot Tin Dip,<br>Reel                                                                    | <u>8500135</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Tin, Bag                                                                                | <u>8500136</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating                                      | <u>8500159</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Tin (Sn)<br>Plating, Nickel (Ni)<br>Under Plating                                       | <u>8500160</u> |
| KK Trifurcon Crimp<br>Terminal 7258, 22-26<br>AWG, Reel, Brass<br>Tin (Sn)                                                           | <u>8500183</u> |
| KK Trifurcon Crimp<br>Terminal 7258, 22-26<br>AWG, Bag, Brass Tin<br>(Sn)                                                            | <u>8500185</u> |
| KK Trifurcon Crimp<br>Terminal 6838, 18-20<br>AWG, Reel, Brass<br>Tin (Sn)                                                           | <u>8500187</u> |
| KK Trifurcon Crimp<br>Terminal 6838, 18-20<br>AWG, Bag, Brass Tin<br>(Sn)                                                            | <u>8500189</u> |
| KK 156 TERM<br>CRP 18-20 AWG<br>TRIFURCON TIN                                                                                        | <u>8500251</u> |
| KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,                                                                                   | <u>8500281</u> |

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Phosphor Bronze,<br>3.87µm Tin (Sn)<br>KK 156 TERM<br>CRP 22-26 AWG<br>TRIFURCON TIN<br>KK 100 Crp Term<br>Std 22-30 Awg Unplt<br>KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel, Tin (Sn),<br>Nickel (Ni) Under<br>Plating<br>KK 156 TERMINAL<br>CRIMP 1820 AWG<br>KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>Tin (Sn)<br>KK 396 Crimp<br>Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>Tin (Sn)<br>KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)<br>KK Trifurcon Crimp<br>Terminal 6838,<br>18-20 AWG, Reel,<br>Phosphor Bronze<br>Tin(Sn)<br>KK Trifurcon Crimp<br>Terminal 6838,<br>18-20 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)<br>KK .100 CRIMP<br>TERMINAL 100MI<br>MATTE TIN<br>KK 254 Crimp<br>Terminal 6459,<br>22-30 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)<br>KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Reel,<br>Phosphor Bronze<br>Tin(Sn)<br>KK Trifurcon Crimp<br>Terminal 7258,<br>22-26 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)<br>3.96mm Pitch KK<br>Crimp Terminal<br>2878, 18-20 AWG,<br>Reel, Phosphor<br>Bronze, Tin (Sn),<br>Bifurcated<br>3.96mm Pitch KK<br>Crimp Terminal | <br><br><u>8500283</u><br><br><br><u>8510101</u><br><br><u>8510108</u><br><br><br><u>8510109</u><br><br><u>8520071</u><br><br><br><u>8520072</u><br><br><br><u>8520101</u><br><br><br><u>8520112</u><br><br><br><u>8520113</u><br><br><br><u>8520118</u><br><br><br><u>8520123</u><br><br><br><u>8520124</u><br><br><br><u>8520125</u><br><br><br><u>8520126</u><br><br><br><u>8520127</u> |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                                                                       |                |
|---------------------------------------------------------------------------------------|----------------|
| 2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, Tin (Sn),<br>Bifurcated                  |                |
| KK 396 Crimp                                                                          | <u>8520131</u> |
| Terminal 8818,<br>18-22 AWG, Reel,<br>Phosphor Bronze Tin<br>(Sn)                     |                |
| KK 396 Crimp                                                                          | <u>8520132</u> |
| Terminal 8818,<br>18-22 AWG, Bag,<br>Phosphor Bronze Tin<br>(Sn)                      |                |
| KK 396 Crimp                                                                          | <u>8520811</u> |
| Terminal 2478,<br>18-24 AWG, Reel,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)              |                |
| KK 396 Crimp                                                                          | <u>8520812</u> |
| Terminal 2478,<br>18-24 AWG, Bag,<br>Phosphor Bronze,<br>5.0µm Tin (Sn)               |                |
| KK 156 TERMINAL                                                                       | <u>8530811</u> |
| CRIMP 18-24 AWG                                                                       |                |
| KK CRIMP TERM                                                                         | <u>8530812</u> |
| UNPLT LSE<br>PB2478999L                                                               |                |
| KK 156 TERMINAL                                                                       | <u>8530814</u> |
| CRIMP 1820 AWG                                                                        |                |
| KK 156 TERM                                                                           | <u>8531101</u> |
| CRP 18-20 AWG<br>TRIFURCON                                                            |                |
| KK 254 Crimp                                                                          | <u>8550101</u> |
| Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating |                |
| KK 254 Crimp                                                                          | <u>8550102</u> |
| Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating     |                |
| KK 396 Crimp                                                                          | <u>8550103</u> |
| Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>0.38µm Selective<br>Gold (Au)            |                |
| KK 396 Crimp                                                                          | <u>8550104</u> |
| Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold (Au)             |                |
| KK 396 Crimp                                                                          | <u>8550105</u> |
| Terminal 2578, 22-26<br>AWG, Reel, Brass,<br>0.38µm Selective<br>Gold (Au)            |                |
| KK 396 Crimp                                                                          | <u>8550106</u> |
| Terminal 2578, 22-26<br>AWG, Bag, Brass,<br>0.38µm Selective<br>Gold(Au)              |                |

|                                                                                                                        |                |
|------------------------------------------------------------------------------------------------------------------------|----------------|
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Reel                                              | <u>8550110</u> |
| KK 254 Crimp<br>Terminal 4809, 22-30<br>AWG, Selective Gold<br>(Au), Bag                                               | <u>8550111</u> |
| KK 254 Cat Ear<br>Crimp Terminal<br>4809, 22-30 AWG,<br>Selective Gold, Reel                                           | <u>8550112</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Reel, Brass,<br>0.76µm Select Gold<br>(Au) over Gold Flash                | <u>8550123</u> |
| KK High Pressure<br>Crimp Terminal<br>7879, 22-30 AWG,<br>Reel Selective Gold<br>(Au)                                  | <u>8550124</u> |
| KK High Pressure<br>Crimp Terminal<br>7879, 22-30 AWG,<br>Bag Selective Gold<br>(Au)                                   | <u>8550129</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Reel,<br>Selective Gold (Au),<br>Nickel (Ni) Under<br>Plating                  | <u>8550130</u> |
| KK 254 Crimp<br>Terminal, 22-30<br>AWG, Bag, Selective<br>Gold (Au), Nickel (Ni)<br>Under Plating                      | <u>8550131</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>0.76µm Gold (Au)                                          | <u>8550133</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.76µm Gold (Au)                                           | <u>8550134</u> |
| KK 396 Crimp<br>Terminal 2578, 22-26<br>AWG, Left Payoff<br>Reel, Brass, 0.76µm<br>Select Gold (Au)<br>over Gold Flash | <u>8550137</u> |
| KK 156 TERMINAL<br>CRIMP 1820 AWG<br>GOLD                                                                              | <u>8550138</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Reel, Brass,<br>0.51µm Selective<br>Gold (Au)                             | <u>8560105</u> |
| KK 396 Crimp<br>Terminal 2478, 18-24<br>AWG, Bag, Brass,<br>0.51µm Selective<br>Gold (Au)                              | <u>8560106</u> |

|                                 |                |
|---------------------------------|----------------|
| KK 396 Crimp                    | <u>8560107</u> |
| Terminal 2578, 22-26            |                |
| AWG, Reel, Brass,               |                |
| 0.51µm Select Gold              |                |
| (Au) over Gold Flash            |                |
| KK 396 Crimp                    | <u>8560108</u> |
| Terminal 2578, 22-26            |                |
| AWG, Bag, Brass,                |                |
| 0.51µm Select Gold              |                |
| (Au) over Gold Flash            |                |
| KK 254 Crimp                    | <u>8560109</u> |
| Terminal, 22-30                 |                |
| AWG, Reel, Gold                 |                |
| (Au), Nickel (Ni)               |                |
| Under Plating                   |                |
| KK 254 Crimp                    | <u>8560110</u> |
| Terminal, 22-30                 |                |
| AWG, Bag, Gold                  |                |
| (Au), Nickel (Ni)               |                |
| Under Plating                   |                |
| KK Crimp Terminal, Series 2477, | <u>8560113</u> |
| Humpback, with                  |                |
| Overall Gold (Au)               |                |
| Plated Brass                    |                |
| Contact, 18-24 AWG,             |                |
| Reel                            |                |
| KK Crimp Terminal, Series 2477, | <u>8560114</u> |
| Humpback, with                  |                |
| Overall Gold (Au)               |                |
| Plated Brass                    |                |
| Contact, 18-24 AWG,             |                |
| Loose                           |                |
| KK 254 Crimp                    | <u>8560115</u> |
| Terminal 4809, 22-30            |                |
| AWG, Selective Gold             |                |
| (Au), Bag                       |                |
| KK 254 Crimp                    | <u>8560120</u> |
| Terminal 4809, 22-30            |                |
| AWG, Selective Gold             |                |
| (Au), Reel                      |                |
| KK Trifurcon Crimp              | <u>8560123</u> |
| Terminal 7258,                  |                |
| 22-26 AWG, Reel,                |                |
| Phosphor Bronze                 |                |
| Gold (Au)                       |                |
| KK Trifurcon Crimp              | <u>8560124</u> |
| Terminal 7258,                  |                |
| 22-26 AWG, Bag,                 |                |
| Phosphor Bronze                 |                |
| Gold(Au)                        |                |
| KK 156 TERMINAL                 | <u>8580103</u> |
| CRIMP 18-24 AWG                 |                |
| GOLD                            |                |
| KK 156 TERMINAL                 | <u>8580104</u> |
| CRIMP 18-24 AWG                 |                |
| GOLD                            |                |
| KK 156 TERM                     | <u>8580105</u> |
| CRP 18-20 AWG                   |                |
| TRIFURCON GOLD                  |                |
| KK 156 TERM                     | <u>8580106</u> |
| CRP 18-20 AWG                   |                |
| TRIFURCON GOLD                  |                |

|  |                                                                                                               |                |
|--|---------------------------------------------------------------------------------------------------------------|----------------|
|  | KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Reel, Phosphor Bronze Selective Gold (Au)                        | <u>8580110</u> |
|  | KK Trifurcon Crimp Terminal 6438, 18-20 AWG, Bag, Phosphor Bronze Selective Gold (Au)                         | <u>8580111</u> |
|  | KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.76µm Gold (Au)                                | <u>8580114</u> |
|  | KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.76µm Gold (Au)                                 | <u>8580115</u> |
|  | KK 156 TERM CRP 18-20 AWG TRIFURCON GOLD                                                                      | <u>8580118</u> |
|  | KK 396 Crimp Terminal 2478, 18-24 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au)                      | <u>8580121</u> |
|  | KK 396 Crimp Terminal 2478, 18-24 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)                       | <u>8580122</u> |
|  | KK 396 Crimp Terminal 2578, 22-26 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au)                      | <u>8580125</u> |
|  | KK 396 Crimp Terminal 2578, 22-26 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au)                       | <u>8580126</u> |
|  | 3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Reel, Phosphor Bronze, 0.51µm Selective Gold (Au), Bifurcated | <u>8580127</u> |
|  | 3.96mm Pitch KK Crimp Terminal 2878, 18-20 AWG, Bag, Phosphor Bronze, 0.51µm Selective Gold (Au), Bifurcated  | <u>8580128</u> |
|  | KK 396 Crimp Terminal 8818, 18-22 AWG, Reel,                                                                  | <u>8580135</u> |



|  |                      |                |
|--|----------------------|----------------|
|  | Phosphor Bronze      |                |
|  | Selective Gold (Au)  |                |
|  | KK 396 Crimp         | <u>8580136</u> |
|  | Terminal 8818,       |                |
|  | 18-22 AWG, Bag,      |                |
|  | Phosphor Bronze      |                |
|  | Selective Gold (Au)  |                |
|  | KK Trifurcon Crimp   | <u>8580187</u> |
|  | Terminal 6438,       |                |
|  | 18-20 AWG, Reel,     |                |
|  | Phosphor Bronze      |                |
|  | Gold (Au)            |                |
|  | KK Trifurcon Crimp   | <u>8580189</u> |
|  | Terminal 6438,       |                |
|  | 18-20 AWG, Bag,      |                |
|  | Phosphor Bronze      |                |
|  | Gold(Au)             |                |
|  | KK 396 Crimp         | <u>8600003</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 3.810µm Tin (Sn)     |                |
|  | KK 396 Crimp         | <u>8600004</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 3.810µm Tin (Sn)     |                |
|  | KK 254 Crimp         | <u>8650105</u> |
|  | Terminal 8088, 22-30 |                |
|  | AWG, Gold/Nickel,    |                |
|  | Reel                 |                |
|  | KK 396 Crimp         | <u>8650110</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.76µm Select Gold   |                |
|  | (Au) over Gold Flash |                |
|  | KK 396 Crimp         | <u>8650114</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.38µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8650115</u> |
|  | Terminal 2478,       |                |
|  | 18-24 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 0.38µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8650116</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Reel,     |                |
|  | Phosphor Bronze,     |                |
|  | 0.38µm Selective     |                |
|  | Gold (Au)            |                |
|  | KK 396 Crimp         | <u>8650117</u> |
|  | Terminal 2578,       |                |
|  | 22-26 AWG, Bag,      |                |
|  | Phosphor Bronze,     |                |
|  | 0.38µm Selective     |                |
|  | Gold (Au)            |                |
|  | 3.96mm Pitch KK      | <u>8650118</u> |
|  | Crimp Terminal       |                |
|  | 2878, 18-20 AWG,     |                |
|  | Reel, Phosphor       |                |

|                                                                                           |                                |
|-------------------------------------------------------------------------------------------|--------------------------------|
| Bronze, 0.38µm<br>Selective Gold (Au),<br>Bifurcated                                      |                                |
| 3.96mm Pitch KK<br>Crimp Terminal                                                         | <a href="#"><u>8650119</u></a> |
| 2878, 18-20 AWG,<br>Bag, Phosphor<br>Bronze, 0.38µm<br>Selective Gold (Au),<br>Bifurcated |                                |
| KK Trifurcon Crimp<br>Terminal 7258,                                                      | <a href="#"><u>8650121</u></a> |
| 22-26 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                |                                |
| KK Trifurcon Crimp<br>Terminal 7258,                                                      | <a href="#"><u>8650122</u></a> |
| 22-26 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                 |                                |
| KK 396 Crimp<br>Terminal 8818,                                                            | <a href="#"><u>8650128</u></a> |
| 18-22 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                |                                |
| KK 396 Crimp<br>Terminal 8818,                                                            | <a href="#"><u>8650129</u></a> |
| 18-22 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                 |                                |
| KK 100 Crp Term<br>Std 22-30 Awg                                                          | <a href="#"><u>8650801</u></a> |
| SGold                                                                                     |                                |
| KK 254 Cat Ear<br>Crimp Terminal                                                          | <a href="#"><u>8650804</u></a> |
| 41572, Reel Tin (Sn)                                                                      |                                |
| KK 254 Cat Ear<br>Crimp Terminal                                                          | <a href="#"><u>8650805</u></a> |
| 41572, Bag Tin (Sn)                                                                       |                                |
| KK 100 Crp Term<br>Std 22-30 Awg                                                          | <a href="#"><u>8650811</u></a> |
| SGold                                                                                     |                                |
| KK 100 Crp Term<br>Std 22-30 Awg                                                          | <a href="#"><u>8650812</u></a> |
| SGold                                                                                     |                                |
| KK 254 Crimp<br>Terminal 6459,                                                            | <a href="#"><u>8650813</u></a> |
| 22-30 AWG, Reel,<br>Phosphor Bronze<br>Gold (Au)                                          |                                |
| KK 254 Crimp<br>Terminal 6459,                                                            | <a href="#"><u>8650814</u></a> |
| 22-30 AWG, Bag,<br>Phosphor Bronze<br>Gold (Au)                                           |                                |
| KK 254 Crimp<br>Terminal 6459,                                                            | <a href="#"><u>8650815</u></a> |
| 22-30 AWG, Reel,<br>Phosphor Bronze<br>Selective Gold (Au)                                |                                |
| KK 254 Crimp<br>Terminal 6459,                                                            | <a href="#"><u>8650816</u></a> |
| 22-30 AWG, Bag,<br>Phosphor Bronze<br>Selective Gold (Au)                                 |                                |

|                      |                |
|----------------------|----------------|
| KK 100 Crp Term      | <u>8650817</u> |
| Std 22-30 Awg        |                |
| SGold                |                |
| 4.80mm Pitch Crimp   | <u>8700001</u> |
| Terminal, Female,    |                |
| Reel                 |                |
| 4.80mm Pitch Crimp   | <u>8700002</u> |
| Terminal, Male, Reel |                |
| 3.96 and 5.08mm      | <u>8700012</u> |
| Pitch KK Cat Ear     |                |
| Crimp Terminal,      |                |
| Female, 18-24 AWG,   |                |
| Reel                 |                |
| KK Cat Ear Crimp     | <u>8700048</u> |
| Terminal 5159,       |                |
| 22-28 AWG, Reel,     |                |
| Phosphor Bronze,     |                |
| Tin (Sn) Plating     |                |
| KK Cat Ear Crimp     | <u>8700049</u> |
| Terminal 5159,       |                |
| 22-28 AWG, Bag,      |                |
| Phosphor Bronze,     |                |
| Tin (Sn) Plating     |                |
| SPOX Crimp           | <u>8700056</u> |
| Terminal 5103, 22-28 |                |
| AWG, Reel, Brass     |                |
| (CuZn), Chain Type   |                |
| SPOX Crimp           | <u>8700058</u> |
| Terminal 5103,       |                |
| 22-28 AWG, Reel,     |                |
| Phosphor Bronze      |                |
| (CuSn), Chain Type   |                |
| KK Cat Ear Crimp     | <u>8700064</u> |
| Terminal 5159, 22-28 |                |
| AWG, Reel, Brass,    |                |
| Tin (Sn) over Copper |                |
| Plating              |                |
| KK Cat Ear Crimp     | <u>8700069</u> |
| Terminal 5159, 22-28 |                |
| AWG, Bag, Brass,     |                |
| Tin (Sn) over Copper |                |
| Plating              |                |
| 2.50mm Pitch         | <u>8700102</u> |
| Mini-Latch Crimp     |                |
| Terminal, Male,      |                |
| Brass, Reel          |                |
| 2.50mm Pitch         | <u>8700103</u> |
| Mini-Latch Crimp     |                |
| Terminal, Male,      |                |
| Brass, Bag           |                |
| Board-in Crimp       | <u>8700106</u> |
| Terminal , Series    |                |
| 5298, Male, with Tin |                |
| Insulation Diameter, |                |
| Reel Packaged        |                |
| .062DIA CRIMP        | <u>8701011</u> |
| REC.                 |                |
| .062DIA CRIMP PIN    | <u>8701013</u> |
| SPOX Crimp           | <u>8701030</u> |
| Terminal, 18-24      |                |
| AWG, Brass, Bag      |                |
| SPOX Crimp           | <u>8701031</u> |
| Terminal, 18-24      |                |
| AWG, Brass, Reel     |                |

|  |                                                                                                                         |                         |
|--|-------------------------------------------------------------------------------------------------------------------------|-------------------------|
|  | 2.50mm Pitch, Mini-SPOX Female Crimp Terminal, 22-28 AWG, Reel                                                          | <a href="#">8701039</a> |
|  | 2.50mm Pitch Mini-SPOX Crimp Terminal, 22-28 AWG, Bag                                                                   | <a href="#">8701040</a> |
|  | 2.5 Low Profile Crimp Rec Chain W/ Plt                                                                                  | <a href="#">8701047</a> |
|  | 3.96mm Pitch KK Crimp Housing, Edge Card Connector, Single-Sided, Polarized, Positive Lock, with Probe Hole, 3 Circuits | <a href="#">9011036</a> |
|  | .156 IDT ASSEMBLY 724103L                                                                                               | <a href="#">9072031</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 2 Circuits                                | <a href="#">9481024</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 3 Circuits                                | <a href="#">9481034</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 4 Circuits                                | <a href="#">9481044</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 5 Circuits                                | <a href="#">9481054</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 6 Circuits                                | <a href="#">9481064</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 7 Circuits                                | <a href="#">9481074</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 8 Circuits                                | <a href="#">9481084</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 9 Circuits                                | <a href="#">9481094</a> |
|  | KK 396 PC Board Connector, Right Angle, Polyester Connector, 5.00µm Tin (Sn), 10 Circuits                               | <a href="#">9481104</a> |

|                        |                |
|------------------------|----------------|
| KK 396 PC Board        | <u>9481105</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9481114</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 11 Circuits  |                |
| KK 396 PC Board        | <u>9481124</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 12 Circuits  |                |
| KK 396 PC Board        | <u>9481134</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 13 Circuits  |                |
| KK 396 PC Board        | <u>9481144</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 14 Circuits  |                |
| KK 396 PC Board        | <u>9481154</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 15 Circuits  |                |
| KK 396 PC Board        | <u>9483024</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 2 Circuits  |                |
| KK 396 PC Board        | <u>9483025</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 2 Circuits  |                |
| KK 396 PC Board        | <u>9483026</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 2 Circuits  |                |
| KK 396 PC Board        | <u>9483034</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 3 Circuits  |                |
| KK 396 PC Board        | <u>9483035</u> |
| Connector, Right       |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 3 Circuits  |                |
| KK 396 PC Board        | <u>9483036</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 3 Circuits  |                |
| KK 396 PC Board        | <u>9483044</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 4 Circuits  |                |

|                                   |                |
|-----------------------------------|----------------|
| KK 396 PC Board                   | <u>9483045</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 4 Circuits             |                |
| KK 396 PC Board                   | <u>9483046</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 4 Circuits             |                |
| KK 396 PC Board                   | <u>9483054</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 5 Circuits             |                |
| KK 396 PC Board                   | <u>9483055</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 5 Circuits             |                |
| KK 396 PC Board                   | <u>9483056</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 5 Circuits             |                |
| KK 396 PC Board                   | <u>9483064</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 6 Circuits             |                |
| KK 396 PC Board                   | <u>9483065</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 6 Circuits             |                |
| KK 396 PC Board                   | <u>9483066</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 6 Circuits             |                |
| KK 396 PC Board                   | <u>9483074</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 7 Circuits             |                |
| KK 396 PC Board                   | <u>9483075</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 7 Circuits             |                |
| KK 396 PC Board                   | <u>9483076</u> |
| Connector, Top                    |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 7 Circuits             |                |
| KK 396 PC Board                   | <u>9483084</u> |
| Connector, Bottom                 |                |
| Entry, Polyester                  |                |
| Connector, Gold (Au)              |                |
| Selective, 8 Circuits             |                |
| KK 396 PC Board                   | <u>9483085</u> |
| Connector, Right-Angle, Polyester |                |
| Connector, Gold (Au)              |                |
| Selective, 8 Circuits             |                |

|                        |                |
|------------------------|----------------|
| KK 396 PC Board        | <u>9483086</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 8 Circuits  |                |
| KK 396 PC Board        | <u>9483094</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 9 Circuits  |                |
| KK 396 PC Board        | <u>9483095</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 9 Circuits  |                |
| KK 396 PC Board        | <u>9483096</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 9 Circuits  |                |
| KK 396 PC Board        | <u>9483104</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483105</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483106</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 10 Circuits |                |
| KK 396 PC Board        | <u>9483114</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 11 Circuits |                |
| KK 396 PC Board        | <u>9483115</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 11 Circuits |                |
| KK 396 PC Board        | <u>9483116</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 11 Circuits |                |
| KK 396 PC Board        | <u>9483124</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 12 Circuits |                |
| KK 396 PC Board        | <u>9483125</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 12 Circuits |                |
| KK 396 PC Board        | <u>9483126</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 12 Circuits |                |

|                        |                |
|------------------------|----------------|
| KK 396 PC Board        | <u>9483134</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 13 Circuits |                |
| KK 396 PC Board        | <u>9483135</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 13 Circuits |                |
| KK 396 PC Board        | <u>9483136</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 13 Circuits |                |
| KK 396 PC Board        | <u>9483144</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 14 Circuits |                |
| KK 396 PC Board        | <u>9483145</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 14 Circuits |                |
| KK 396 PC Board        | <u>9483146</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 14 Circuits |                |
| KK 396 PC Board        | <u>9483154</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 15 Circuits |                |
| KK 396 PC Board        | <u>9483155</u> |
| Connector, Right-      |                |
| Angle, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 15 Circuits |                |
| KK 396 PC Board        | <u>9483156</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, Gold (Au)   |                |
| Selective, 15 Circuits |                |
| KK 396 PC Board        | <u>9484028</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9484029</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 2 Circuits   |                |
| KK 396 PC Board        | <u>9484038</u> |
| Connector, Top         |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 3 Circuits   |                |
| KK 396 PC Board        | <u>9484039</u> |
| Connector, Bottom      |                |
| Entry, Polyester       |                |
| Connector, 5.00µm      |                |
| Tin (Sn), 3 Circuits   |                |



|  |                       |                |
|--|-----------------------|----------------|
|  | KK 396 PC Board       | <u>9484048</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 4 Circuits  |                |
|  | KK 396 PC Board       | <u>9484049</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 4 Circuits  |                |
|  | KK 396 PC Board       | <u>9484058</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 5 Circuits  |                |
|  | KK 396 PC Board       | <u>9484059</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 5 Circuits  |                |
|  | KK 396 PC Board       | <u>9484068</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 6 Circuits  |                |
|  | KK 396 PC Board       | <u>9484069</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 6 Circuits  |                |
|  | KK 396 PC Board       | <u>9484078</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 7 Circuits  |                |
|  | KK 396 PC Board       | <u>9484079</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 7 Circuits  |                |
|  | KK 396 PC Board       | <u>9484088</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 8 Circuits  |                |
|  | KK 396 PC Board       | <u>9484089</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 8 Circuits  |                |
|  | KK 396 PC Board       | <u>9484098</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 9 Circuits  |                |
|  | KK 396 PC Board       | <u>9484099</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 9 Circuits  |                |
|  | KK 396 PC Board       | <u>9484108</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 10 Circuits |                |

|  |                       |                |
|--|-----------------------|----------------|
|  | KK 396 PC Board       | <u>9484109</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 10 Circuits |                |
|  | KK 396 PC Board       | <u>9484118</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 11 Circuits |                |
|  | KK 396 PC Board       | <u>9484119</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 11 Circuits |                |
|  | KK 396 PC Board       | <u>9484128</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 12 Circuits |                |
|  | KK 396 PC Board       | <u>9484129</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 12 Circuits |                |
|  | KK 396 PC Board       | <u>9484138</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 13 Circuits |                |
|  | KK 396 PC Board       | <u>9484139</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 13 Circuits |                |
|  | KK 396 PC Board       | <u>9484148</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 14 Circuits |                |
|  | KK 396 PC Board       | <u>9484149</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 14 Circuits |                |
|  | KK 396 PC Board       | <u>9484158</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 15 Circuits |                |
|  | KK 396 PC Board       | <u>9484159</u> |
|  | Connector, Bottom     |                |
|  | Entry, Polyester      |                |
|  | Connector, 5.00µm     |                |
|  | Tin (Sn), 15 Circuits |                |
|  | KK 156 PC Board       | <u>9485088</u> |
|  | Connector, Top        |                |
|  | Entry, Polyester      |                |
|  | Connector, Tin (Sn),  |                |
|  | 8 Circuits            |                |
|  | 3.96mm Pitch SPOX     | <u>9501021</u> |
|  | Crimp Housing,        |                |
|  | Female, with Friction |                |
|  | Ramp, 2 Circuits,     |                |
|  | Natural               |                |

3.96mm Pitch SPOX [9501023](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 2  
Circuits, Natural

3.96mm Pitch SPOX [9501031](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 3 Circuits,  
Natural

3.96mm Pitch SPOX [9501033](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 3  
Circuits, Natural

3.96mm Pitch SPOX [9501041](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 4 Circuits,  
Natural

3.96mm Pitch SPOX [9501043](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 4  
Circuits, Natural

3.96mm Pitch SPOX [9501051](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 5 Circuits,  
Natural

3.96mm Pitch SPOX [9501053](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 5  
Circuits, Natural

3.96mm Pitch SPOX [9501061](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 6 Circuits,  
Natural

3.96mm Pitch SPOX [9501063](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 6  
Circuits, Natural

3.96mm Pitch SPOX [9501071](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 7 Circuits,  
Natural

3.96mm Pitch SPOX [9501073](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 7  
Circuits, Natural

3.96mm Pitch SPOX [9501081](#)  
Crimp Housing,  
Female, with Friction  
Ramp, 8 Circuits,  
Natural

3.96mm Pitch SPOX [9501083](#)  
Crimp Housing,  
Female, with Friction  
Ramp and Void, 8  
Circuits, Natural

|  |                                                                                                                                |
|--|--------------------------------------------------------------------------------------------------------------------------------|
|  | 3.96mm Pitch SPOX <a href="#">9501091</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp, 9 Circuits,<br>Natural           |
|  | 3.96mm Pitch SPOX <a href="#">9501101</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp, 10 Circuits,<br>Natural          |
|  | 3.96mm Pitch SPOX <a href="#">9501103</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 10<br>Circuits, Natural |
|  | 3.96mm Pitch SPOX <a href="#">9501111</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp, 11 Circuits,<br>Natural          |
|  | 3.96mm Pitch SPOX <a href="#">9501113</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp and Void, 11<br>Circuits, Natural |
|  | 3.96mm Pitch SPOX <a href="#">9501121</a><br>Crimp Housing,<br>Female, with Friction<br>Ramp, 12 Circuits,<br>Natural          |
|  | KK 3.96mm Crimp <a href="#">9503021</a><br>Terminal Housing,<br>Friction Ramp, 2<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503031</a><br>Terminal Housing,<br>Friction Ramp, 3<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503041</a><br>Terminal Housing,<br>Friction Ramp, 4<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503051</a><br>Terminal Housing,<br>Friction Ramp, 5<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503061</a><br>Terminal Housing,<br>Friction Ramp, 6<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503071</a><br>Terminal Housing,<br>Friction Ramp, 7<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503081</a><br>Terminal Housing,<br>Friction Ramp, 8<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503091</a><br>Terminal Housing,<br>Friction Ramp, 9<br>Circuits, Natural                          |
|  | KK 3.96mm Crimp <a href="#">9503101</a><br>Terminal Housing,                                                                   |

|                   |                |
|-------------------|----------------|
| Friction Ramp, 10 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503111</u> |
| Terminal Housing, |                |
| Friction Ramp, 11 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503121</u> |
| Terminal Housing, |                |
| Friction Ramp, 12 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503131</u> |
| Terminal Housing, |                |
| Friction Ramp, 13 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503141</u> |
| Terminal Housing, |                |
| Friction Ramp, 14 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503151</u> |
| Terminal Housing, |                |
| Friction Ramp, 15 |                |
| Circuits, Natural |                |
| KK 3.96mm Crimp   | <u>9503161</u> |
| Terminal Housing, |                |
| Friction Ramp, 16 |                |
| Circuits, Natural |                |

This document was generated on 03/09/2020

**PLEASE CHECK [WWW.MOLEX.COM](http://WWW.MOLEX.COM) FOR LATEST PART INFORMATION**