



PCI HEIGHT




PART NUMBER - 747360240
 DIMENSION A - 4.2mm
 POWER LEVEL - UP TO 1.5W
 THERMAL RESISTANCE @ 200 LFM - <18.0 C/W

SAN HEIGHT




PART NUMBER - 747360241
 DIMENSION A - 6.5mm
 POWER LEVEL - UP TO 2.5W
 THERMAL RESISTANCE @ 200 LFM - <11.5 C/W



TALL HEIGHT



PART NUMBER - 747360242
 DIMENSION A - 13.5mm
 POWER LEVEL - UP TO 3.5W
 THERMAL RESISTANCE @ 200 LFM - <8.0 C/W





MATERIAL: ALUMINUM
 FINISH: BLACK ANODIZE
 CONFORMS TO XFP MSA REVISION 4.0
 CUSTOM DESIGNS AVAILABLE



REDRAWN EC NO: USY2010-0023 DRAWN: ERWIN 2009/07/28 CHKD: HIRSCHY 2009/07/31 APPR: KRONDE 2009/08/03 REV:	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION															
	▽=0 ▽=0	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>+---</td> <td>+---</td> </tr> <tr> <td>3 PLACES</td> <td>+---</td> <td>+---</td> </tr> <tr> <td>2 PLACES</td> <td>+0.13</td> <td>+---</td> </tr> <tr> <td>1 PLACE</td> <td>+0.25</td> <td>+---</td> </tr> </tbody> </table> ANGULAR ± 2°		mm	INCH	4 PLACES	+---	+---	3 PLACES	+---	+---	2 PLACES	+0.13	+---	1 PLACE	+0.25	+---	MM ONLY DRAWN BY: KLOYD DATE: 2004/06/11 CHECKED BY: BRUSSELL DATE: 2004/08/05 APPROVED BY: BRUSSELL DATE: 2004/08/05	3:1	METRIC	TITLE: XFP CAGE, PIN FIN HEAT SINKS MOLEX INCORPORATED DOCUMENT NO. SD-74736-0240
		mm	INCH																		
	4 PLACES	+---	+---																		
3 PLACES	+---	+---																			
2 PLACES	+0.13	+---																			
1 PLACE	+0.25	+---																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE DRAWING	MATERIAL NO.	SHEET NO.																		
	SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			


20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DATE	REV	DESCRIPTION
2004/06/11	A	INITIAL RELEASE
2008/08/18	B	1. ADDED REVISION HISTORY
		2. 6.5mm DIMENSION WAS 6.50mm
		3. 4.2mm DIMENSION WAS 4.20mm

REDRAWN IEC NO. USY2010-0023 DRAWN: LERMIN 2009/07/28 CHECKED: CHIRSCHY 2009/07/31 APPR: KMONDE 2009/08/03	QUALITY SYMBOLS  = 0  = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE DATE	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± ---	mm INCH	DRAWN BY KLLOYD	DATE 2004/06/11	TITLE XFP CAGE, PIN FIN HEAT SINKS			
		ANGULAR ± 2 °		CHECKED BY BRUSSELL	DATE 2004/08/05	MOLEX INCORPORATED			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY BRUSSELL	DATE 2004/08/05	MATERIAL NO. SEE DRAWING	DOCUMENT NO. SD-74736-0240	SHEET NO. 2 OF 2	


19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

PCI HEIGHT




PART NUMBER - 747360240
 DIMENSION A - 4.2mm
 POWER LEVEL - UP TO 1.5W
 THERMAL RESISTANCE @ 200 LFM - <18.0 C/W

SAN HEIGHT




PART NUMBER - 747360241
 DIMENSION A - 6.5mm
 POWER LEVEL - UP TO 2.5W
 THERMAL RESISTANCE @ 200 LFM - <11.5 C/W



TALL HEIGHT



PART NUMBER - 747360242
 DIMENSION A - 13.5mm
 POWER LEVEL - UP TO 3.5W
 THERMAL RESISTANCE @ 200 LFM - <8.0 C/W



MATERIAL: ALUMINUM
 FINISH: BLACK ANODIZE
 CONFORMS TO XFP MSA REVISION 4.0
 CUSTOM DESIGNS AVAILABLE



REDRAWN EC NO: USY2010-0023 DRAWN: ERWIN 2009/07/28 CHKD: CHIRSHY 2009/07/31 APPR: MONDIE 2009/08/03 REV:	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION															
	▽=0 ▽=0	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>±0.15</td> <td>±0.005</td> </tr> <tr> <td>3 PLACES</td> <td>±0.20</td> <td>±0.008</td> </tr> <tr> <td>2 PLACES</td> <td>±0.25</td> <td>±0.010</td> </tr> <tr> <td>1 PLACE</td> <td>±0.30</td> <td>±0.012</td> </tr> </tbody> </table> ANGULAR ± 2°		mm	INCH	4 PLACES	±0.15	±0.005	3 PLACES	±0.20	±0.008	2 PLACES	±0.25	±0.010	1 PLACE	±0.30	±0.012	MM ONLY DRAWN BY: KLOYD DATE: 2004/06/11 CHECKED BY: BRUSSELL DATE: 2004/08/05 APPROVED BY: BRUSSELL DATE: 2004/08/05	3:1	METRIC	TITLE: XFP CAGE, PIN FIN HEAT SINKS MOLEX INCORPORATED DOCUMENT NO. SD-74736-0240
		mm	INCH																		
	4 PLACES	±0.15	±0.005																		
3 PLACES	±0.20	±0.008																			
2 PLACES	±0.25	±0.010																			
1 PLACE	±0.30	±0.012																			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE DRAWING	MATERIAL NO.	SHEET NO.																		
	SIZE D	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																			

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DATE	REV	DESCRIPTION
2004/06/11	A	INITIAL RELEASE
2008/08/18	B	1. ADDED REVISION HISTORY
		2. 6.5mm DIMENSION WAS 6.50mm
		3. 4.2mm DIMENSION WAS 4.20mm

REDRAWN IEC NO. USY2010-0023 DRAWN: LERMIN 2009/07/28 CHECKED: CHIRSCHY 2009/07/31 APPR: KRONBERG 2009/08/03	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY	SCALE METRIC	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± ---	mm INCH	DRAWN BY KLLOYD	DATE 2004/06/11	TITLE XFP CAGE, PIN FIN HEAT SINKS			
		ANGULAR ± 2 °		CHECKED BY BRUSSELL	DATE 2004/08/05	APPROVED BY BRUSSELL			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE DRAWING	DATE 2004/08/05	DOCUMENT NO. SD-74736-0240		SHEET NO. 2 OF 2	

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1