muRata

Preliminary Specification of COAXIAL CONNECTOR

Preliminary SPEC No. : NMM04-PL0185
Part Number : MXLF56LF1000

Written by I.Gan
Checked by T. Kuriyama
Date 28/Jul./2016

SPECIFICATION

MECHANICAL

*2 *1

*1: Connector: LSC right angle plug connector

*2: Cable

0 +/- 45 degree

L 100 +/- 3 Scale: Free Unit: mm

2. CABLE:

/LL .					
Item		Specification			
2.1	Voltage Rating	30V r.m.s. maximum			
2.2	Nominal Frequency Range	DC to 6 GHz			
2.3	Nominal Impedance	50Ω			
2.4	Temperature Rating	-40°C to +85°C			
2.5	Used Cable	0.3D Single shield PFA cable			

	Item	Unit	Construction
		UTIIL	
Inner	Material	-	Silver plated copper wire
conductor	No. and Dia.	(No./mm)	7/0.04
	Total Dia.	(mm)	0.12
Insulator	Material	-	PFA+Bind tape
	Total Dia.	(mm)	PFA:0.325, (PFA+tape:0.345)
Outer	Material	-	Silver plated copper wire
conductor	Dia. of wire	(mm)	0.04
Sheath	Material	-	PFA(Black)
	Nominal	(mm)	0.05
	thickness.		
Overall Dia.		(mm)	0.53
Minimum Bending Radius		(mm)	2.0
Nominal dB/m at 1G		SHz	3.42
Insertion loss	dB/m at 2GHz		4.85
	dB/m at 30	GHz	5.94
	dB/m at 40	GHz	6.87
	dB/m at 60	SHz	8.55



Preliminary Specification	of COAXIAL CONNECTOR	Written by	<u>I.Gan</u>
Preliminary SPEC No.	: NMM04-PL0185	Checked by	T. Kuriyama
Part Number	: MXLF56LF1000	Date	28/Jul./2016

SPECIFICATION

3. NOTE

Use tool part# M19603 or M19607.

The connector to be engaged and disengaged should be inserted or pulled out to the vertical direction.

4. ACAUTION

Limitation of Applications

Please do not use our products for the applications listed below which require specially high reliability for the prevention of defects which may directly or indirectly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Power plant control equipment
- (5) Medical equipment
- (6) Transportation equipment (vehicles, trains, ships, etc.)
- (7) Traffic signal equipment
- (8) Disaster prevention / crime prevention equipment
- (9) Data-processing equipment
- (10) Application of similar complexity and/or reliability requirements to the applications listed in the above.