# Safety Interlock Switches D4SL-N

# World's Smallest Class 6-Contact **Guard Lock Safety-Door Switch**

### Guard Lock Safety-door Switch D4SL-N

- Wiring time is reduced with two types of wiring methods capable of one-touch attachment and removal.
- · A wide variety of built-in switches can be used for various devices.
- (4-, 5-, and 6-contact models are available)
- Key holding force of 1,300 N.
- It is possible to change the key insertion point without detaching the head.
- · Drive solenoids directly from the Controller.

#### Slide Key D4SL-NSK10-LK

- Lockout Key to prevent workers from becoming trapped inside the hazardous area.
- The vertical D4SL Guard Lock Safety-door Switch can be easily mounted on 40 x 40 mm aluminum frames.
- · The plastic material makes the Slide Key suitable for lightweight doors.

# Specifications

# **Standards and EC Directives**

### Conforms to the following EC Directives:

- Machinery Directive
- Low Voltage Directive
- EMC Directive
- EN 1088
- EN 60204-1
- GS-ET-19

#### **Certified Standards**

Certification body	Standard	File No.
TÜV SÜD	EN 60947-5-1 (certified direct opening)	Consult your representative for details.
UL *1	UL 508, CSA C22.2 No.14	E76675
CQC (CCC)	CQC (CCC) GB14048.5	
KOSHA *2	EN60947-5-1	pending

\*1. Certification has been obtained for UL CSA C22.2 No. 14.

# **Certified Standard Ratings**

TUV (EN 60947-5-1)

Utilization category	AC-15	DC-13
Rated operating current (Ie)	1.5 A *1 1 A *2	0.22 A
Rated operating voltage (Ue)	120 V	125 V

Note: Use a 4 A fuse that conforms to IEC 60127 as a short-circuit protection device. This fuse is not included with the switch.

\*1.11-42, 21-42, 21-22

\*2. Other terminals

#### UL/CSA (UL 508, CSA C22.2 No. 14) C150

Rated	Carry	Curre	nt (A)	Volt-amp	eres (VA)
voltage	current	Make	Break	Make	Break
120 VAC	2.5 A	15	1.5	1,800	180

Rated	Carry	Curre	Current (A)		eres (VA)
voltage	current	Make	Break	Make	Break
125 VDC	1.0 A	0.22	0.22	28	28

# Solenoid Coil Characteristics

Item	24 VDC
Rated operating voltage (100% ED)	24 VDC <sup>+10%</sup> -15%
Current consumption*	Power ON: 6-contact type Approx. 6.4 W at 0.26 A 4-contact/5-contact type Approx. 4.8 W at 0.2 A Constant: Approx. 2.6 W (average) at 0.2 A (max.)
Insulation Class	Class E (120°C max.)

\*A starting current is applied to the solenoid for for approx. 10 seconds. After this, the internal circuit switches to constant current.

#### Indicator

Item	LED Type
Rated voltage	24 VDC
Current consumption	Approx. 10 mA
Color (LED)	Orange



Connector

Type

Rated	Carry	Curre	nt (A)	Volt-amp	eres (VA)
voltage	current	Make	Break	Make	Break
120 VAC	2.5 A	15	1.5	1,800	180

R150

Rated	Carry	Curre	nt (A)	Volt-amperes (VA)		
voltage	current	Make	Break	Make	Break	
125 VDC	1.0 A	0.22	0.22	28	28	

Terminal

Block Type



SpeedSPEC

D4SLN

Rev. 11.12b





G





### D4SL-N Safety Interlock Switches

# **Specifications (continued)**

# Characteristics

Degree of prote	ction *1	IP67 (EN60947-5-1)			
	Mechanical	1,000,000 operations min.			
Durability *2	Electrical	150,000 operations min. (1 A resistive load at 125 VAC) *3			
Operating speed		0.05 to 1 m/s			
Operating frequency		5 operations/minute max.			
Direct opening	force *4	60 N min. (EN60947-5-1)			
Direct opening	travel *4	15 mm min. (EN60947-5-1)			
Holding force *	5	1,300 N min.			
Contact resistar	nce	200 mΩ max.			
Minimum applicable load *6		1 mA resistive load at 5 VDC (N-level reference value)			
Rated insulation voltage (Ui)		150 V (EN60947-5-1)			
Rated frequency		50/60 Hz			
Protection again	st electric shock	Class II (double insulation)			
Pollution degree (operating environment)		3 (EN60947-5-1)			
	Between terminals of same polarity	1.5 kV			
Impulse withstand voltage	Between terminals of different polarity	1.5 kV			
(EN60947-5-1)	Between other terminals and non-current carrying metallic parts.	2.5 kV			
Insulation resist	ance	100 MΩ min. (at 500 VDC)			
Vibration resistance	Malfunction	10 to 55 Hz, 0.35 mm single amplitude			
Shock	Malfunction	80 m/s² min.			
resistance	Destruction	1,000 m/s² min.			
Conditional sho	rt-circuit current	100 A (EN60947-5-1)			
Conventional fre current (Ith)	ee air thermal	2.5 A (11-42, 21-52, 21-22) 1A (Others)			
Ambient operat	ing temperature	-10 to +55°C (with no icing)			
Ambient operat	ing humidity	95% max.			
Weight		Head: Resin Approx. 290 g (Connector model) Approx. 330 g (Terminal block model) Head: Metal Approx. 370 g (Connector model) Approx. 410 g (Terminal block model)			

Notes: 1. The above values are initial values.

2. The Switch contacts can be used with either standard loads or microloads. Once the contacts have been used to switch a load, however, they cannot be used to switch smaller loads. The contact surfaces will become rough once they have been used and contact reliability for smaller loads may be reduced.

\*1 The degree of protection is tested using the method specified by the standard (EN60947-5-1). Confirm that sealing properties are sufficient for the operating conditions and environment beforehand. Although the switch box is protected from dust, oil or water penetration, do not use the D4SL in places where cutting chips, oil, water or chemicals may enter through the key hole on the head, otherwise Switch damage or malfunctioning may occur.

\*2 The durability is for an ambient temperature of 5 to 35°C and an ambient humidity of 40% to 70%. For more details, consult your OMRON representative.

\*3 Do not pass the 1 A, 125 VAC load through more than 3 circuits.

- \*4 These figures are minimum requirements for safe operation.
- \*5 This figure is based on the GS-ET-19 evaluation method.

\*6 This value will vary with the switching frequency, environment, and reliability level. Confirm that correct operation is possible with the actual load beforehand.

OMRON SCIENTIFIC TECHNOLOGIES, INC.

USA Tel. 1/888/510-4357 Canada Tel. 1/866/986-6766 www.sti.com

# Structure

# Structure

D4SL-N



# D4SL-N



# **Terminal Arrangement**

### D4SL-NONOO-DO



Note: Numbers inside the boxes are terminal numbers printed on the product.



# Structure (continued)

# **Operating Cycle Examples for Standard Models**

Terminal No. and Contact No.	Function	Condition 1 Door open. The door will lock when the door closes.		Condition 2		Condition 3	Return to condition 1	Turning the special release key Door closed. No power is supplied to the solenoid.The door is unlocked manually.
[9]E1-[10]E2	Solenoid ON							
[2]42-[1]11 (NC) [4]52-[3]21 (NC)	Door open/ closed detection and lock monitor contacts							
[3]21-[4]22 (NC) [5]31-[6]32 (NC)	Door open/ closed detection contact							
[5]33-[6]34 (NO)	Door open/ closed detection contact							
[1]41-[2]42 (NC) [7]61-[8]62 (NC)	Lock monitor contact						]	
[7]63-[8]64 (NO)	Lock monitor contact							
[7]63-[8]64 (NO)	contact	Lock Models)			J		]	

Terminal No. and Contact No.	Function	Even when the door is closed, it does not lock until power is supplied to the solenoid.
[9]E1-[10]E2	Solenoid ON	
[2]42-[1]11 (NC) [4]52-{3]21 (NC)	Door open/ closed detection and lock monitor contacts	
[3]21-[4]22 (NC) [5]31-[6]32 (NC)	Door open/ closed detection contact	
[5]33-[6]34 (NO)	Door open/ closed detection contact	
[1]41-[2]42 (NC) [7]61-[8]62 (NC)	Lock monitor contact	
[7]63-[8]64 (NO)	Lock monitor contact	

SYSMAC

SAFETY, TECHNOLOGY

Door closed. The door is locked.	Door closed. The door can be opened.

The shaded areas indicate the contact is closed and power is supplied to the solenoid. G

- Door open/closed detection and lock monitor contacts: Can be used in safety
- circuits because of the direct opening mechanisms.
- Door open/closed detection contact:
- Can be used to confirm whether the key is inserted and to monitor the open/ closed status of a door.
- Lock monitor contact: Can be used to confirm whether power is supplied to the solenoid and to monitor whether or not a door can be opened or closed.

Notes: 1. The door open/closed detection and lock monitor contact configuration depends on the model.

2. If a current is detected in the solenoid lock model (built-in switches; N,P,Q,R), before the door is closed, the door will remain unlocked. Be sure to supply power to the solenoid after the door is closed.



# **Applicable Door Switches**

# D4SL-NSK10-LK



G D4

D4SL-NSK10-LKH







# **Door Switch Features**







# Connections

# Internal Circuit Diagram

## Without Indicator



# With Indicator



#### **Circuit Connection Example**

- Direct opening contacts used as safety-circuit input are indicated with the mark.
- Do not switch circuits for three or more standard loads at the same time. Doing so may adversely affect insulation performance.
- DC solenoids have polarity. (E1: Positive, E2: Negative)
- Confirm terminal polarity before wiring.
- If a lock is required for safety, design the system so that the closing of the NC contacts on both the door open/closed detection switch and the lock monitor switch is detected.

#### Connection Example for D4SL-N AF

Contacts 12 and 41 are internally connected.



# Connection Example for D4SL-N EF -D

Contacts 12 and 41 are internally connected.



#### Connection Example for D4SL-N SF ----

There is no internal connection, so connect contacts 22 and 42 externally.



#### Connection Example for D4SL-N NF -D

Contacts 12 and 41 and contacts 22 and 51 are internally connected.





# **Connections (continued)**

# **Contact Form**

Indicates conditions where the Key is inserted and the lock is applied.

Model	Contact (door open/	Contact form Lock Door oper	/ Operating pattern	Remarks
model	closed detection and lock monitor)	monitor closed detection		Tientarks
D4SL-N□A□□-□	1NC/1NO+ 1NC/1NO	$\begin{array}{c c} & \text{Lock monitor} \\ \hline & \text{Lock monitor} \\ \hline & \text{42} \\ \hline & \text{41} \\ \hline & \text{41} \\ \hline & \text{41} \\ \hline & \text{63} \\ \hline & \text{64} \\ \hline & \text{63} \\ \hline & \text{7} \\ \hline & \text{6} \\ \end{array}$	1 42-11	The terminals 42-11, 34-33, and 64-63 can be used as
D4SL-N□B□□-□	1NC/1NO+2NC	$\begin{array}{c c} & \text{Door open/close} \\ \hline 2 & \text{Lock monitor} & \text{detection} \\ \hline 42 & $	1     Lock position       34-33     On       5     Stroke       Operation Key Insertion completion position     Extraction completion position	The terminals 42-11, 34-33, and 62-61 can be used as
D4SL-N□C□□-□	2NC+1NC/1NO	$\begin{array}{c c} \text{Lock monitor} & \text{Door open/closs} \\ \hline & \text{detection} \\ \hline &$	1 42-11	The terminals 42-11, 32-31, and 64-63 can be used as
D4SL-N□D□□-□	2NC+2NC	Lock monitor Door open/close detection 42 - 41 + 12 - 9 + 1 62 - 61 + 32 - 9 + 9 + 1 62 - 7 + 6 + 32 - 9 + 9 + 1	1 42-11	The terminals 42-11, 32-31, and 62-61 can be used as
D4SL-N□S□□-□	1NC/1NO+ 1NC/1NO	$\begin{array}{c c} \text{Lock monitor} \\ \hline \\ 42 \\ 42 \\ 64 \\ \hline \\ 64 \\ \hline \\ \hline \\ 63 \\ \hline \\ \hline \\ 64 \\ \hline \\ \hline \\ \hline \\ 64 \\ \hline \\ \hline \\ \hline \\ \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline $	3 34-33	Only NC contact 21-22 has a certified direct opening mechanism.
D4SL-N□T□□-□	1NC/1NO+2NC	$\begin{array}{c c} & \text{Lock monitor} \\ \hline & \text{Lock monitor} \\ 42 & - & - & - & - \\ 42 & - & - & - & - \\ \hline & & 4 & - & - & - \\ \hline & & 4 & - & - & - \\ \hline & & 4 & - & - & - \\ \hline & & 4 & - & - & - \\ \hline & & 6 & - & - \\ \hline & & 6$	42-41	The terminals 42-41, 22-21, 34-33, and 62-61 can be
D4SL-N□U□-□	2NC+1NC/1NO	$\begin{array}{c} \text{Lock monitor} \\ \hline 1 \\ 42 \\ 42 \\ 64 \\ 64 \\ \hline 63 \\ \hline 6 \\ 7 \\ \hline 6 \\ \hline 6 \\ \hline 6 \\ \hline 7 \\ \hline 6 \\ \hline \end{array} \begin{array}{c} \text{Door open/close} \\ \text{detection} \\ \hline 22 \\ \hline 9 \\ 32 \\ 32 \\ \hline 9 \\ 32 \\ 32 \\ 32 \\ 32 \\ 32 \\ 32 \\ 32 \\ $	42-41 22-21 32-31 3 C4 C2	The terminals 42-41, 22-21, 32-31, and 64-63 can be used as unlike poles.
D4SL-N□V□□-□	2NC+2NC	$\begin{bmatrix} 2 \\ 42 \\ 42 \\ 62 \\ 62 \\ \hline \begin{bmatrix} 1 \\ 44 \\ 41 \\ \hline \\ 62 \\ \hline \\ $	42-41 22-21 32-31	The terminals 42-41, 22-21, 32-31, and 62-61 can be used as unlike poles.





# **Connections (continued)**

# **Contact Form (continued)**

Indicates conditions where the Key is inserted and the lock is applied.

Model	Contact (door open/ closed detection and lock monitor)	Contact form Lock Door open/ closed detection	Operating pattern	Remarks
D4SL-N□E□□-□	2NC/1NO+ 1NC/1NO	$ \begin{array}{c c} \text{Lock monitor} & \text{Door open/closed} \\ \hline \begin{array}{c} 2 \\ 42 \\ 42 \\ 64 \\ \hline \end{array} \begin{array}{c} 41 \\ 63 \\ \hline \end{array} \begin{array}{c} 12 \\ 64 \\ \hline \end{array} \begin{array}{c} 0 \\ 63 \\ \hline \end{array} \begin{array}{c} 22 \\ 64 \\ \hline \end{array} \begin{array}{c} 22 \\ 63 \\ \hline \end{array} \begin{array}{c} 21 \\ 33 \\ \hline \end{array} \begin{array}{c} 33 \\ 5 \\ \hline \end{array} \begin{array}{c} 5 \\ 5 \\ \hline \end{array} \begin{array}{c} 5 \\ 5 \\ 5 \\ \hline \end{array} \end{array} $	Lock position 42-11 22-21 34-33 64-63 Coperation Key Insertion Completion position Completion position	Only NC contact 11-12 and 21-22 has a certified direct opening mechanism. $\bigoplus$ The terminals 42-11, 22-21, 34-33, and 64-63 can be used as unlike poles.
D4SL-N□F□□-□	2NC/1NO+2NC	$\begin{array}{c c} \text{Lock monitor} & \text{Door open/closed} \\ \hline 2 & 42 & 41 & 12 & \oplus & 11 \\ \hline 42 & 41 & 12 & \oplus & 11 \\ \hline 42 & 41 & 12 & \oplus & 11 \\ \hline 42 & 41 & \oplus & 11 \\ \hline 42 & 41 & 0 & 11 \\ \hline 42 & 41 & 0 & 11 \\ \hline 62 & 61 & 34 & 33 \\ \hline 7 & 6 & 5 \end{array}$	Lock position 42-11 22-21 34-33 62-61 Stroke Operation Key Insertion Completion position	Only NC contact 11-12 and 21-22 has a certified direct opening mechanism. The terminals 42-11, 22-21, 34-33, and 62-61 can be used as unlike poles.
D4SL-N□G□□-□	3NC+1NC/1NO	$\begin{array}{c c} & \text{Door open/closed} \\ \hline 2 & 41 & 12 & \oplus & 11 \\ \hline 42 & 41 & 12 & \oplus & 11 \\ \hline 42 & 41 & 12 & \oplus & 21 \\ \hline & 41 & 4 & \oplus & 21 \\ \hline & 22 & 4 & \oplus & 21 \\ \hline & 63 & 32 & & 31 \\ \hline & 64 & & 7 & 6 & 5 \end{array}$	Lock position 42-11 22-21 32-31 64-63 Stroke Operation Key Insertion Completion position	Only NC contact 11-12, 21-22, and 31-32 has a certified direct opening mechanism. → The terminals 42-11, 22-21, 32-31, and 64-63 can be used as unlike poles.
D4SL-N□H□□-□	3NC+2NC	$\begin{array}{c c} & \text{Door open/closed} \\ \hline \hline \\ 42 & 41 & 12 & 9 & 11 \\ \hline \\ 42 & 41 & 12 & 9 & 11 \\ \hline \\ 42 & 41 & 12 & 9 & 11 \\ \hline \\ 62 & 61 & 32 & 9 & 21 \\ \hline \\ 62 & 7 & 6 & 5 \\ \hline \end{array}$	Lock position 42-11 22-21 32-31 62-61 Operation Key Insertion Completion position Completion position	Only NC contact 11-12, 21-22, and 31-32 has a certified direct opening mechanism. The terminals 42-11, 22-21, 32-31, and 62-61 can be used as unlike poles.
D4SL-N□N□□-□	2NC/1NO+ 2NC/1NO	$\begin{array}{c c} \text{Lock monitor} & \text{Door open/closed} \\ \hline 2 & 41 & 12 & & 11 \\ \hline 42 & 41 & 12 & & & 11 \\ \hline 52 & 51 & 22 & & 21 \\ \hline 64 & 63 & 34 & & 33 \\ \hline 8 & 7 & 6 & 5 \\ \hline \end{array}$	Lock position 42-11 52-21 34-33 64-63 Operation Key Insertion Completion position Completion position	Only NC contact 11-12 and 21-22 has a certified direct opening mechanism. $\bigoplus$ The terminals 42-11, 52-21, 34-33, and 62-61 can be used as unlike poles.
D4SL-N□P□□-□	2NC/1NO+3NC	$\begin{array}{c c} & \text{Door open/closed} \\ \hline \hline \\ & 42 \\ & 42 \\ \hline \\ & 42 \\ \hline \\ & 42 \\ \hline \\ & 52 \\ \hline \\ & 62 \\ \hline \\ & 62 \\ \hline \\ & 7 \\ \hline \\ & 6 \\ \hline \\ & 7 \\ \hline \\ & 6 \\ \hline \\ & 7 \\ \hline \\ & 6 \\ \hline \\ & 5 \\ \hline \\ \\ \\ & 5 \\ \hline \\ \\ \\ & 5 \\ \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	Lock position 42-11 52-21 34-33 62-61 Operation Key Insertion Completion position Completion position	Only NC contact 11-12 and 21-22 has a certified direct opening mechanism. The terminals 42-11, 52-21, 34-33, and 62-61 can be used as unlike poles.
D4SL- N□Q□□-□	3NC+2NC/1NO	Lock monitor Door open/closed detection $42$ $41$ $12$ $\oplus$ $11$ 42 $51$ $22$ $0$ $2164$ $63$ $32$ $318$ $7$ $6$ $5$	Lock position 42-11 52-21 32-31 64-63 Stroke Operation Key Insertion completion position Extraction completion position	Only NC contact 11-21, 21-22, and 31-32 have a certified direct opening mechanism. → The terminals 42-11, 52-21, 32-31, and 64-63 can be used as unlike poles.
D4SL-N□R□□-□	3NC+3NC	$\begin{array}{c c} \text{Lock monitor} & \text{Door open/closed} \\ \hline \hline \\ 42 & 41 & 12 & \oplus & 11 \\ \hline \\ 42 & 52 & 51 & 22 & \oplus & 21 \\ \hline \\ 52 & 61 & 32 & 0 & 51 \\ \hline \\ 62 & 7 & 6 & 51 \\ \hline \\ \hline \\ 8 & 7 & 6 & 5 \end{array}$	42-11	Only NC contact 11-12, 21-22, and 31-32 have a certified direct opening mechanism. → The terminals 42-11, 52-21, 32-31, and 62-61 can be used as unlike poles.



# **Dimensions and Operating Characteristics**

(mm)

# Switches

D4SL-N



# D4SL-N



Unless otherwise specified, a tolerance of ±0.4 mm applies to all dimensions.





(mm)

# **Dimensions and Operating Characteristics (continued)**

# **Operation Keys**

# D4SL-NK1





2

c.

D4SL-NK1G





Mounting rubber

D4SL-NK1S





12

15.6

29

D4SL-NK2





D4SL-NK3



# **Connector Cable**

D4SL-CN



Lead wire color

Black

Black/White

Red

Red/White

Green

Unless otherwise specified, a tolerance of ±0.4 mm applies to all dimensions.

Model	L size
D4SL-CN1	1 m
D4SL-CN3	3 m
D4SL-CN5	5 m

M20-NPT Adapter



**AUTOMATION & SAFETY** 

G

D4SL-NK2G





Connector No.

1

2

3

4

6

Connector No.

6

7 8

9

10

Lead wire color

Green/White

Yellow

Yellow/White

Brown

Brown White

(mm)

# **Dimensions and Operating Characteristics**

# Slide Key

# D4SL-NSK10-LK





OMRON SCIENTIFIC TECHNOLOGIES, INC. USA Tel. 1/888/510-4357 Canada Tel. 1/866/986-6766 www.sti.com

(mm)

# **Dimensions and Operating Characteristics (continued)**

# **Operating Key Mounting**

# D4SL-N+D4SL-NK1 With Front-inse







# D4SL-N+D4SL-NK1S



# With Front-inserted Operation Key





D4SL-N+D4SL-NK1G



With Front-inserted Operation Key





#### With Top-Inserted Operation Key



#### With Top-Inserted Operation Key



#### With Top-Inserted Operation Key

Horizontal







SVSTRAC Sti SAFETY, TECHNOLOGY & INNOVATION

# **Dimensions and Operating Characteristics (continued)**

# **Operating Key Mounting (continued)**

# D4SL-N+D4SL-NK2 With Front-inserted Operation Key

54.7 min. 57.2 max.

position

Key insertior





#### D4SL-N+D4SL-NK2G



With Front-inserted Operation Key

(Pitch 12 mm) (Pitch 12 mm) (Pitch 20 mm) (Pitc



D4SL-N+D4SL-NK3



# With Front-inserted Operation Key



(0)

# With Top-Inserted Operation Key



# With Top-Inserted Operation Key





### With Top-Inserted Operation Key







G

(mm)

AUTOMATION & SAFETY

# **Application Examples**

#### **D4SL-N Application Example**

PL/Safety Category	Applied models	Stop category	Reset method
Equivalent to PLe/4	D4SL-N⊡R⊡A-⊟ Compact Safety Door Switch with Magnetic Lock (mechanical lock) G9SA-301 (24 VAC/DC) Safety Relay Unit	0	Manual

# **Application Overview**

- If the guard is opened, it is detected with S2 and the power supply to the motor (M) is shut OFF.
- When the guard is closed, the lock status can be detected and the power supply to the motor (M) remains shut OFF until limit switch S3 is pressed.





# Ordering

# **Model Number Structure**

# Switch

 $\mathsf{D4SL}-\mathsf{N}\square \square \square \square \square \square \square \square$ 

00000000

- O Conduit Size
  - 2: G1/2 (conduit)
  - 3: 1/2-14 NPT (M20, includes M20-to-1/2-14NPT conversion adapter)
  - 4: M20
- 2 Built-in Switch

4-contact Model: Door monitor and lock monitors are connected in series internally

- A: 1NC/1NO + 1NC/1NO
- B: 1NC/1NO + 2NC
- C: 2NC + 1NC/1NO
- D: 2NC + 2NC

4-contact Model: Door monitor and lock monitors are NOT connected in series internally

- S: 1NC/1NO + 1NC/1NO
- T: 1NC/1NO + 2NC
- U: 2NC + 1NC/1NO
- V: 2NC + 2NC

#### 5-contact Model

- E: 2NC/1NO + 1NC/1NO
- F: 2NC/1NO + 2NC
- G: 3NC + 1NC/1NO
- H: 3NC + 2NC

## 6-contact Model

- N: 2NC/1NO + 2NC/1NO
- P: 2NC/1NO + 3NC
- Q: 3NC + 2NC/1NO B: 3NC + 3NC
- R: 3NC + 3NC

# Head Material

4-contact Model

F: Resin

#### 5- or 6-contact Model (common)

- F: Resin D<sup>.</sup> Metal
- D: Metal

## Ooor Lock and Release

- A: Mechanical lock/24 VDC solenoid release
- G: 24 VDC solenoid lock/mechanical release
- **G** Indicator

4-contact Model Blank: None

5- or 6-contact Model (common)D: 24 VDC (orange LED indicator)

# Release Key Type *4-contact Model* Blank: Standard release key (metal)

5- or 6-contact Model (common)
Blank: Special release key (metal)
4: Special release key (resin) (Note: Release keys are provided)

# Connection Method Blank: Terminal block N: Connector \*1

\*1. Connector cables are not included with the connector type and are to be purchased separately.

# **Operation Key**

### D4SL-NK 🗆 🗆

- 00
- Operation Key Type
  - 1: Horizontal mounting
  - 2: Vertical mounting
  - 3: Adjustable mounting (horizontal)
- Key Type
  - Blank: No cushion rubber
  - G: Cushion rubber
  - S: No cushion rubber, short type







# **Ordering (continued)**

# List of Models

Release Key Type	Wiring method	Solenoid voltage/ Indicator	Lock and release type	Contact configuration (door open/closed detection switch and lock monitor switch contacts)	Conduit size (See Note.)	Model
					G1/2	D4SL-N2□FA-DN
				6-contact Model	1/2-14NPT	D4SL-N3□FA-DN
				Insert the built-in switch (N, P, Q or R) into the blank $\Box$ .	1/2-14NPT	D4SL-N3NFA-DN
		24VDC (Orange)			M20	D4SL-N4□FA-DN
	Connector	(orango)		5-contact Model	G1/2	D4SL-N2□FA-DN
	Connector			Insert the built-in switch (E, F, G or H) into	1/2-14NPT	D4SL-N3□FA-DN
				the blank  .	M20	D4SL-N4□FA-DN
				4-contact Model	G1/2	D4SL-N2□FA-N
		24VDC (without indicator)		Insert the built-in switch (A, B, C, D, S, T, U	1/2-14NPT	D4SL-N3□FA-N
		(minout maloutor)		or V) into the blank  .	M20	D4SL-N4□FA-N
			Mechanical lock Solenoid release		G1/2	D4SL-N2□FA-D
				6-contact Model	1/2-14NPT	D4SL-N3□FA-D
				Insert the built-in switch (N, P, Q or R) into	1/2-14NPT	D4SL-N3NFA-D
		24VDC		the blank $\Box$ .	1/2-14NPT	D4SL-N3QFA-D
		(Orange)			M20	D4SL-N4□FA-D
	Terminal block			5-contact Model	G1/2	D4SL-N2□FA-D
	DIOOK	24VDC (without indicator)	-	Insert the built-in switch (E, F, G or H) into the blank $\Box$ .	1/2-14NPT	D4SL-N3□FA-D
					M20	D4SL-N4□FA-D
				4-contact Model Insert the built-in switch (A, B, C, D, S, T, U or V) into the blank □.	G1/2	D4SL-N2□FA
					1/2-14NPT	D4SL-N3□FA
Standard					M20	D4SL-N4□FA
(metal)				6-contact Model Insert the built-in switch (N, P, Q or R) into the blank □.	G1/2	D4SL-N2□FG-DN
					1/2-14NPT	D4SL-N3□FG-DN
3					1/2-14NPT	D4SL-N3NFG-DN
( Row		24VDC			M20	D4SL-N4□FG-DN
		(Orange)			G1/2	D4SL-N2□FG-DN
	Connector			5-contact Model Insert the built-in switch (E, F, G or H) into the blank □.	1/2-14NPT	D4SL-N3□FG-DN
					1/2-14NPT	D4SL-N3HFG-DN
					M20	D4SL-N4□FG-DN
				4-contact Model	G1/2	D4SL-N2□FG-N
		24VDC (without indicator)	Solenoid lock	Insert the built-in switch (A, B, C, D, S, T, U	1/2-14NPT	D4SL-N3□FG-N
			Mechanical	or V) into the blank  .	M20	D4SL-N4□FG-N
			release		G1/2	D4SL-N2□FG-D
				6-contact Model Insert the built-in switch (N, P, Q or R) into	1/2-14NPT	D4SL-N3□FG-D
				the blank $\Box$ .	1/2-14NPT	D4SL-N3NFG-D
		24VDC (Orange)			M20	D4SL-N4□FG-D
	Terminal			5-contact Model	G1/2	D4SL-N2□FG-D
	block			Insert the built-in switch (E, F, G or H) into	1/2-14NPT	D4SL-N3□FG-D
				the blank  .	M20	D4SL-N4□FG-D
		24VDC (without indicator)		4-contact Model	G1/2	D4SL-N2□FG
				Insert the built-in switch (A, B, C, D, S, T, U or V) into the blank □.	1/2-14NPT	D4SL-N3□FG
					M20	D4SL-N4□FG

Note: The recommended models for equipment and machinery being exported to Europe are those with an M20 conduit sizes, and for North America, the recommended models are those with a 1/2-14NPT conduit sizes.

= Highlighted **Rapid Delivery** products are available for shipment today or within **FIVE** days.



# **Ordering (continued)**

# List of Models (continued)

Release Key Type	Wiring method	Solenoid voltage/ Indicator	Lock and release type	Contact configuration (door open/closed detection switch and lock monitor switch contacts)	Conduit size (See Note.)	Model
				6-contact Model	G1/2	D4SL-N2□FA-D4N
				Insert the built-in switch (N, P, Q or R) into	1/2-14NPT	D4SL-N3□FA-D4N
				the blank  .	M20	D4SL-N4□FA-D4N
	Connector			5-contact Model	G1/2	D4SL-N2□FA-D4N
				Insert the built-in switch (E, F, G or H) into	1/2-14NPT	D4SL-N3□FA-D4N
				the blank $\Box$ .	M20	D4SL-N4□FA-D4N
			Mechanical lock Solenoid release		G1/2	D4SL-N2□FA-D4
			Solenoid release	6-contact Model	1/2-14NPT	D4SL-N3□FA-D4
				Insert the built-in switch (N, P, Q or R) into the blank $\Box$ .	1/2-14NPT	D4SL-N3NFA-D4
	Terminal block			M20	D4SL-N4□FA-D4	
	bioon			5-contact Model	G1/2	D4SL-N2□FA-D4
				Insert the built-in switch (E, F, G or H) into the blank	1/2-14NPT	D4SL-N3□FA-D4
Special					M20	D4SL-N4□FA-D4
(resin)		24VDC (Orange) tor	6-contact Model Insert the built-in switch (N, P, of the blank	Insert the built-in switch (N, P, Q or R) into	G1/2	D4SL-N2□FG-D4N
					G1/2	D4SL-N2NFG-D4N
63					1/2-14NPT	D4SL-N3□FG-D4N
	Connector				M20	D4SL-N4□FG-D4N
A PARTY				5-contact Model	G1/2	D4SL-N2□FG-D4N
				Insert the built-in switch (E, F, G or H) into	1/2-14NPT	D4SL-N3□FG-D4N
			Solenoid lock	the blank  .	M20	D4SL-N4□FG-D4N
			Mechanical release		G1/2	D4SL-N2□FG-D4
				6-contact Model Insert the built-in switch (N, P, Q or R) into	1/2-14NPT	D4SL-N3□FG-D4
				the blank $\Box$ .	1/2-14NPT	D4SL-N3NFG-D4
	Terminal block				M20	D4SL-N4□FG-D4
	5.500			5-contact Model	G1/2	D4SL-N2□FG-D4
				Insert the built-in switch (E, F, G or H) into	1/2-14NPT	D4SL-N3□FG-D4
				the blank 🗆.	M20	D4SL-N4□FG-D4

Note: The recommended models for equipment and machinery being exported to Europe are those with an M20 conduit sizes, and for North America, the recommended models are those with a 1/2-14NPT conduit sizes.

= Highlighted **Rapid Delivery** products are available for shipment today or within **FIVE** days.





# Ordering (continued)

# **Operation Keys**

Туре		Model
Horizontal mounting	T	D4SL-NK1
Horizontal mounting (Short)		D4SL-NK1S
Horizontal mounting (Cushion rubber)		D4SL-NK1G
Vertical mounting		D4SL-NK2

Vertical mounting (Cushion rubber)		D4SL-NK2G
Adjustable (Horizontal)	••••	D4SL-NK3

Notes:

D4SL-NK $\square$  actuators are compatible with both D4SL & D4SL-N switches D4SL-K $\square$  actuators are also compatible with both D4SL & D4SL-N switches

# **Connector Cables**

Туре	Model
1 m	D4SL-CN1
3 m	D4SL-CN3
5 m	D4SL-CN5

# Slide Key

Туре	Specifications	Contents	Model	Applicable Door Switch
	Weight: Approx. 0.6 kg Mechanical durability: 20,000 operations min.	Slide Key: 1 (not yet mounted) D4SL-N mounting plate: 1 Door Switch special mounting screws: 3 D4SL-NK1 (operation key): 1 D4SL-NK1 special mounting screws: 2 Lockout keys: 2 Lockout key strap: 1 Caution labels (stickers): 2 sheets (English and Japanese)	D4SL-NSK10-LK	D4SL-N
	Weight: Approx. 0.1 kg	Inner Lever: 1	D4SL-SK10H *	
	Weight: Approx. 0.7 kg Mechanical durability: 20,000 operations min.	Slide Key: 1 (not yet mounted) Inner Lever: 1 D4SL-N mounting plate: 1 Door Switch special mounting screws: 3 D4SL-NK1 (operation key): 1 D4SL-NK1 special mounting screws: 2 Lockout keys: 2 Lockout key strap: 1 Caution labels (stickers): 2 sheets (English and Japanese)	D4SL-NSK10-LKH	D4SL-N

= Highlighted Rapid Delivery products are available for shipment today or within FIVE days.



