

## **Product Overview**

AR1820HS: CMOS Image Sensor, 18 MP, 1/2.3"

For complete documentation, see the data sheet.

The AR1820HS is an 18 megapixel, 1/2.3-inch format, 1.25 um pixel sensor using ON Semiconductor's A-PixHS™ BSI technology. With a variety of operating modes, the AR1820HS can dynamically optimize resolution, low-light and frame rate for environmental conditions. For example, the camera could run in full 18 megapixel resolution at 24 fps under high-light conditions, and switch to a 2:1 summing and 2:1 binning at 1080p 60 frames-per-second mode for superb low-light performance under darker conditions. With high resolution and frame rates, and a variety of flexible modes, the AR1820HS sensor is excellent for many applications such as surveillance, sports cameras and mobile handsets.

## **Applications**

- Camera
- · Security

Part Electrical Specifications												
Product	Pricing (\$/Unit)	Compliance	Status	Туре	Megapix els	Frame Rate (fps)	Optical Format	Shutter Type	Pixel Size (µm)	Output Interface	Color	Package Type
AR1820HSSC00SHEA0 -DP1		Pb-free Halide free	Active	CMOS	18.1	24	1/2.3 inch	Electroni c Rolling	1.25 x 1.25	MIPI HiSPi™	RGB	IBGA-60
AR1820HSSC00SHEA0 -DR		Pb-free Halide free	Active	CMOS	18.1	24	1/2.3 inch	Electroni c Rolling	1.25 x 1.25	MIPI HiSPi™	RGB	IBGA-60
AR1820HSSC12SHEA0 -DP		Pb-free Halide free	Active	CMOS	18.1	24	1/2.3 inch	Electroni c Rolling	1.25 x 1.25	MIPI HiSPi™	RGB	IBGA-60
AR1820HSSC12SHEA0 -DP1		Pb-free Halide free	Active	CMOS	18.1	24	1/2.3 inch	Electroni c Rolling	1.25 x 1.25	MIPI HiSPi™	RGB	IBGA-60
AR1820HSSC12SHEA0 -DR		Pb-free Halide free	Active	CMOS	18.1	24	1/2.3 inch	Electroni c Rolling	1.25 x 1.25	MIPI HiSPi™	RGB	IBGA-60
AR1820HSSC12SHEA0 -DR1		Pb-free Halide free	Active	CMOS	18.1	24	1/2.3 inch	Electroni c Rolling	1.25 x 1.25	MIPI HiSPi™	RGB	IBGA-60

For more information please contact your local sales support at www.onsemi.com.

Created on: 5/27/2020