

Marker carriers - CARRIER-PMP (108X38) - 0830958

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Marker carriers, black, unlabeled, mounting type: screw, rivet, lettering field size: 90 x 38 mm



Your advantages

- ✓ They can be mounted using screws or rivets
- ✓ The CARRIER-PMP marker carrier is used in conjunction with insertable UCT-PMP ... labels
- ✓ They are used to clearly identify devices and control cabinets
- ✓ They can be mounted using screws or screw clamps

RoHS

Key Commercial Data

Packing unit	10 pc
Minimum order quantity	10 pc
GTIN	 4 046356 912310
GTIN	4046356912310

Technical data

Dimensions

Length (b)	108 mm
Width (a)	38 mm

Ambient conditions

Ambient temperature (operation)	-40 °C ... 105 °C
---------------------------------	-------------------

General

Color	black
Components	free from silicone and halogen
Flammability rating according to UL 94	V2
Material	PA
Marking mounting type	screw, rivet

Marker carriers - CARRIER-PMP (108X38) - 0830958

Technical data

Standards and Regulations

Flammability rating according to UL 94	V2
--	----

Classifications

eCl@ss

eCl@ss 10.0.1	27144075
eCl@ss 5.0	27371300
eCl@ss 5.1	27371300
eCl@ss 6.0	27149100
eCl@ss 7.0	27149153
eCl@ss 8.0	27149153
eCl@ss 9.0	27144075

ETIM

ETIM 4.0	EC001032
ETIM 5.0	EC002248
ETIM 6.0	EC002248
ETIM 7.0	EC002248

UNSPSC

UNSPSC 13.2	39131504
UNSPSC 19.0	39131504

Accessories

Accessories

Device marking

Snap-in markers - PMP-RFID/UHF (90X38) - 0831027



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, mounting type: snapped into marker carrier, lettering field size: 90 x 38 mm, Number of individual labels: 1

Insert label - PMP-RFID/UHF (90X38) OG - 0803048



Insert label, with integrated RFID-UHF transponder, Sheet, orange, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, mounting type: snapped into marker carrier, lettering field size: 90 x 38 mm, Number of individual labels: 1

Marker carriers - CARRIER-PMP (108X38) - 0830958

Accessories

Labeled systems marker

Snap-in markers - UCT-PMP (90X38) CUS - 0803040



Snap-in markers, white, labeled according to customer specifications, mounting type: snapped into marker carrier, lettering field size: 90 x 38 mm, Number of individual labels: 1

Snap-in markers - UCT-PMP (90X38) BU CUS - 8190566



Snap-in markers, blue, labeled according to customer specifications, mounting type: snapped into marker carrier, lettering field size: 90 x 38 mm, Number of individual labels: 1

Plastic label - UCT-PMLP (90X38) CUS - 0803042



Plastic label, white, labeled according to customer specifications, can be labeled with: THERMOMARK PRIME, THERMOMARK CARD, BLUEMARK ID, BLUEMARK ID COLOR, BLUEMARK CLED, TOPMARK NEO, TOPMARK LASER, mounting type: adhesive, lettering field size: 90 x 38 mm, Number of individual labels: 1

System marking

Snap-in markers - UCT-PMP (90X38) - 0803039



Snap-in markers, Sheet, white, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, mounting type: snapped into marker carrier, lettering field size: 90 x 38 mm, Number of individual labels: 1

Snap-in markers - UCT-PMP (90X38) BU - 0803047



Snap-in markers, Sheet, blue, unlabeled, can be labeled with: TOPMARK NEO, TOPMARK LASER, BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, mounting type: snapped into marker carrier, lettering field size: 90 x 38 mm, Number of individual labels: 1

Marker carriers - CARRIER-PMP (108X38) - 0830958

Accessories

Snap-in markers - PMP-RFID/HF (90X38) - 0831021



Snap-in markers, Sheet, white, unlabeled, can be labeled with: BLUEMARK ID COLOR, BLUEMARK ID, BLUEMARK CLED, mounting type: snapped into marker carrier, lettering field size: 90 x 38 mm, Number of individual labels: 1

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>