

CRIMPFOX-M SC 2,5/DIE

Order No.: 1212084



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1212084>

Die, for Crimpfox-M, for non-insulated slip-on sleeves 0.5 - 2.5 mm²

Commercial data

GTIN (EAN)	 4 046356 454544
Note	Made-to-order
sales group	C108
Pack	1 pcs.
Customs tariff	82032000
Catalog page information	Page 280 (CL2-2011)

Product notes

WEEE/RoHS-compliant since:
09/26/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Length (b)	114 mm
Height	25.5 mm
Width (a)	75 mm
Color	black
Weight	63 g

Die station	Crimping position 1
Min. cross section	0.5 mm ²
Max. cross section	1 mm ²
AWG min	22
AWG max	16
Die station	Crimping position 2
Min. cross section	1.5 mm ²
Max. cross section	2.5 mm ²
AWG min	16
AWG max	14
Type of contact	Slip-on sleeve

Certificates / Approvals



Certification

GOST

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;