

Protective cap - QPD QSK GY 5X2,5 FS - 1404526

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Protective cap, plastic, for QUICKON connection, gray, with retaining cord, IP68



RoHS

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 698696
GTIN	4046356698696

Technical data

Dimensions

Length	34.6 mm
Width	34.6 mm
Height	36 mm
Diameter of retaining cord eyelet	33.60 mm

Ambient conditions

Degree of protection (IP)	IP66
	IP68 (2 m / 24 h)
	IP69K
Ambient temperature (operation)	-40 °C ... 100 °C
Ambient temperature (storage/transport)	-40 °C ... 100 °C

General

Size	QPD
Material	PBT
Flammability rating according to UL 94	V0
Color	gray
Seal present	yes

Protective cap - QPD QSK GY 5X2,5 FS - 1404526

Technical data

Standards and Regulations


Flammability rating according to UL 94	V0
--	----

Environmental Product Compliance

China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

Drawings

Dimensional drawing



Approvals

Approvals

Approvals

GL

Ex Approvals

Approval details

GL		http://exchange.dnv.com/tari/	6195914 HH
----	---	---	------------

Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>