

Replacement part - HC-STA-B16-SL-PLBK - 1412284

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Single locking latch for B16 housing, HC-EVO....AL and HC-STA....AL



Key Commercial Data

| Packing unit | 1 STK |
|--------------------------------------|----------|
| Weight per Piece (excluding packing) | 20.0 g |
| Custom tariff number | 85389099 |
| Country of origin | Poland |

Technical data

Ambient conditions

| Ambient temperature (operation) | -40 °C 125 °C |
|---------------------------------|---------------|
| General | |


| Ambient temperature (operation) -40 °C 125 °C | Ambient temperature (operation) | 1 - 1 0 O 125 O |
|---|---------------------------------|----------------------------|
|---|---------------------------------|----------------------------|

Drawings



Replacement part - HC-STA-B16-SL-PLBK - 1412284

Dimensional drawing



Dimensional drawing

Classifications

eCl@ss

| eCl@ss 5.1 | 27143424 |
|------------|----------|
| eCl@ss 6.0 | 27143424 |
| eCl@ss 8.0 | 27379201 |
| eCl@ss 9.0 | 27141137 |

ETIM

| ETIM 4.0 | EC002498 |
|----------|----------|
| ETIM 5.0 | EC002498 |

Approvals

Approvals

Approvals

EAC / GL

Ex Approvals

Approvals submitted

Approval details

EAC

GL



Phoenix Contact 2016 @ - all rights reserved http://www.phoenixcontact.com