

HC-D 25-SML-57/M2PG21

Order No.: 1677584



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1677584>

Box mounting base, with single locking latch, height 57 mm, with
screw connection, 2x Pg21

Commercial data

GTIN (EAN)	
Note	Made-to-order
sales group	D011
Pack	10 pcs.
Customs tariff	85389099
Catalog page information	Page 577 (PC-2011)

Product notes

WEEE/RoHS-compliant since:
01/31/2006



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Technical data

General data

Note	For contact inserts HC-D25, A16
Design	D25
Height	57 mm
Width	50 mm
Length	109.5 mm

Housing type	Box mounting bases
Locking type	With single locking latch
No. of cable exits	2
Cable exit	Lateral
Pg screw connection	With
Type of the screw connection	2x Pg21
Wrench size, union nut	28 mm
External cable diameter	10 mm ... 19 mm (Cable 1) 10 mm ... 19 mm (Cable 2)
Degree of protection	IP65
Ambient temperature (operation)	-40 °C ... 125 °C
Housing material	Aluminum, die-cast
Housing surface material	Powder-coated, gray
Cable gland material	Nickel-plated brass
Cable seal material	NBR
Material lock	Steel, galvanized

Certificates / Approvals




Certification

GOST

Diagrams/Drawings

Dimensioned drawing



Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2011 Phoenix Contact
Technical modifications reserved;