

Plug-in module - RIF-LV-12-24 UC - 2900942

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Plug-in module, for mounting on RIF-1, RIF-2, RIF-3, and RIF-4, with varistor and yellow LED, input voltage: 12 ... 24 V AC/DC $\pm 20\%$



Key Commercial Data

| | |
|--------------|---------------|
| Packing unit | 10 pc |
| GTIN | |
| GTIN | 4046356733229 |

Technical data

Input data

| | |
|------------------------------|--------------------------------------|
| Input voltage range | 12 V AC/DC ... 24 V AC/DC $\pm 20\%$ |
| Status display | Yellow LED |
| Protective circuit/component | Varistor |

Standards and Regulations

| | |
|----------------------------------|-----|
| Connection in acc. with standard | CSA |
|----------------------------------|-----|

Environmental Product Compliance

| | |
|------------|---|
| China RoHS | Environmentally Friendly Use Period = 50 years |
| | For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration" |

Classifications

eCl@ss

| | |
|---------------|----------|
| eCl@ss 10.0.1 | 27371692 |
| eCl@ss 4.0 | 27371100 |
| eCl@ss 4.1 | 27371100 |
| eCl@ss 5.0 | 27371600 |

Plug-in module - RIF-LV-12-24 UC - 2900942

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 5.1 | 27371600 |
| eCl@ss 6.0 | 27379200 |
| eCl@ss 7.0 | 27379208 |
| eCl@ss 8.0 | 27379208 |
| eCl@ss 9.0 | 27371692 |

ETIM

| | |
|----------|----------|
| ETIM 4.0 | EC002586 |
| ETIM 5.0 | EC002586 |
| ETIM 6.0 | EC002586 |
| ETIM 7.0 | EC002586 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211917 |
| UNSPSC 7.0901 | 39121516 |
| UNSPSC 11 | 39121516 |
| UNSPSC 12.01 | 39121516 |
| UNSPSC 13.2 | 32151504 |
| UNSPSC 18.0 | 39122335 |
| UNSPSC 19.0 | 39122335 |
| UNSPSC 20.0 | 39122335 |
| UNSPSC 21.0 | 39122335 |

Approvals

Approvals

Approvals

DNV GL / CSA / PRS / LR / UL Recognized / EAC / DNV GL






Ex Approvals

Approval details

| | | | |
|--------|--|---|------------|
| DNV GL | | https://approvalfinder.dnvgl.com/ | TAA000018V |
|--------|--|---|------------|

Plug-in module - RIF-LV-12-24 UC - 2900942

Approvals

| | | | |
|---------------|---|---|--------------------------|
| CSA |  | http://www.csagroup.org/services-industries/product-listing/ | 2607057 |
| PRS |  | http://www.prs.pl/ | TE/2108/880590/16 |
| LR |  | http://www.lr.org/en | 15/20011 |
| UL Recognized |  | http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm | FILE E 113228 |
| EAC |  | | RU C- DE.A*30.B.01082 |
| DNV GL |  | https://approvalfinder.dnvgl.com/ | TAA000018V |

Phoenix Contact 2020 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>