

Software - PC WORX PRO UPD - 2985372

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Software update for PC-based automation solutions, version update for PC WORX PRO LIC (e.g., from 5.xx to 6.xx or 3.xx to 6.xx). For an update from version 3.xx to 5.xx, please contact your sales representative. Version-specific license key

Your advantages

- ✓ Consistent support for drag-and-drop
- ✓ User-friendly device handling, thanks to integrated PROFINET, PROFIBUS, INTERBUS, and Modbus TCP configuration and addressing
- ✓ Program modifications can also be made while the controller is running
- ✓ Open interfaces to EPLAN, WinMOD, PLCopen XML
- ✓ Integrated simulation environment
- ✓ Integrated fieldbus and network configuration
- ✓ Application-specific expansion with corresponding functional blocks
- ✓ Integrated diagnostics and monitoring
- ✓ Fast startup and programming, thanks to comprehensive standard libraries
- ✓ Uniform operation worldwide, thanks to programming according to IEC 61131
- ✓ A programming environment for all controllers from Phoenix Contact



Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 099462
GTIN	4046356099462

Technical data

License information

Intended use for the software	Engineering software for controllers
-------------------------------	--------------------------------------

Functions

Basic functions	Planning an automation system, parameterizing the INTERBUS and PROFINET devices, operating INTERBUS and PROFINET, programming an automation system in acc. with IEC 61131-3. communication in acc. with IEC 61131-5
-----------------	---

Software - PC WORX PRO UPD - 2985372

Technical data

Functions

	Symbolic flowchart (SFC)
	Instruction list (IL)
	Structured text (ST)
	Ladder diagram (LD)
	Network configuration (functionality of Config+)
	Network diagnostics (functionality of Diag+)
Expanded functionality	Unlimited number of input/output data
	Machine Sequential Function Chart (MSFC)
	Fixed Format Ladder Editor (FFLD)
Number of I/O nodes	128 I/O kbytes
Configuration	INTERBUS
	PROFINET
	Modbus/TCP
Diagnostics	INTERBUS, PROFINET
Control system	(Target system) Embedded and PC-based controllers

Hardware requirements

Hard disk	min. 2 GByte
RAM	min. 2 GByte
CPU	min. 2 GHz, x86 architecture
Interfaces	Serial COM port, Ethernet (PCI if there is an INTERBUS master card in the PC)
Optical drive	DVD-ROM
Monitor resolution	SXGA (1280 x 1024)
Operating equipment	Keyboard, mouse

Software requirements

Operating system	Windows® 7 Professional SP1 (32-Bit/64-Bit)
	Windows® 7 Ultimate SP1 (32-Bit/64-Bit)
	Windows® 8.1 Professional (32-Bit/64-Bit)
	Windows® 8.1 Enterprise (32-Bit/64-Bit)
	Windows® 10 (32-bit/64-bit), as of Build 1511
Languages supported	German, English, French, Italian, Spanish, Chinese
Supported browsers	Internet Explorer Version 8 or later

Phoenix Contact 2019 © - all rights reserved
<http://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg
Germany
Tel. +49 5235 300
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>