

UT 4/ 1P-F

Order No.: 3060458



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3060458>

Screw flange, for screwing COMBI plugs, with the same structure and pitch as the relevant COMBI terminal blocks

Commercial data

GTIN (EAN)	4 046356 147026
sales group	A879
Pack	50 pcs.
Customs tariff	85369010
Catalog page information	Page 355 (CL1-2011)

Product notes

WEEE/RoHS-compliant since:
07/10/2006



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Product description

Screw flange

Technical data

General

Number of levels	1
Color	gray

Insulating material	PA
Inflammability class according to UL 94	V0

Dimensions

Width	6.2 mm
Length	49.1 mm
Height	46.9 mm
Height NS 35/7.5	47.5 mm
Height NS 35/15	55 mm

Connection data

Connection method	Screw connection
Screw thread	M2,5

Accessories

Item	Designation	Description
Assembly		
3022276	CLIPFIX 35-5	Snap-on end bracket, for NS 35/7.5 or NS 35/15 DIN rail, can be fitted with Zack strip ZB 5 and ZBF 5, terminal strip marker KLM 2 and KLM, parking facility for FBS...5, FBS...6, KSS 5, KSS 6, width: 5,15 mm, color: gray

Address

PHOENIX CONTACT Inc., USA
586 Fulling Mill Road
Middletown, PA 17057, USA
Phone (800) 888-7388
Fax (717) 944-1625
<http://www.phoenixcon.com>



© 2012 Phoenix Contact
Technical modifications reserved;