



3M™ Static Control

- Products
- Technical Info
- News & Events
- Support & Training

[Product Catalog for Static Control](#) > [Wrist Straps and Heel Grounders](#) >

3M™ Heel Grounders



[\[click to enlarge\]](#)

3M Heel Grounders are designed and manufactured for comfort, durability, and cost-effectiveness. We make all of these grounders in the USA. Our grounders are tested for electrical performance, and many are UL Listed.

- [3M™ Cup Style Economy Heel Grounder HGC1M-EC](#) (PDF 354.0K)
- [3M™ Cup Style Heel Grounder](#) (PDF 337.0K)
- [3M™ Cup Style Heel Grounder HGC1M-N72-BLU](#) (PDF 418.0K)
- [3M™ D-Ring Cup Style Heel Grounder BLUE-HGC1MD](#) (PDF 465.0K)
- [3M™ Disposable Foot Grounder 5402](#) (PDF 212.0K)
- [3M™ Front Sole Grounder FSG1M](#) (PDF 316.0K)
- [3M™ Heel Grounder Assembly HGC1M-ECG](#) (PDF 641.0K)
- [3M™ Heel Grounder NS-HGC1M Data Sheet](#) (PDF 301.0K)
- [3M™ Orange Hook and Loop Cup Style Heel Grounder HGC1M-org](#) (PDF 577.0K)
- [3M™ Quick Clasp Cup Style Heel Grounder HGC1M-C](#) (PDF 338.0K)
- [3M™ Red Standard Style Heel Grounder with D-Ring HGS1MD-RED](#) (PDF 374.0K)
- [3M™ Sole Grounder - Full Coverage](#) (PDF 273.0K)
- [3M™ Standard Style Heel Grounder HGS1M](#) (PDF 360.0K)
- [3M™ Toe Grounder TG1M](#) (PDF 291.0K)

If you have questions, please [Contact Us](#)

[Important Notice and Warranty](#)

Product Details	Documents	Product Info/Submit RFQ		
Part #	3M ID/SKU	Description	Request a Quote/Information	
			<input type="button" value="Submit"/>	
 <p>[click to enlarge]</p>	HGC1M-ECG	80001122797	3M™ Economy Heel Grounder Cost effective, cup style with elastic	<input type="button" value="Request Quote"/>
 <p>[click to enlarge]</p>	FSG1M-L	80001122425	3M™ Front Sole Grounder FSG1M-L, 1 Megohm Resistor, Large Provides improved floor contact.	<input type="button" value="Request Quote"/>

 [click to enlarge]	FSG1M-S	80001122417	3M™ Front Sole Grounder FSG1M-S, 1 Megohm Resistor, Small Provides improved floor contact.	
 [click to enlarge]	FSG1M-M	80001122326	3M™ Front Sole Grounder FSG1M-M, 1 Megohm Resistor, Medium Provides improved floor contact.	
 [click to enlarge]	2051	98079823385	3M™ Grounder Assembly 2051 (Standard Performance), 2051 The 3M Shoe Grounder Assembly 2051 is designed to effectively ground mobile personnel when they are in contact with conductive and dissipative flooring.	
 [click to enlarge]	2044	98079854281	3M™ Heel Grounder Assembly (Economy Performance), 2044 The 3M Economy Heel Grounder 2044 is a cup style heel grounder with a high visibility "yellow glow" strap that helps facility supervisors effectively manage their static control program.	
 [click to enlarge]	HGC1M-ORG	80001122573	3M™ Heel Grounder, Cup Style High Visibility Orange Elastic Velcro®, Double Sole	
 [click to enlarge]	HGC1M-C	80001122722	3M™ Heel Grounder, Cup Style with Quick Clasp Push Button Clasp, Double Sole, Elastic Strap.	
 [click to enlarge]	HGC1M-N72-BLU	80000979254	3M™ Heel Grounder, Cup Style, 1 Meg Resistor, Blue, High Visibility Blue Elastic Velcro®, Double Sole	
 [click to enlarge]	HGC1M	80001122805	3M™ Heel Grounder, Cup Style, 1 Meg Resistor Double Sole, Elastic Velcro®.	
	HGC2M	80001122870	3M™ Heel Grounder, Cup Style, 2 Meg Resistor	

 [click to enlarge]			Double Sole, Elastic Velcro®.	
 [click to enlarge]	BLUE-HGC1MD	80001122433	3M™ Heel Grounder, Cup Style, D-Ring Adjustment, High Visibility Blue Velcro®, Double Sole	
 [click to enlarge]	HGC1M-EC	80001122383	3M™ Heel Grounder, Cup Style, HGC1M-EC Designed to be cost-effective and durable. A double life span, threelayer sole, 18 in. (45.7 cm) multi-strand ribbon, and a low price make this grounder a good choice when high volume grounder use and turnover is costing too much. ESD SP9.2 Type A.	
 [click to enlarge]	NS-HGC1M	80001122599	3M™ Heel Grounder, Cup Style, Non-Scuffing Dissipative blue rubber does not mark floors.	
 [click to enlarge]	5402	80000955650	3M™ Heel Grounder, Disposable Ideal for one-time use applications	
 [click to enlarge]	HGS1MD-RED	80001122516	3M™ Heel Grounder, Standard Style, High Visibility, HGS1MD-RED This grounder features a D-ring and elastic hook and loop for full adjustability. Compliance verification is simplified by the bright red elastic strap. ESD SP9.2 Type A.	
 [click to enlarge]	SG1M-SM	80001121435	3M™ Sole Grounder SG1M-SM, Small, 1 Meg Resistor Provides maximum ground contact.	
 [click to enlarge]	SG1M-XL	80001121120	3M™ Sole Grounder, Extra Large, 1 Meg Resistor Provides maximum ground contact.	
 [click to enlarge]	SG1M-L	80001121955	3M™ Sole Grounder, Large, 1 Meg Resistor Provides maximum ground contact.	

[click to enlarge]  [click to enlarge]	HGS1M	80001122862	3M™ Standard Heel Grounder, 1 Meg Resistor Provides one grounding sole and an elastic strap around the heel.	<input type="checkbox"/>
 [click to enlarge]	2053	98079820845	3M™ Toe Grounder Assembly (Premium Performance) 2053 Designed for use with high-heeled shoes, the 3M Toe Grounder Assembly 2053 grounds personnel when they are in contact with conductive/dissipative flooring.	<input type="checkbox"/>
 [click to enlarge]	TG1M	80001122995	3M™ Toe Grounder, TG1M Fits high heels and other shoes that traditional heel grounders won't. Made in the USA, this quality grounder features a durable three layer sole, lot number, and 12 in. (30.5 cm) multi-strand ribbon. ESD SP9.2 Type A.	<input type="checkbox"/>
<input type="button" value="Submit"/>				