


4805 (3/11)



3

		F	14.39 g	2103534-6
		E	14.30 g	2103534-5
		D	14.64 g	2103534-4
		В	14.62 g	2103534-2
		A	14.48 g	2103534-1
		I NDE X CODE	WEIGHT	PART NO
NTROLLED DOCUMENT.	DWN 04SEP2013 D. RHEIN 04SEP2013 СНК 04SEP2013		-ETE	TE Connectivity
TOLERANCES UNLESS OTHERWISE SPECIFIED: PLC ±0.5 PLC ±0.30	D. RHEIN APVD 04SEP2013 A. GUANCO PRODUCT SPEC - APPLICATION SPEC	NAME PLUG SUB-ASSEMBLY HVA280		
3 PLC ± 4 PLC ± ANGLES ±1°	AFFLICATION SPEC	SIZE CAGE CODE DRAWING NO A 1 0 0 7 7 9 $\bigcirc$ 2 1 0 3 5 3 4 -		
	- weight SEE TABLE	A 1 0 0 7 <sup>-</sup>		1 -


## $\cancel{5}$ te part number in this location at assembly (variable)


 $\stackrel{\frown}{4}$  julian date code in this location at assembly

 $\cancel{3}$  CPA MUST BE INSTALLED IN PRE-STAGE POSITION AS SHOWN

PERIPHERAL SEAL RETAINER MUST BE FULLY LOCKED IN TWO LOCATIONS INTO OUTER HOUSING

1. CONNECTOR MUST BE FREE OF ANY MECHANICAL DEFECTS WHICH COULD NEGATIVELY AFFECT FIT, FUNCTION, OR PERFORMANCE





## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 2103534-2