




REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
3		REVISED	18FEB2017	D.Z	S.L




SECTION:A-A
SCALE 2:1

- NOTES:
- MATERIAL:
 - HOUSING: HIGH TEMPERATURE THERMO PLASTIC,UL94V-0,COLOR:BLACK.
 - CONTACT: COPPER ALLOY.
 - SOLDER PEG AND LATCH:STAINLESS STEEL.
 - FINISH:

SOLDER PEG: GOLD FLASH ON 50u" MIN NICKEL UNDERPLATED ALL OVER.

CONTACT SOLDER AREA: GOLD FLASH ON SOLDERTAIL.

 - CONTACT AREA: GOLD FLASH ON 50u" MIN NICKEL UNDERPLATED ALL OVER.
 - CONTACT AREA: 5u" ON 50u" MIN NICKEL UNDERPLATED ALL OVER.
 - CONTACT AREA: 10u" ON 50u" MIN NICKEL UNDERPLATED ALL OVER.
 - CONTACT AREA: 15U" ON 50u" MIN NICKEL UNDERPLATED ALL OVER.
 - CONTACT AREA: 30U" ON 50u" MIN NICKEL UNDERPLATED ALL OVER.
 - COPLANARITY: 0.10 MAX.






MATING/UNMATING VIEW
SCALE 2:1





- MATING: ① INSERTING(25°) → ② ROTATING → ③ FIXED
- UNMATING: ④ UNFIXED → ⑤ ROTATING → ⑥ WITHDRAWING

TAPE&REEL	BLACK	1.2V	30u"	260	2309409-5
TAPE&REEL	BLACK	1.2V	15u"	260	2309409-4
TAPE&REEL	BLACK	1.2V	10u"	260	2309409-3
TAPE&REEL	BLACK	1.2V	5u"	260	2309409-2
TAPE&REEL	BLACK	1.2V	GF	260	2309409-1
PACKING TYPE	HOUSING COLOR	POWER SUPPLY	FINISH	POS	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID_ZHAO 09SEP2016	TE Connectivity		
		CHK RICHARD_MA 09SEP2016			
		APVD SIMON_LI 09SEP2016	NAME		
DIMENSIONS: mm		PRODUCT SPEC	DDR4 SODIMM SOCKET		
		108-115122	0.5mm PITCH 260POS		
		APPLICATION SPEC	5.2mm HEIGHT STANDARD TYPE		
MATERIAL		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C=2309409
		FINISH	RESTRICTED TO		
		CUSTOMER DRAWING	SCALE 1:1	SHEET 1 of 3	REV 3



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	-	-	-	-



400	2	800	*-2309409-*
PCS/ REEL	REEL/ CARTON	PCS/ CARTON	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO 09SEP2016	TE Connectivity	
DIMENSIONS: mm		CHK RICHARD ,MA 09SEP2016		
TOLERANCES UNLESS OTHERWISE SPECIFIED		APVD SIMON LI 09SEP2016	NAME	
0 PLC ±		PRODUCT SPEC	DDR4 SODIMM SOCKET	
1 PLC ±		APPLICATION SPEC	0.5mm PITCH 260POS	
2 PLC ±		WEIGHT	5.2mm HEIGHT STANDARD TYPE	
3 PLC ±		CUSTOMER DRAWING	SIZE CAGE CODE DRAWING NO	
4 PLC ±		SCALE	A2 00779 C=2309409	
ANGLES ±		SHEET	3 of 3	
FINISH		REV	3	