



+ RELAYS, CONTACTORS & SWITCHES  
TACTILE SWITCHES



✓ Active

TE CONNECTIVITY (TE)  
FSM2RA2J  
[Alcoswitch](#) | [FSM2RA2J](#)

FSM2RA2J  
TE Internal Number: 3-1437565-1

- EU RoHS Compliant
- EU ELV Compliant
- Actuator Style Round
- Operating Function NO
- Contact Base Material Copper Alloy
- Contact Plating Silver
- Dust Proof No

↓ **PRODUCT DRAWING**  
English

DOCUMENTATION

Product Drawings

**TOWER DUAL BUTTON TACT SWITCH**  
PDF  
English

Catalog Pages/Data Sheets

**SWITCHES\_CORE\_PROGRAM\_CATALOG**  
PDF  
English

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features	
<b>Illuminated</b>	No
<b>Leg Style</b>	Kinked
<b>Actuator Style</b>	Round
<b>Dust Proof</b>	No
<b>Product Type</b>	Switch
Configuration Features	
<b>Snap Action</b>	Without
<b>Tactile</b>	Yes
<b>Operating Function</b>	NO
<b>Support Bracket</b>	Without
<b>Configuration (Pole-Throw)</b>	Single Pole - Single Throw
<b>Number of Actuators</b>	2
<b>Ganged</b>	With
<b>ESD Grounding Terminal</b>	Without
<b>Tactile Feel</b>	With
Body Features	
<b>Body Style</b>	Vertical Dual Two Story
<b>Bushing Style</b>	Unthreaded
<b>Case Material</b>	Polyamide
<b>Actuator Color</b>	Black
<b>Actuator Force</b>	160 g [ 5.648 oz ]
<b>Case Color</b>	Black
<b>Cover Material</b>	Steel
<b>Actuator Material</b>	Polyacetal Resin
<b>Actuator Profile</b>	Extended
Contact Features	
<b>Contact Base Material</b>	Copper Alloy
<b>Contact Plating</b>	Silver
<b>Contact Current Rating (mA)</b>	50
Termination Features	
<b>Termination Type</b>	Printed Circuit Board
Mechanical Attachment	
<b>Mounting Type</b>	Through Hole
<b>Mounting Angle</b>	Vertical
Housing Features	
<b>Low Profile</b>	With
<b>Process Sealed</b>	No
Dimensions	

**Switch Height (in)** .89  
**Button Width** 3.5 mm [ .138 in ]  
**Actuator Length** 3.85 mm [ .152 in ]

Usage Conditions  
**Temperature Rating (°C)** Standard

Packaging Features  
**Packaging Method** Loose Piece

Other  
**Comment** (On) indicates momentary position., Pins 1 and 4 are designated for the top switch - Pins 2 and 3 are designated for the bottom switch.

PRODUCT COMPLIANCE

+

Statement of Compliance  
**Statement of Compliance**  
PDF